



Spinning the **cool**
around the **world.**



FANS

CATALOGUE



Follow us on :    
Download Customer Care App :





DECADES OF TRUST, INNOVATION, SUPPORT & EXCELLENCE

Introduction...

iMee LED is a brain child of Parekh Group, established in 1945 with a vision of honesty, truthfulness and quality. The Parekh Group is counted among the leading business houses having diversified businesses across various sectors with an expertised experience of over seven decades and four generations.

Owing to our rich expertise, knowledge, experience and expertise of our expert team, "we offer a wide range of LED Lights, LED Tv's, Personal & Home care products and much more range". Our entire product range is under strict supervision of our team with utmost attention to intricate detail so that the best products and services can be conveyed to our clients.

Our team consists of highly skilled and professionally trained people who work hard in close coordination with each other to set up total customer satisfaction. Through an unwavering focus on commitment & delivery, we have charted our way to success in our operations and have won the admiration of our buyers and have built a long term relationship with our esteemed customers.

Assurance of Quality & Excellence has been our key to success since our establishment and we believe that the years ahead will see us treading new grounds, widening the spectrum and expanding our trade horizons even further. We have set a high standard of conduct towards our buyers. Our precise approach to the quality of our manufactured products meets our customers' demands. We continuously work on improvement of our products, services & ourselves, so that we are able to serve you in the best possible way, today and for years to come.

Brand Owned By:

PAREKH GADGETS PRIVATE LIMITED,

An ISO 9001 : 2015 Certified Company,
Regd Office: Bhumi Arcade, Opp. Garden,
Lakadganj, Nagpur 440008,
Maharashtra, India.

 www.imee.in
 customercare@imee.in
 sales@imee.in
 1800 258 4343

Timing : 11 am to 7 pm (Monday to Saturday)

Excel Deco

High Speed Anti Dust Ceiling Fan

SKU NAME : IMEE-CFAN-EXCELDECO

New wings for the fresh air. Presenting the all new series of stylish fans from iMee family. Ceiling fan with consistent air flow, high power 75 watts along with aluminum blades, double ball bearings, low noise ratio, dust resistant and comes in a variety of colors with a 40% reduction in energy consumption.

■ Metallic Paint



SWEEP	RPM
900mm (36")	500+RPM
1200mm (48")	400+RPM

Motor Type AC Permanent Capacitor Single Phase Induction Motor	Motor Body Size 200 mm Diameter	Earthing Resistance $<0.1 \Omega$	Stator 12 Pole / 12 mm Thickness
Air Delivery 200 Cubic Meters/Minute (36") 210 Cubic Meters/Minute (48")	Power 72 Watts (36") 75 Watts (48")	Three No. of Blades	Speed 500 RPM at 230V (36") 400 RPM at 230V (48")
Aluminum Motor Body & Blade Material	Blade Thickness 1 mm	Power Factor 0.9+	Class of Insulation Class B
Stator Type Copper Wound & Treated with Class 'B' with Double Insulation	Voltage AC 220-230V, 50Hz Single Phase AC	Rotor Die Casted with EC Grade Aluminum	Type of Bearing Double Ball Bearing (6201/6202 ZZ)



Oil Condenser | 2.25 MFD Capacitor | Pure Copper Winding | Powerful & Durable Motor | Energy Efficient Performance | Silent Fan
 Anti Dust & Rust Resistant | Wide Angle Air Flow | Double Ball Bearing | High Air Delivery | Aerodynamic Blades | Long Life Span

-: Available Colour :-

Matte Black, Satin Gold, Shimmer White, Himalaya Grey, Electric Blue



Majesty Deco

High Speed Anti Dust Ceiling Fan

SKU NAME : IMEE-CFAN-MAJESTYDECO48"

New wings for the fresh air. Presenting the all new series of stylish fans from iMee family. Ceiling fan with consistent air flow, high power 75 watts along with aluminum blades, double ball bearings, low noise ratio, dust resistant and comes in a variety of colors with a 40% reduction in energy consumption.

■ Metallic Paint



SWEEP	RPM
1200mm (48")	400+RPM

Motor Type AC Permanent Capacitor Single Phase Induction Motor	Motor Body Size 192 mm Diameter	Earthing Resistance $<0.1 \Omega$	Stator 12 Pole / 12 mm Thickness
Air Delivery 210 Cubic Meters/Minute	Power 75 Watts	Three No. of Blades	Speed 400 RPM at 230V
Aluminum Motor Body & Blade Material	Blade Thickness 1 mm	Power Factor 0.9+	Class of Insulation Class B
Stator Type Copper Wound & Treated with Class 'B' with Double Insulation	Voltage AC 220-230V, 50Hz Single Phase AC	Rotor Die Casted with EC Grade Aluminum	Type of Bearing Double Ball Bearing (6201/6202 ZZ)



Oil Condenser | 2.25 MFD Capacitor | Pure Copper Winding | Powerful & Durable Motor | Energy Efficient Performance | Silent Fan
 Anti Dust & Rust Resistant | Wide Angle Air Flow | Double Ball Bearing | High Air Delivery | Aerodynamic Blades | Long Life Span

-: Available Colour :-

Deep Brown, Glorious Gold, Rose Gold, Matte Black, Shimmer White



Orchid Deco

High Speed Anti Dust Ceiling Fan

SKU NAME : IMEE-CFAN-ORCHIDDECO48*

New wings for the fresh air. Presenting the all new series of stylish fans from iMee family. Ceiling fan with consistent air flow, high power 75 watts along with aluminum blades, double ball bearings, low noise ratio, dust resistant and comes in a variety of colors with a 40% reduction in energy consumption.

■ Metallic Paint



SWEEP	RPM
1200mm (48")	400+RPM

Motor Type AC Permanent Capacitor Single Phase Induction Motor	Motor Body Size 192 mm Diameter	Earthing Resistance $<0.1 \Omega$	Stator 12 Pole / 12 mm Thickness
Air Delivery 210 Cubic Meters/Minute	Power 75 Watts	Three No. of Blades	Speed 400 RPM at 230V
Aluminum Motor Body & Blade Material	Blade Thickness 1 mm	Power Factor 0.9+	Class of Insulation Class B
Stator Type Copper Wound & Treated with Class 'B' with Double Insulation	Voltage AC 220-230V, 50Hz Single Phase AC	Rotor Die Casted with EC Grade Aluminum	Type of Bearing Double Ball Bearing (6201/6202 ZZ)



Oil Condenser | 2.25 MFD Capacitor | Pure Copper Winding | Powerful & Durable Motor | Energy Efficient Performance | Silent Fan
 Anti Dust & Rust Resistant | Wide Angle Air Flow | Double Ball Bearing | High Air Delivery | Aerodynamic Blades | Long Life Span

-: Available Colour :-

Shimmer White, Matte Black, Metallic Deep Brown, Burgundy



Prime

High Speed Anti Dust Ceiling Fan

SKU NAME : IMEE-CFAN-PRIME48"

Ceiling fan with consistent air flow, high power 75 watts along with aluminum blades, double ball bearings, low noise ratio, dust resistant and comes in a variety of colors with a 40% reduction in energy consumption.

■ Metallic Paint



SWEEP	RPM
1200mm (48")	400+RPM

Motor Type AC Permanent Capacitor Single Phase Induction Motor	Motor Body Size 192 mm Diameter	Earthing Resistance $<0.1 \Omega$	Stator 12 Pole / 12 mm Thickness
Air Delivery 210 Cubic Meters/Minute	Power 75 Watts	Three No. of Blades	Speed 400 RPM at 230V
Aluminum Motor Body & Blade Material	Blade Thickness 1 mm	Power Factor 0.9+	Class of Insulation Class B
Stator Type Copper Wound & Treated with Class 'B' with Double Insulation	Voltage AC 220-230V, 50Hz Single Phase AC	Rotor Die Casted with EC Grade Aluminum	Type of Bearing Double Ball Bearing (6201/6202 ZZ)



Oil Condenser | 2.25 MFD Capacitor | Pure Copper Winding | Powerful & Durable Motor | Energy Efficient Performance | Silent Fan
 Anti Dust & Rust Resistant | Wide Angle Air Flow | Double Ball Bearing | High Air Delivery | Aerodynamic Blades | Long Life Span

-: Available Colour :-

Shimmer White, Metallic Rainbow Ivory, Himalaya Grey, Copper Bronze, Metallic Deep Brown



Regal Deco

High Speed Anti Dust Ceiling Fan

SKU NAME : IMEE-CFAN-REGALDECO48"

Ceiling fan with consistent air flow, high power 75 watts along with aluminum blades, double ball bearings, low noise ratio, dust resistant and comes in a variety of colors with a 40% reduction in energy consumption.

■ Metallic Paint



SWEEP	RPM
1200mm (48")	400+RPM

Motor Type AC Permanent Capacitor Single Phase Induction Motor	Motor Body Size 192 mm Diameter	Earthing Resistance $<0.1 \Omega$	Stator 12 Pole / 12 mm Thickness
Air Delivery 210 Cubic Meters/Minute	Power 75 Watts	Three No. of Blades	Speed 400 RPM at 230V
Aluminum Motor Body & Blade Material	Blade Thickness 1 mm	Power Factor 0.9+	Class of Insulation Class B
Stator Type Copper Wound & Treated with Class 'B' with Double Insulation	Voltage AC 220-230V, 50Hz Single Phase AC	Rotor Die Casted with EC Grade Aluminum	Type of Bearing Double Ball Bearing (6201/6202 ZZ)



Oil Condenser | 2.25 MFD Capacitor | Pure Copper Winding | Powerful & Durable Motor | Energy Efficient Performance | Silent Fan
 Anti Dust & Rust Resistant | Wide Angle Air Flow | Double Ball Bearing | High Air Delivery | Aerodynamic Blades | Long Life Span

-: Available Colour :-

Deep Brown, Satin Gold, Rose Gold, Matte Black, Shimmer White



Matrix

High Speed Ceiling Fan

SKU NAME : IMEE-CFAN-MATRIX48"

Ceiling fan with consistent air flow, high power 75 watts along with aluminum blades, double ball bearings, low noise ratio, dust resistant and comes in a variety of colors with a 40% reduction in energy consumption.

■ Powder Coated



SWEEP	RPM
1200mm (48")	400+RPM

Motor Type AC Permanent Capacitor Single Phase Induction Motor	Motor Body Size 187 mm Diameter	Earthing Resistance $<0.1 \Omega$	Stator 12 Pole / 11 mm Thickness
Air Delivery 210 Cubic Meters/Minute	Power 75 Watts	Three No. of Blades	Speed 400 RPM at 230V
Aluminum Motor Body & Blade Material	Blade Thickness 1 mm	Power Factor 0.9+	Class of Insulation Class B
Stator Type Copper Wound & Treated with Class 'B' with Double Insulation	Voltage AC 220-230V, 50Hz Single Phase AC	Rotor Die Casted with EC Grade Aluminum	Type of Bearing Double Ball Bearing (6201/6202 ZZ)



Oil Condenser | 2.25 MFD Capacitor | Pure Copper Winding | Powerful & Durable Motor | Energy Efficient Performance | Silent Fan
 Rust & Dust Resistant | Wide Angle Air Flow | Double Ball Bearing | High Air Delivery | Aerodynamic Blades | Long Life Span

-: Available Colour :-

White, Ivory, Brown, Matte Brown, Smoke Brown



Innova

High Speed Ceiling Fan

SKU NAME : IMEE-CFAN-INNOVA48"

Ceiling fan with consistent air flow, high power 75 watts along with MS Body & Blades double ball bearings, low noise ratio, dust resistant and comes in a variety of colors with a 40% reduction in energy consumption.

■ Powder Coated



SWEEP	RPM
1200mm (48")	400+RPM

Motor Type AC Permanent Capacitor Single Phase Induction Motor	Motor Body Size 186 mm Diameter	Earthing Resistance $<0.1 \Omega$	Stator 12 Pole / 11 mm Thickness
Air Delivery 210 Cubic Meters/Minute	Power 75 Watts	Three No. of Blades	Speed 400 RPM at 230V
CR Sheet (MS) Motor Body & Blade Material	Blade Thickness 0.6 mm	Power Factor 0.9+	Class of Insulation Class B
Stator Type Copper Wound & Treated with Class 'B' with Double Insulation	Voltage AC 220-230V, 50Hz Single Phase AC	Rotor Die Casted with EC Grade Aluminum	Type of Bearing Double Ball Bearing (6201/6202 ZZ)



Oil Condenser | 2.25 MFD Capacitor | Pure Copper Winding | Powerful & Durable Motor | Energy Efficient Performance | Silent Fan
 Rust & Dust Resistant | Wide Angle Air Flow | Double Ball Bearing | High Air Delivery | Aerodynamic Blades | Long Life Span

-: Available Colour :-

White, Ivory, Brown, Smoke Brown, Matte Brown, Glossy Black, Pure Gray, Beige



Grace

High Speed Ceiling Fan

SKU NAME : IMEE-CFAN-GRACE48"

New wings for the fresh air. Presenting the all new series of stylish fans from iMee family. Ceiling fan with consistent air flow, high power 75 watts along with aluminum blades, double ball bearings, low noise ratio, dust resistant and comes in a variety of colors with a 40% reduction in energy consumption.

■ Powder Coated



SWEEP	RPM
1200mm (48")	400+RPM

Motor Type AC Permanent Capacitor Single Phase Induction Motor	Motor Body Size 180 mm Diameter	Earthing Resistance $<0.1 \Omega$	Stator 12 Pole / 11 mm Thickness
Air Delivery 210 Cubic Meters/Minute	Power 75 Watts	Three No. of Blades	Speed 400 RPM at 230V
Aluminum Motor Body & Blade Material	Blade Thickness 1 mm	Power Factor 0.9+	Class of Insulation Class B
Stator Type Copper Wound & Treated with Class 'B' with Double Insulation	Voltage AC 220-230V, 50Hz Single Phase AC	Rotor Die Casted with EC Grade Aluminum	Type of Bearing Double Ball Bearing (6201/6202 ZZ)



Oil Condenser | 2.25 MFD Capacitor | Pure Copper Winding | Powerful & Durable Motor | Energy Efficient Performance | Silent Fan
 Rust & Dust Resistant | Wide Angle Air Flow | Double Ball Bearing | High Air Delivery | Aerodynamic Blades | Long Life Span

-: Available Colour :-

White, Ivory, Brown, Matte Brown, Smoke Brown



Delite Deco 24 Inch

High Speed Ceiling Fan

SKU NAME : IMEE-CFAN-DELITEDECO24"

New wings for the fresh air. Presenting the all new series of stylish fans from iMee family. Ceiling fan with consistent air flow, high power 70 watts along with aluminum blades, double ball bearings, low noise ratio, dust resistant and comes in a variety of colors with a 40% reduction in energy consumption.

■ Powder Coated



SWEEP	RPM
600mm (24")	850+RPM

Motor Type AC Permanent Capacitor Single Phase Induction Motor	Motor Body Size 160 mm Diameter	Earthing Resistance $<0.1 \Omega$	Stator 6 Pole / 13 mm Thickness
Air Delivery 165 Cubic Meters/Minute	Power 70 Watts	Four No. of Blades	Speed 850 RPM at 230V
Aluminum Motor Body & Blade Material	Blade Thickness 0.8 mm	Power Factor 0.9+	Class of Insulation Class B
Stator Type Copper Wound & Treated with Class 'B' with Double Insulation	Voltage AC 220-230V, 50Hz Single Phase AC	Rotor Die Casted with EC Grade Aluminum	Type of Bearing Double Ball Bearing (6201/6202 ZZ)



Oil Condenser | 2.25 MFD Capacitor | Pure Copper Winding | Powerful & Durable Motor | Energy Efficient Performance | Silent Fan
 Rust & Dust Resistant | Wide Angle Air Flow | Double Ball Bearing | High Air Delivery | Aerodynamic Blades | Long Life Span

-: Available Colour :-

White, Ivory, Brown, Matte Brown, Smoke Brown



Classic Deco

High Speed Ceiling Fan

SKU NAME : IMEE-CFAN-CLASSICDECO48"

New wings for the fresh air. Presenting the all new series of stylish fans from iMee family. Ceiling fan with consistent air flow, high power 75 watts along with aluminum blades, double ball bearings, low noise ratio, dust resistant and comes in a variety of colors with a 40% reduction in energy consumption.

■ Powder Coated

SWEEP	RPM
1200mm (48")	400+RPM



Motor Type AC Permanent Capacitor Single Phase Induction Motor	Motor Body Size 187 mm Diameter	Earthing Resistance $<0.1 \Omega$	Stator 12 Pole / 11 mm Thickness
Air Delivery 210 Cubic Meters/Minute	Power 75 Watts	Three No. of Blades	Speed 400 RPM at 230V
Aluminum Motor Body & Blade Material	Blade Thickness 1 mm	Power Factor 0.9+	Class of Insulation Class B
Stator Type Copper Wound & Treated with Class 'B' with Double Insulation	Voltage AC 220-230V, 50Hz Single Phase AC	Rotor Die Casted with EC Grade Aluminum	Type of Bearing Double Ball Bearing (6201/6202 ZZ)



Oil Condenser | 2.25 MFD Capacitor | Pure Copper Winding | Powerful & Durable Motor | Energy Efficient Performance | Silent Fan
 Rust & Dust Resistant | Wide Angle Air Flow | Double Ball Bearing | High Air Delivery | Aerodynamic Blades | Long Life Span

-: Available Colour :-

White, Ivory, Brown, Smoke Brown



Breeze

High Speed Ceiling Fan

SKU NAME : IMEE-CFAN-BREEZE

New wings for the fresh air. Presenting the all new series of stylish fans from iMee family. Ceiling fan with consistent air flow, high power 75 watts along with aluminum blades, double ball bearings, low noise ratio, dust resistant and comes in a variety of colors with a 40% reduction in energy consumption.

■ Powder Coated



SWEEP	RPM
600mm (24")	850+RPM
1200mm (48")	400+RPM

Motor Type AC Permanent Capacitor Single Phase Induction Motor	Motor Body Size 160 mm Diameter (24") 192 mm Diameter (48")	Earthing Resistance $<0.1 \Omega$	Stator 6 Pole / 13 mm Thickness (24") 12 Pole / 11 mm Thickness (48")
Air Delivery 165 Cubic Meters/Minute (24") 210 Cubic Meters/Minute (48")	Power 70 Watts (24") 75 Watts (48")	Four (24") Three (48") No. of Blades	Speed 850 RPM at 230V (24") 400 RPM at 230V (48")
Aluminum Motor Body & Blade Material	Blade Thickness 0.8 mm (24") 1 mm (48")	Power Factor 0.9+	Class of Insulation Class B
Stator Type Copper Wound & Treated with Class 'B' with Double Insulation	Voltage AC 220-230V, 50Hz Single Phase AC	Rotor Die Casted with EC Grade Aluminum	Type of Bearing Double Ball Bearing (6201/6202 ZZ)



Oil Condenser | 2.25 MFD Capacitor | Pure Copper Winding | Powerful & Durable Motor | Energy Efficient Performance | Silent Fan
 Rust & Dust Resistant | Wide Angle Air Flow | Double Ball Bearing | High Air Delivery | Aerodynamic Blades | Long Life Span

-: Available Colour :-

White, Ivory, Brown, Matte Brown, Smoke Brown



Rapid

High Speed Ceiling Fan

SKU NAME : IMEE-CFAN-RAPID48"

New wings for the fresh air. Presenting the all new series of stylish fans from iMee family. Ceiling fan with consistent air flow, high power 75 watts along with Aluminum Bottom & MS Top Motor Body & GP Sheet Blades, double ball bearings, low noise ratio, dust resistant and comes in a variety of colors with a 40% reduction in energy consumption.

■ Powder Coated

SWEEP	RPM
1200mm (48")	400+RPM




Motor Type AC Permanent Capacitor Single Phase Induction Motor	Motor Body Size 185 mm Diameter	Earthing Resistance $<0.1 \Omega$	Stator 12 Pole / 11 mm Thickness
Air Delivery 210 Cubic Meters/Minute	Power 75 Watts	Three No. of Blades	Speed 400 RPM at 230V
Aluminum Bottom & MS Top Motor Body & GP Sheet Blades	Blade Thickness 0.6 mm	Power Factor 0.9+	Class of Insulation Class B
Stator Type Prime Hiperm	Voltage AC 220-230V, 50Hz Single Phase AC	Rotor Die Casted with EC Grade Aluminum	Type of Bearing Double Ball Bearing (VLH V3)



Oil Condenser | 2.25 MFD Capacitor | Pure Copper Winding | Powerful & Durable Motor | Energy Efficient Performance | Silent Fan
 Rust & Dust Resistant | Wide Angle Air Flow | Double Ball Bearing | High Air Delivery | Aerodynamic Blades | Long Life Span

-: Available Colour :-

White, Ivory, Brown, Smoke Brown, Matte Brown, Glossy Black, Pure Gray, Beige



Turbo

High Speed Ceiling Fan

SKU NAME : IMEE-CFAN-TURBO48"

New wings for the fresh air. Presenting the all new series of stylish fans from iMee family. Ceiling fan with consistent air flow, high power 75 watts along with Aluminum Body & GP Sheet Blades, double ball bearings, low noise ratio, dust resistant and comes in a variety of colors with a 40% reduction in energy consumption.

■ Powder Coated



SWEEP	RPM
1200mm (48")	400+RPM

Motor Type AC Permanent Capacitor Single Phase Induction Motor	Motor Body Size 185 mm Diameter	Earthing Resistance $<0.1 \Omega$	Stator 12 Pole / 11 mm Thickness
Air Delivery 210 Cubic Meters/Minute	Power 75 Watts	Three No. of Blades	Speed 400 RPM at 230V
Aluminum Body & GP Sheet Blades	Blade Thickness 0.6 mm	Power Factor 0.9+	Class of Insulation Class B
Stator Type Prime Hiperm	Voltage AC 220-230V, 50Hz Single Phase AC	Rotor Die Casted with EC Grade Aluminum	Type of Bearing Double Ball Bearing (VLHV3)



Oil Condenser | 2.25 MFD Capacitor | Pure Copper Winding | Powerful & Durable Motor | Energy Efficient Performance | Silent Fan
 Rust & Dust Resistant | Wide Angle Air Flow | Double Ball Bearing | High Air Delivery | Aerodynamic Blades | Long Life Span

-: Available Colour :-

White, Ivory, Brown, Smoke Brown, Matte Brown, Glossy Black, Pure Gray, Beige



Deluxe Deco

High Speed Ceiling Fan

SKU NAME : IMEE-CFAN-DELUXEDECO48"

New wings for the fresh air. Presenting the all new series of stylish fans from iMee family. Ceiling fan with consistent air flow, high power 75 watts along with Aluminum Body & GP Sheet Blades, double ball bearings, low noise ratio, dust resistant and comes in a variety of colors with a 40% reduction in energy consumption.

■ Powder Coated

SWEEP	RPM
1200mm (48")	400+RPM



Motor Type AC Permanent Capacitor Single Phase Induction Motor	Motor Body Size 185 mm Diameter	Earthing Resistance $<0.1 \Omega$	Stator 12 Pole / 11 mm Thickness
Air Delivery 210 Cubic Meters/Minute	Power 75 Watts	Three No. of Blades	Speed 400 RPM at 230V
Aluminum Body & GP Sheet Blades	Blade Thickness 0.6 mm	Power Factor 0.9+	Class of Insulation Class B
Stator Type Prime Hiperm	Voltage AC 220-230V, 50Hz Single Phase AC	Rotor Die Casted with EC Grade Aluminum	Type of Bearing Double Ball Bearing (VLH V3)



Oil Condenser | 2.25 MFD Capacitor | Pure Copper Winding | Powerful & Durable Motor | Energy Efficient Performance | Silent Fan
 Rust & Dust Resistant | Wide Angle Air Flow | Double Ball Bearing | High Air Delivery | Aerodynamic Blades | Long Life Span

-: Available Colour :-

White, Ivory, Brown, Smoke Brown, Matte Brown, Glossy Black, Pure Gray, Beige



Classic

High Speed Pedestal Fan

SKU NAME : IMEE-CLHSPF-16IN

A high-speed motor-driven fan with a variable switch that is perfect solution for offices or wide spaces, with a 400mm sweep that leads to achieving rpm of over 2100.

High Speed

SWEEP	RPM
400mm (16")	2100+RPM



2
YEARS
WARRANTY

Sleek Design | Pure Copper Winding | Operating Voltage AC 180 - 440V | Capacitor Value 3.15 mfd | 3 Blades
Power Consumption 125 watts | Smooth & Noiseless Operation | Power Factor 0.9+ | Frequency 50 Hz

Classic

High Speed Wall Fan

SKU NAME : IMEE-CLHSWF-16IN

Classy design for all kind of interior settings, its power packed with Pure Copper winding & Operating Voltage of 180-440V resulting Smooth & Noiseless Operation, Protected with a Dust Protector Shutter.

High Speed

SWEEP	RPM
400mm (16")	2100+RPM



2 YEARS
WARRANTY

Sleek Design | Pure Copper Winding | Operating Voltage AC 180 - 440V | Capacitor Value 3.15 mfd | 3 Blades
Power Consumption 125 watts | Smooth & Noiseless Operation | Power Factor 0.9+ | Frequency 50 Hz

Classic


High Speed Table Fan

SKU NAME : IMEE-CLHSTF-16IN

Classy design for all kind of interior settings, its power packed with Pure Copper winding & Operating Voltage of 180-440V resulting Smooth & Noiseless Operation, Protected with a Dust Protector Shutter.

High Speed

SWEEP	RPM
400mm (16")	2100+RPM



2 YEARS
WARRANTY

Sleek Design | Pure Copper Winding | Operating Voltage AC 180 - 440V | Capacitor Value 3.15 mfd | 3 Blades
Power Consumption 125 watts | Smooth & Noiseless Operation | Power Factor 0.9+ | Frequency 50 Hz

Primo

Ventilation Exhaust Fan

SKU NAME : IMEE-PVEF

Most adorable fan in the range is Primo, Sleek Design, its power packed with Pure Copper winding resulting Smooth & Noiseless Operation, Protected with an Dust Protector Shutter.

High Speed

SWEEP	RPM
150mm (6")	1350+RPM
200mm (8")	1350+RPM
250mm (10")	1350+RPM



2
YEARS
WARRANTY

Sleek Design | Pure Copper Winding | Operating Voltage AC 180 - 440V | Capacitor Value 1.00 mfd | 6 Blades
Power Consumption 40 watts | Smooth & Noiseless Operation | Power Factor 0.9+ | Frequency 50 Hz

Jumbo

Farata Fan

SKU NAME : IMEE-JFAR-20IN

Elegant Design with Heavy Duty Material to Freshen Up Any Space without hassle, Power packed with Pure Copper Winding resulting Smooth & Noiseless Operation, Adjustable Height & Rotations.

SWEEP	RPM
500mm (20")	1360+RPM



1
YEAR
WARRANTY

Sleek Design | Pure Copper Winding | Operating Voltage AC 180 - 440V | Capacitor Value 4.00 mfd | 3 Blades
Power Consumption 140 watts | Dust Protector Shutter | Smooth & Noiseless Operation | Power Factor 0.9+ | Frequency 50 Hz

Typhoon


High Speed Oscillating Farata Fan

SKU NAME : IMEE-TFAR-16IN

An Oscillating Farata Fan, Elegant Design with Heavy Duty Material to Freshen Up Any Space without hassle, Power packed with Pure Copper Winding resulting Smooth & Noiseless Operation, Adjustable Height & Rotations.

High Speed

SWEEP	RPM
400mm (16")	2100+RPM



1
YEAR
WARRANTY

Sleek Design | Pure Copper Winding | Operating Voltage AC 180 - 440V | Capacitor Value 2.50 mfd | 3 Blades
Power Consumption 110 watts | Dust Protector Shutter | Smooth & Noiseless Operation | Power Factor 0.9+ | Frequency 50 Hz

Warranty policy

- 1) All iMee Products under FANS category fall under piece to piece replacement policy within the time frame as mentioned on the product from the date of purchase.
- 2) Every product is intended to be used in a specific area, Fans are created to be used in Indoors or Outdoors (under a shed and away from the reach of rain).
- 3) Physical Damages are not covered under warranty, only technical defects that occur within the mentioned specifications/parameters are covered under warranty.
- 4) Water Damage is not covered under warranty for Fans in any circumstances.
- 5) Products returned to iMee under replacement must be free of physical damages.
- 6) iMee reserves the right to give any alternative product of similar value or similar use if the returned product is discontinued or out of stock.
- 7) Replacement flow chart would be Customer->Retailer->Distributor->Super Stockiest>iMee.
- 8) Products returned to iMee are subjected to be audited by iMee's technical team, any pieces which are working but still were returned to iMee under replacement will be duly sent back.
- 9) All above conditions are subject to change, Terms & Conditions Apply. All authorities belong to iMee & its authorized team. All disputes subject to Nagpur Jurisdiction.

Regards,
iMee Customer Care Team,

customercare@imee.in | www.imee.in



Why iMee ?

We are your one stop solution for LED Lights, Fans, Irons, Televisions and much more. We have a wide range of products which are an example of superb amalgamation of both aesthetics, utility and money savings!

We are Different !

Our products are crafted to perfection ! Each and every product speaks for itself! They are unique and are a true replacement for traditional products.

Our Quality Speaks in Itself !

Try it to believe it ! Our products not only look stunningly modern but also address all your needs. All our products are not just high on quality but are reliability personified too. Each and every product goes through our strict QC process. Trust of our customers is our biggest asset ever since the beginning of our journey and we are proudly committed to nurture this trust by continuing to provide best quality products to our cherished customers.

Money Savings !

Our products ensure upto 80% energy savings as compared to other traditional products. Now no need to worry about inflated electricity bills. Relax!

Fits into Regular Fittings !

Our products are designed with such an intention that they should fit into regular fittings thus saving more money of our dear customers. We kept both new construction customers and those who are renovating their homes or offices in mind !

Eco Friendly !

Our products are truly eco friendly and power saving, they have no mercury and lead, our heat sink mechanism works flawlessly ensuring very low heating in the surroundings.

Happy to hear from you !

We believe that the voice of our customers and the employees should be heard, thus, we consider all the valid suggestions and incorporate those for our better performance. We also are available to answer the smallest of your queries and look forward to hire the dedicated efficient young minds.



Brand Owned By:

PAREKH GADGETS PRIVATE LIMITED,

An ISO 9001 : 2015 Certified Company,

Regd Office: Bhumi Arcade, Opp. Garden,

Lakadganj, Nagpur 440008,

Maharashtra, India.



भारत
BHARAT



VocalForLocal



#VocalForLocal



www.imee.in



customercare@imee.in



sales@imee.in



1800 258 4343

Timing : 11 am to 7 pm (Monday to Saturday)

Follow us on : [f](#) [t](#) [i](#) [y](#)

Download Customer Care App :



Scan to download iMee Customer Care App