

imee[®]
"Quality isn't Expensive,
it's PRICELESS"



MASTER CATALOGUE

March
2023

#GoForTheBest
#AskForiMee

www.imee.in

DECADES OF TRUST, INNOVATION, SUPPORT & EXCELLENCE

Introduction...

iMee LED is a brain child of Parekh Group, established in 1945 with a vision of honesty, truthfulness and quality. The Parekh Group is counted among the leading business houses having diversified businesses across various sectors with an expertised experience of over seven decades and four generations.

Owing to our rich expertise, knowledge, experience and expertise of our expert team, "we offer a wide range of LED Lights, LED TV's, Personal & Home care products and much more range". Our entire product range is under strict supervision of our team with utmost attention to intricate detail so that the best products and services can be conveyed to our clients.




Our team consists of highly skilled and professionally trained people who work hard in close coordination with each other to set up total customer satisfaction. Through an unwavering focus on commitment & delivery, we have charted our way to success in our operations and have won the admiration of our buyers and have built a long term relationship with our esteemed customers.

Assurance of Quality & Excellence has been our key to success since our establishment and we believe that the years ahead will see us treading new grounds, widening the spectrum and expanding our trade horizons even further. We have set a high standard of conduct towards our buyers. Our precise approach to the quality of our manufactured products meets our customers' demands. We continuously work on improvement of our products, services & ourselves, so that we are able to serve you in the best possible way, today and for years to come.

Brand Owned By:

PAREKH GADGETS PRIVATE LIMITED,

An ISO 9001 : 2015 Certified Company,
Regd Office: Bhumi Arcade, Opp. Garden,
Lakadganj, Nagpur 440008,
Maharashtra, India.

 www.imee.in
 customercare@imee.in
 sales@imee.in
 1800 258 4343

Timing : 11 am to 7 pm (Monday to Saturday)



Excellent Quality,
Lighting The Future.

— INDOOR LIGHTS



ULTRA GLOW

HIGH BEAM LED BULB

Ultra Glow High Beam led bulb is an ideal replacement solution for your existing CFL bulb, with brighter light & high lumens of 110 lumens per watt resulting brighter light coverage Available in color temperature i.e. 6500K.



SPECIFICATION :

Model Name : Ultra Glow High Beam Led Bulb

SKU Name : IMEE-UGHB

Power : 3W, 5W, 7W, 9W, 12W, 15W, 18W, 20W

Lumens : 110 Lumens Per Watt

Voltage : AC 70-440V, 50Hz.

Base : B22

THD : <10%

Power Factor : Smart Power Factor

Operating Temp. : 10°C to 80°C

Colour Temp. : 6500K

Warranty : 2 Years Warranty

Watts	3W	5W	7W	9W	12W	15W	18W	20W
Lumens	330lm	550lm	770lm	990lm	1320lm	1650lm	1980lm	2200lm

4 Kv Surge Protection | Equipped with EMC | 240° Beam Angle | Works Upto 440 Volts | Extra Brightness
Upto 50,000 Burning Hours | Eye Care Technology | Upto 80% Energy Savings | Fluctuation Proof | Zero Flickering

SUPER STAR

HIGH BEAM LED BULB

Super Star High Beam led bulb is best option for emitting high beam as required by many, available in various wattages & high lumens of 100 per watt with 240° beam angle.



SPECIFICATION :

Model Name : Super Star High Beam Led Bulb

SKU Name : IMEE-SSHB

Power : 7W, 9W, 12W

Lumens : 100 Lumens Per Watt

Voltage : AC 70-440V, 50Hz.

Base : B22

THD : <10%

Power Factor : Smart Power Factor

Operating Temp. : 10°C to 80°C

Colour Temp. : 6500K

Warranty : 2 Years Warranty

Watts	7W	9W	12W
Lumens	700lm	900lm	1200lm

2.5 Kv Surge Protection | DOB Bulb | 240° Beam Angle | Works Upto 440 Volts | Extra Brightness
Upto 50,000 Burning Hours | Eye Care Technology | Upto 80% Energy Savings | Fluctuation Proof | Zero Flickering



BIG BOSS

LED BULB

Big Boss Led Bulb is what its name is. Brighter, Bigger, with brighter light & high lumens Outdoor favorite light for many of happy customers.



SPECIFICATION :

Model Name : Big Boss Led Bulb

SKU Name : IMEE-BB

Power : 30W, 40W, 50W

Lumens : 110 Lumens Per Watt

Voltage : AC 70-440V, 50Hz.

Base : B22

THD : <10%

Power Factor : Smart Power Factor

Operating Temp. : 10°C to 80°C

Colour Temp. : 6500K

Warranty : 2 Years Warranty

Watts	30W	40W	50W
Lumens	3300lm	4400lm	5500lm

4 Kv Surge Protection | Equipped with EMC | 330° Beam Angle | Works Upto 440 Volts | Extra Brightness
Upto 50,000 Burning Hours | Eye Care Technology | Upto 80% Energy Savings | Fluctuation Proof | Zero Flickering



BIG BOSS NEO

LED BULB

Big Boss Neo Led Bulb is what its name is. Brighter, Bigger, with brighter light & high lumens Outdoor favorite light for many of happy customers.



SPECIFICATION :

Model Name : Big Boss Neo Led Bulb

SKU Name : IMEE-BBNEO

Power : 30W, 40W, 50W

Lumens : 110 Lumens Per Watt

Voltage : AC 70-440V, 50Hz.

Base : B22

THD : <10%

Power Factor : Smart Power Factor

Operating Temp. : 10°C to 80°C

Colour Temp. : 6500K

Warranty : 2 Years Warranty

Watts	30W	40W	50W
Lumens	3300lm	4400lm	5500lm

4 Kv Surge Protection | Equipped with EMC | 330° Beam Angle | Works Upto 440 Volts | Extra Brightness
Upto 50,000 Burning Hours | Eye Care Technology | Upto 80% Energy Savings | Fluctuation Proof | Zero Flickering



BIG BOSS

EMERGENCY LED BULB

Big Boss Emergency Led Bulb is what its name is. Brighter, Bigger, with brighter light & high lumens Outdoor favorite light for many of happy customers.



SPECIFICATION :

Model Name : Big Boss Emergency Led Bulb

SKU Name : IMEE-BBEMB

Power : 18W, 25W, 35W

Lumens : 110 Lumens Per Watt

Voltage : AC 70-440V, 50Hz.

Base : B22

THD : <10%

Power Factor : Smart Power Factor

Operating Temp. : 10°C to 80°C

Colour Temp. : 6500K

Warranty : 2 Years Warranty

Watts	18W	25W	35W
Lumens	1980lm	2750lm	3850lm

4 Kv Surge Protection | Equipped with EMC | 330° Beam Angle | Works Upto 440 Volts | Extra Brightness
Upto 50,000 Burning Hours | Eye Care Technology | Upto 80% Energy Savings | Fluctuation Proof | Zero Flickering



2 IN 1

EMERGENCY LED BULB

2 IN 1 Emergency led bulb is one of the most delight product with 2 color mode, Normal & Super with brighter light & high lumens of 110 lumens per watt resulting brighter light coverage Available in color temperature i.e.6500K.



SPECIFICATION :

Model Name : 2 IN 1 Emergency Led Bulb

SKU Name : IMEE-2INIEMB

Power : 9W

Lumens : 110 Lumens Per Watt

Voltage : AC 70-440V, 50Hz.

Base : B22

THD : <10%

Power Factor : Smart Power Factor

Operating Temp. : 10°C to 80°C

Colour Temp. : 6500K

Warranty : 2 Years Warranty

Watts	9W
Lumens	990lm

4 Kv Surge Protection | Equipped with EMC | 180° Beam Angle | Works Upto 440 Volts | Extra Brightness
Upto 50,000 Burning Hours | Eye Care Technology | Upto 80% Energy Savings | Fluctuation Proof | Zero Flickering



DIAMOND SHAPE

EMERGENCY LED BULB

Diamond Shape Emergency led bulb is an ideal replacement solution for your existing CFL bulb, with brighter light & high lumens of 110 lumens per watt resulting brighter light coverage Available in color temperature i.e.6500K.



SPECIFICATION :

Model Name : Diamond Shape Emergency Led Bulb

SKU Name : IMEE-DSEMB

Power : 9W, 12W

Lumens : 110 Lumens Per Watt

Voltage : AC 70-440V, 50Hz.

Base : B22

THD : <10%

Power Factor : Smart Power Factor

Operating Temp. : 10°C to 80°C

Colour Temp. : 6500K

Warranty : 2 Years Warranty

Watts	9W	12W
Lumens	990lm	1320lm

4 Kv Surge Protection | Equipped with EMC | 180° Beam Angle | Works Upto 440 Volts | Extra Brightness
Upto 50,000 Burning Hours | Eye Care Technology | Upto 80% Energy Savings | Fluctuation Proof | Zero Flickering

REMOVABLE BATTERY

EMERGENCY LED BULB



Removable Battery Emergency led bulb is an ideal replacement solution for your existing CFL bulb, with brighter light & high lumens of 110 lumens per watt resulting brighter light coverage Available in color temperature i.e.6500K.



SPECIFICATION :

Model Name : Removable Battery Emergency Led Bulb

SKU Name : IMEE-RBEMB

Power : 12W

Lumens : 110 Lumens Per Watt

Voltage : AC 70-440V, 50Hz.

Base : B22

THD : <10%

Power Factor : Smart Power Factor

Operating Temp. : 10°C to 80°C

Colour Temp. : 6500K

Warranty : 2 Years Warranty

Watts	12W
Lumens	1320lm

4 Kv Surge Protection | Equipped with EMC | 180° Beam Angle | Works Upto 440 Volts | Extra Brightness
Upto 50,000 Burning Hours | Eye Care Technology | Upto 80% Energy Savings | Fluctuation Proof | Zero Flickering

3 IN 1 LED BULB

3 IN 1 led bulb gives different feel by switching on & off by changing its colour temperature for 6500K to 4000K& 3000K.



SPECIFICATION :

Model Name : 3 In 1 Led Bulb

SKU Name : IMEE-3IN1B

Power : 9W, 12W

Lumens : 100 Lumens Per Watt

Voltage : AC 70-440V, 50Hz.

Base : B22

THD : <10%

Power Factor : Smart Power Factor

Operating Temp. : 10°C to 80°C

Colour Temp. : 3000K, 4000K, 6500K

Warranty : 2 Years Warranty

Watts	9W	12W
Lumens	900lm	1200lm

3 Colour Changing Light | Changes Colours by Switching On & Off | 240° Beam Angle | Works Upto 440 Volts
Upto 50,000 Burning Hours | Eye Care Technology | Upto 80% Energy Savings | Fluctuation Proof | Zero Flickering

LED T SHAPE BULB

Led T shape bulb is an ideal requirement for those small places where T5 tube light will be bigger, T shape bulb is Highly versatile as it rotates 360 degree above its base, so can be adjusted by the requirement.



SPECIFICATION :

Model Name : Led T Shape Bulb

SKU Name : IMEE-TSB

Power : 12W

Lumens : 110 Lumens Per Watt

Voltage : AC 70-440V, 50Hz.

Base : B22

THD : <10%

Power Factor : Smart Power Factor

Operating Temp. : 10°C to 80°C

Colour Temp. : 6500K

Warranty : 2 Years Warranty

Watts	12W
Lumens	1320lm

2.5 Kv Surge Protection | 360° Rotation | 180° Beam Angle | Works Upto 440 Volts
Upto 50,000 Burning Hours | Eye Care Technology | Upto 80% Energy Savings | Fluctuation Proof | Zero Flickering

3 IN 1

LED FLAME BULB

3 IN 1 led flame bulb is one of the most unique bulb with 3 different modes (BREATHING, STILL, FLAME) by switching on & off, gives actual feel of a burning flame.



SPECIFICATION :

Model Name : 3 In 1 Led Flame Bulb

SKU Name : IMEE-FLB

Power : 5W

Lumens : 100 Lumens Per Watt

Voltage : AC 220-240V, 50Hz.

Base : E27

THD : <10%

Power Factor : Smart Power Factor

Operating Temp. : 10°C to 80°C

Colour Temp. : 2700K

Warranty : 1 Year Warranty

Watts	5W
Lumens	500lm

Unique Product | 3 Lighting Effects | Turn On-off to Change Mode | 220-240 Volts
Upto 50,000 Burning Hours | Eye Care Technology | Upto 80% Energy Savings | Fluctuation Proof | Zero Flickering

0.5 WATT

ROUND SHAPE LED COLOUR BULB

Multicolor bulbs to enhances the aura of small places and can be used in decoration, night lamp etc.



SPECIFICATION :

Model Name : Round Shape Led Colour Bulb

SKU Name : IMEE-ALR-0.5W

Power : 0.5W

Lumens : 30 ± 5%

Voltage : AC 220-240V, 50Hz.

Base : E27

THD : <10%

Input Current : 20mA

Diffuser : Toughened Polycarbonate

Colours : White, Red, Blue, Green, Orange, Pink, Yellow

Warranty : 2 Years Warranty



0.5 WATT

CONE SHAPE LED COLOUR BULB

Multicolor bulbs to enhances the aura of small places and can be used in decoration, night lamp etc.



SPECIFICATION :

Model Name : Cone Shape Led Colour Bulb

SKU Name : IMEE-ALC-0.5W

Power : 0.5W

Lumens : 30 ± 5%

Voltage : AC 220-240V, 50Hz.

Base : E27

THD : <10%

Input Current : 20mA

Diffuser : Toughened Polycarbonate

Colours : White, Red, Blue, Green, Orange, Pink, Yellow

Warranty : 2 Years Warranty



0.5 WATT

CANDLE SHAPE LED COLOUR BULB

Multicolor bulbs to enhances the aura of small places and can be used in decoration, night lamp etc.



SPECIFICATION :

Model Name : Candle Shape Led Colour Bulb

SKU Name : IMEE-ALCD-0.5W

Power : 0.5W

Lumens : 30 ± 5%

Voltage : AC 220-240V, 50Hz.

Base : E27

THD : <10%

Input Current : 20mA

Diffuser : Toughened Polycarbonate

Colours : White, Red, Blue, Green, Orange, Pink, Yellow

Warranty : 2 Years Warranty



COLOURFUL

LED BULB

Multicolor bulbs which Brighten up your aura with 6 different colours, available in 6 colours, Emits brightness of 900 lumens which is Very Sufficient for to Brighten a Huge Space.



SPECIFICATION :

Model Name : Colourful Led Bulb

SKU Name : IMEE-CLR-9W

Power : 9W

Lumens : 100 Lumens Per Watt

Voltage : AC 70-440V, 50Hz.

Base : B22

THD : <10%

Power Factor : Smart Power Factor

Operating Temp. : 10°C to 80°C

Colours : Red, Green, Blue, Pink, Yellow, Orange

Warranty : 2 Years Warranty

Watts	9W
Lumens	900lm

2.5 Kv Surge Protection | Equipped with EMC | 240° Beam Angle | Works Upto 440 Volts | Extra Brightness
Upto 50,000 Burning Hours | Eye Care Technology | Upto 80% Energy Savings | Fluctuation Proof | Zero Flickering

ANTIQUÉ FILAMENT

LED BULB CANDLE SHAPE

The Candle shape bulb is Exactly like a traditional antique bulb with the magic of led in it superior for cafes, restaurant & living spaces too.



SPECIFICATION :

Model Name : Antique Filament Led Bulb Candle Shape

SKU Name : IMEE-AFCN-4W

Power : 4W

Lumens : 100 Lumens Per Watt

Voltage : AC 220-240V, 50Hz.

Base : E14

THD : <10%

Glass Colour : Amber

Operating Temp. : 10°C to 80°C

Colour Temp. : 2700K

Warranty : 1 Year Warranty

Watts	4W
Lumens	400lm

ANTIQUÉ FILAMENT

LED BULB G45 SHAPE

The G45 shape bulb is Exactly like a traditional antique bulb with the magic of led in it superior for cafes, restaurant & living spaces too.



SPECIFICATION :

Model Name : Antique Filament Led Bulb G45 Shape

SKU Name : IMEE-AFG45-4W

Power : 4W

Lumens : 100 Lumens Per Watt

Voltage : AC 220-240V, 50Hz.

Base : E27

THD : <10%

Glass Colour : Amber

Operating Temp. : 10°C to 80°C

Colour Temp. : 2700K

Warranty : 1 Year Warranty


Watts	4W
Lumens	400lm

Unique Product | Elegant Brightness | Amber Finished | 220-240 Volts
Upto 50,000 Burning Hours | Eye Care Technology | Upto 80% Energy Savings | Fluctuation Proof | Zero Flickering

ANTIQUÉ FILAMENT

LED BULB ST64 SHAPE

The ST64 shape bulb is Exactly like a traditional antique bulb with the magic of led in it superior for cafes, restaurant & living spaces too.



SPECIFICATION :

Model Name : Antique Filament Led Bulb ST64 Shape

SKU Name : IMEE-AFST64-6W

Power : 6W

Lumens : 100 Lumens Per Watt

Voltage : AC 220-240V, 50Hz.

Base : E27

THD : <10%

Glass Colour : Amber

Operating Temp. : 10°C to 80°C

Colour Temp. : 2700K

Warranty : 1 Year Warranty

Watts	6W
Lumens	600lm

Unique Product | Elegant Brightness | Amber Finished | 220-240 Volts
Upto 50,000 Burning Hours | Eye Care Technology | Upto 80% Energy Savings | Fluctuation Proof | Zero Flickering

ANTIQUÉ FILAMENT

LED BULB G95 SHAPE

The G95 shape bulb is Exactly like a traditional antique Edison globe shape bulb with the magic of led in it superior for cafes, restaurant & living spaces too.



SPECIFICATION :

Model Name : Antiqué Filament Led Bulb G95 Shape

SKU Name : IMEE-AFG95-6W

Power : 6W

Lumens : 100 Lumens Per Watt

Voltage : AC 220-240V, 50Hz.

Base : E27

THD : <10%

Glass Colour : Amber

Operating Temp. : 10°C to 80°C

Colour Temp. : 2700K

Warranty : 1 Year Warranty

Watts	6W
Lumens	600lm

Unique Product | Elegant Brightness | Amber Finished | 220-240 Volts
Upto 50,000 Burning Hours | Eye Care Technology | Upto 80% Energy Savings | Fluctuation Proof | Zero Flickering

ANTIQUÉ FILAMENT

LED BULB A60 SHAPE

The A60 shape bulb is Exactly like a traditional antique bulb with the magic of led in it superior for cafes, restaurant & living spaces too.



SPECIFICATION :

Model Name : Antique Filament Led Bulb A60 Shape

SKU Name : IMEE-AFA60-6W

Power : 6W

Lumens : 100 Lumens Per Watt

Voltage : AC 220-240V, 50Hz.

Base : E27

THD : <10%

Glass Colour : Amber

Operating Temp. : 10°C to 80°C

Colour Temp. : 2700K

Warranty : 1 Year Warranty

Watts	6W
Lumens	600lm

Unique Product | Elegant Brightness | Amber Finished | 220-240 Volts
Upto 50,000 Burning Hours | Eye Care Technology | Upto 80% Energy Savings | Fluctuation Proof | Zero Flickering

3 IN 1 T5

LED TUBE LIGHT

3 in 1 T5 Led Tube Light is the most versatile T5 designed tube light with operating temperature -10°C to 45°C, Changes Color from 6500K - 4500K - 3000K suitable for mood lighting & adapted by many of happy customers.



SPECIFICATION :

Model Name : 3 In 1 T5 Led Tube Light

SKU Name : IMEE-3INIT5

Power : 22W

Lumens : 100 Lumens Per Watt

Voltage : AC 70-440V, 50Hz.

Length : 1180 mm

THD : <10%

Power Factor : Smart Power Factor

Operating Temp. : 10°C to 80°C

Colour Temp. : 3000K, 4000K, 6500K

Warranty : 2 Years Warranty

Watts	22W
Lumens	2200lm

2.5 Kv Surge Protection | 3 Colour Changing Light | Changes Colours by Switching On & Off | 180° Beam Angle
Upto 50,000 Burning Hours | Eye Care Technology | Upto 80% Energy Savings | Fluctuation Proof | Zero Flickering



T5

LED TUBE LIGHT

T5 led Tube Light is the most versatile T5 designed Tube light with operating temperature -10°C to 45°C which emits wide angle light & packed with VFT technology 1st in india, Brilliant performance & adapted by many of happy customer.



SPECIFICATION :

Model Name : T5 Led Tube Light

SKU Name : IMEE-T5

Power : 5W, 10W, 12W, 18W, 20W, 22W, 24W

Lumens : 100 Lumens Per Watt

Voltage : AC 70-440V, 50Hz.

Length : 1180 mm

THD : <10%

Power Factor : Smart Power Factor

Operating Temp. : 10°C to 80°C

Colour Temp. : 3000K, 4000K, 6500K

Warranty : 2 Years Warranty

Watts	5W	10W	12W	18W	20W	22W	24W
Lumens	500lm	1000lm	1200lm	1800lm	2000lm	2200lm	2400lm
Length	285 mm	561 mm	1180 mm	1180 mm	1180 mm	1180 mm	1180 mm

4 Kv Surge Protection | 180° Beam Angle | Works Upto 440 Volts | Extra Brightness
Upto 50,000 Burning Hours | Eye Care Technology | Upto 80% Energy Savings | Fluctuation Proof | Zero Flickering



ULTRA SLIM T5

LED TUBE LIGHT

Ultra Slim T5 led Tube Light is the most versatile T5 designed Tube light with operating temperature -10°C to 45°C which emits wide angle light & packed with VFT technology 1st in india, Brilliant performance & adapted by many of happy customer.



SPECIFICATION :

Model Name : Ultra Slim T5 Led Tube Light

SKU Name : IMEE-UST5

Power : 20W, 23W

Lumens : 110 Lumens Per Watt

Voltage : AC 70-440V, 50Hz.

Length : 1180 mm

THD : <10%

Power Factor : Great Power Factor

Operating Temp. : 10°C to 80°C

Colour Temp. : 6500K

Warranty : 2 Years Warranty

Watts	20W	23W
Lumens	2200lm	2530lm
Length	1180 mm	1180 mm

4 Kv Surge Protection | 180° Beam Angle | Works Upto 440 Volts | Extra Brightness
Upto 50,000 Burning Hours | Eye Care Technology | Upto 80% Energy Savings | Fluctuation Proof | Zero Flickering

ALUMINIUM BODY

SLIM LED PANEL

Aluminium Body Slim Led Panel is our most demanded product from decades, with various wattages and good range of color temperature selection, wide used all across INDIA.



SPECIFICATION :

Model Name : Aluminium Body Slim Led Panel

SKU Name : IMEE-ABS

Power : 6W, 9W, 12W, 15W, 18W

Lumens : 110 Lumens Per Watt

Voltage : AC 70-440V, 50Hz.

Shape : Round & Square

THD : <10%

Power Factor : Great Power Factor

Operating Temp. : 10°C to 80°C

Colour Temp. : 3000K, 4000K, 6500K

Warranty : 2 Years Warranty

Watts	6W	9W	12W	15W	18W
Lumens	660lm	990lm	1320lm	1650lm	1980lm
Cut Out Size	4"	5"	6"	7"	8"

4 Kv Surge Protection | Equipped with EMC | 120° Beam Angle | Works Upto 440 Volts | Extra Brightness
Upto 50,000 Burning Hours | Eye Care Technology | Upto 80% Energy Savings | Fluctuation Proof | Zero Flickering



SUPER BRIGHT

SLIM LED PANEL

Super Bright slim led panel is our most demanded product with Round and Square shape, available in 3 different color temperatures and many of different wattages.



SPECIFICATION :

Model Name : Super Bright Slim Led Panel

SKU Name : IMEE-SBS

Power : 6W, 9W, 9W, 12W, 12W, 15W, 15W, 18W, 18W

Lumens : 110 Lumens Per Watt

Voltage : AC 70-440V, 50Hz.

Shape : Round & Square

THD : <10%

Power Factor : Great Power Factor

Operating Temp. : 10°C to 80°C

Colour Temp. : 3000K, 4000K, 6500K

Warranty : 2 Years Warranty

Watts	6W	9W	9W	12W	12W	15W	15W	18W	18W
Lumens	660lm	990lm	990lm	1320lm	1320lm	1650lm	1650lm	1980lm	1980lm
Cut Out Size	4"	4"	5"	5"	6"	6"	7"	7"	8"

4 Kv Surge Protection | Equipped with EMC | 120° Beam Angle | Works Upto 440 Volts | Extra Brightness
Upto 50,000 Burning Hours | Eye Care Technology | Upto 80% Energy Savings | Fluctuation Proof | Zero Flickering



ULTRA BRIGHT

SLIM LED PANEL

Ultra Bright slim led panel is our most demanded product with Round and Square shape, available in 3 different color temperatures and many of different wattages with a premium tapered Finish on the edges which sums up a classy product.



SPECIFICATION :

Model Name : Ultra Bright Slim Led Panel

SKU Name : IMEE-UBS

Power : 3W, 8W, 12W, 12W, 15W, 18W

Lumens : 110 Lumens Per Watt

Voltage : AC 70-440V, 50Hz.

Shape : Round & Square

THD : <10%

Power Factor : Great Power Factor

Operating Temp. : 10°C to 80°C

Colour Temp. : 3000K, 4000K, 6500K

Warranty : 2 Years Warranty

Watts	3W	8W	12W	12W	15W	15W	18W
Lumens	330lm	880lm	1320lm	1320lm	1650lm	1650lm	1980lm
Cut Out Size	3"	4"	5"	6"	6"	6"	7"

4 Kv Surge Protection | Equipped with EMC | Wide Beam Angle | Works Upto 440 Volts | Aluminium Body | Super Brightness Upto 50,000 Burning Hours | Eye Care Technology | Upto 80% Energy Savings | Fluctuation Proof | Zero Flickering



LED SURFACE ALUMINIUM PANEL LIGHT

Led surface Aluminum panel is another ideal option for surface mounting lights for used mainly for unconcealed ceilings.

SPECIFICATION :

Model Name : Led Surface Aluminum Panel Light

SKU Name : IMEE-SF

Power : 6W, 12W, 18W

Lumens : 110 Lumens Per Watt

Voltage : AC 70-440V, 50Hz.

Shape : Round & Square

THD : <10%

Power Factor : Great Power Factor

Operating Temp. : 10°C to 80°C

Colour Temp. : 3000K, 4000K, 6500K

Warranty : 2 Years Warranty



Watts	6W	12W	18W
Lumens	660lm	1320lm	1980lm

4 Kv Surge Protection | Equipped with EMC | 120° Beam Angle | Works Upto 440 Volts | Extra Brightness
Upto 50,000 Burning Hours | Eye Care Technology | Upto 80% Energy Savings | Fluctuation Proof | Zero Flickering



2 IN 1

COLOUR CHANGING LED PANEL

2 IN 1 color changing led panel is one of the most delight product with 2 color medium interface, outer rings color up with various color options & main light emit prior 6500K color for a better and brighter light.



SPECIFICATION :

Model Name : 2 In 1 Colour Changing Led Panel

SKU Name : IMEE-2IN1P

Power : 6W, 9W, 16W, 24W

Lumens : 100 Lumens Per Watt

Voltage : AC 70-440V, 50Hz.

Shape : Round & Square

THD : <10%

Power Factor : Great Power Factor

Operating Temp. : 10°C to 80°C

Colour Temp. : 6500K, Red, Green, Blue, Pink, Warm White

Warranty : 2 Years Warranty

Watts	6W	9W	16W	24W
Lumens	600lm	900lm	1600lm	2400lm
Cut Out Size	3"	4"	6"	8"

4 Kv Surge Protection | 120° Beam Angle | Works Upto 440 Volts | Extra Brightness
 Upto 50,000 Burning Hours | Eye Care Technology | Upto 80% Energy Savings | Fluctuation Proof | Zero Flickering



3 IN 1

LED ALUMINIUM PANEL

3 IN 1 led aluminum panel is the rare unique product which changes the color temperature from 6500k-4000k-3000k by just switching ON & OFF.



SPECIFICATION :

Model Name : 3 In 1 Colour Led Aluminium Panel

SKU Name : IMEE-3IN1P

Power : 9W, 12W, 15W, 15W

Lumens : 100 Lumens Per Watt

Voltage : AC 70-440V, 50Hz.

Shape : Round & Square

THD : <10%

Power Factor : Great Power Factor

Operating Temp. : 10°C to 80°C

Colour Temp. : 3000K, 4000K, 6500K

Warranty : 2 Years Warranty

Watts	9W	12W	15W	15W
Lumens	900lm	1200lm	1500lm	1500lm
Cut Out Size	4"	6"	6"	7"

4 Kv Surge Protection | 120° Beam Angle | Works Upto 440 Volts | Extra Brightness
Upto 50,000 Burning Hours | Eye Care Technology | Upto 80% Energy Savings | Fluctuation Proof | Zero Flickering

2X2 SLIM LED PANEL

2X2 Slim led panel is an grand light source for lightning up huge spaces such as offices, work stations & industrial areas, Slim Form factor Emitting High Lumen make this product more valuable.



SPECIFICATION :

Model Name : 2x2 Slim Led Panel

SKU Name : IMEE-SLP

Power : 36W & 48W

Lumens : 100 Lumens Per Watt

Voltage : AC 70-440V, 50Hz.

Dimensions : 2x2 Feet

THD : <10%

Power Factor : Great Power Factor

Operating Temp. : 10°C to 80°C

Colour Temp. : 6500K

Warranty : 2 Years Warranty

Watts	36W	48W
Lumens	3600lm	4800lm

2.5 Kv Surge Protection | 120° Beam Angle | Works Upto 440 Volts | Extra Brightness
Upto 50,000 Burning Hours | Eye Care Technology | Upto 80% Energy Savings | Fluctuation Proof | Zero Flickering



2X2

BACKLIT LED PANEL

2X2 Backlit led Panel is a grand light source for lightning up huge spaces such as offices, work stations & industrial areas, Emitting High Lumen make this product more valuable than rest of the companies.



SPECIFICATION :

Model Name : 2x2 Backlit Led Panel

SKU Name : IMEE-BLP

Power : 40W

Lumens : 110 Lumens Per Watt

Voltage : AC 70-440V, 50Hz.

Dimensions : 2x2 Feet

THD : <10%

Power Factor : Great Power Factor

Operating Temp. : 10°C to 80°C

Colour Temp. : 6500K

Warranty : 2 Years Warranty

Watts	40W
Lumens	4400lm

4 Kv Surge Protection | Corporate Level Brightness | 120° Beam Angle | Works Upto 440 Volts | Extra Brightness Upto 50,000 Burning Hours | Eye Care Technology | Upto 80% Energy Savings | Fluctuation Proof | Zero Flickering



LED RECESSED DOWNLIGHT NEO

Led Recessed Downlight Neo is our highly rated Led Downlight Panel in 2 shapes with the variety of 8 different wattages option, with high lumens and brighter light for your aura. You can make it a surface downlight by adding the outer ring which is sold separately.



SPECIFICATION :

Model Name : Led Recessed Downlight Neo

SKU Name : IMEE-RDL-NEO

Power : 3W, 6W, 8W, 9W, 12W, 15W, 18W, 22W

Lumens : 110 Lumens Per Watt

Voltage : AC 70-440V, 50Hz.

Shape : Round & Square

THD : <10%

Power Factor : Great Power Factor

Operating Temp. : 10°C to 80°C

Colour Temp. : 3000K, 4000K, 6500K

Warranty : 2 Years Warranty

Watts	3W	6W	8W	9W	12W	15W	18W	22W
Lumens	330lm	660lm	880lm	990lm	1320lm	1650lm	1980lm	2420lm
Cut Out Size	2.75"	4.5"	4"	4.5"	5"	6"	8"	8"

4 Kv Surge Protection | BIS Certified | Works Upto 440 Volts | Extra Brightness
Upto 50,000 Burning Hours | Eye Care Technology | Upto 80% Energy Savings | Fluctuation Proof | Zero Flickering

FRAMELESS

LED SURFACE DOWNLIGHT

Frameless Led Surface Downlight is a very good solution for those who doesn't have fall sealing or wanted to mount on wall or rigid surfaces like outdoor sealings with greater lumens and wide spread of light.



SPECIFICATION :

Model Name : Frameless Led Surface Downlight

SKU Name : IMEE-FSD

Power : 6W, 12W, 18W

Lumens : 110 Lumens Per Watt

Voltage : AC 70-440V, 50Hz.

Excellent CRI : Upto 80%

THD : <10%

Power Factor : Great Power Factor

Operating Temp. : 10°C to 80°C

Colour Temp. : 3000K, 4000K, 6500K

Warranty : 2 Years Warranty

Watts	6W	12W	18W
Lumens	660lm	1320lm	1980lm

2.5 Kv Surge Protection | 120° Beam Angle | Works Upto 440 Volts | Extra Brightness
Upto 50,000 Burning Hours | Eye Care Technology | Upto 80% Energy Savings | Fluctuation Proof | Zero Flickering



LED RECESSED CABINET LIGHT (COB)

Unique product with wide beam angle, No UV or IR radiation, BIS Certified, saves up to 80% energy, Duty Metal Body with Toughened Glass adds a Glamorous Look and Feel.

SPECIFICATION :

Model Name : Led Recessed Cabinet Light (COB)

SKU Name : IMEE-RCL

Power : 1W & 3W

Lumens : 110 Lumens Per Watt

Voltage : AC 70-440V, 50Hz.

Excellent CRI : Upto 80%

THD : <10%

Power Factor : Great Power Factor

Operating Temp. : 10°C to 80°C

Colour Temp. : 3000K, 4000K, 6500K, Red, Green, Blue, Pink

Warranty : 2 Years Warranty



Watts	1W	3W
Lumens	110lm	330lm
Cut Out Size	22 mm	27 mm

2.5 Kv Surge Protection | 120° Beam Angle | Works Upto 440 Volts | Extra Brightness
Upto 50,000 Burning Hours | Eye Care Technology | Upto 80% Energy Savings | Fluctuation Proof | Zero Flickering

LED MOVABLE COB DOWNLIGHT

Unique product with wide beam angle, No UV or IR radiation, BIS Certified, saves up to 80% energy, Duty Metal Body with Toughened Glass adds a Glamorous Look and Feel.



SPECIFICATION :

Model Name : Led Movable Cob Downlight

SKU Name : IMEE-COBDL

Power : 5W, 6W, 7W, 9W, 10W, 12W, 13W, 16W, 24W, 30W

Lumens : 110 Lumens Per Watt

Voltage : AC 70-440V, 50Hz.

Excellent CRI : Upto 80%

THD : <10%

Power Factor : Great Power Factor

Operating Temp. : 10°C to 80°C

Colour Temp. : 3000K, 4000K, 6500K

Warranty : 2 Years Warranty

Watts	5W	6W	7W	9W	10W	12W	13W	16W	24W	30W
Lumens	550lm	660lm	770lm	990lm	1100lm	1320lm	1430lm	1760lm	2640lm	3300lm
Cut Out Size	2.75"	2.75"	2.75"	3.34"	3.34"	3.34"	3.75"	3.54"	4.13"	4.72"

2.5 Kv Surge Protection | Wide Beam Angle | Works Upto 440 Volts | Extra Brightness
Upto 50,000 Burning Hours | Eye Care Technology | Upto 80% Energy Savings | Fluctuation Proof | Zero Flickering



ARCHITECT GRADE

MOVABLE COB DOWNLIGHT

Architect Movable downlight is our all new launch power packed with High Voltage toleration. Movable functionality makes it more convenient for multipurpose use, Equipped with CREE LED (market leader led module) for the wholesome lavish light experience, Designed for the choice of Architects ho want more and uniformed light.

SPECIFICATION :

Model Name : Architect Grade Movable Cob Downlight

SKU Name : IMEE-ARC-COBDL

Power : 3W, 7W, 10W, 15W, 25W

Lumens : 130 Lumens Per Watt

Voltage : AC 70-440V, 50Hz.

Powered By : CREE Led

THD : <10%

Power Factor : Great Power Factor

Operating Temp. : 10°C to 80°C

Colour Temp. : 3000K, 4000K, 6500K

Warranty : 2 Years Warranty



Watts	3W	7W	10W	15W	25W
Lumens	390lm	910lm	1300lm	1950lm	3250lm
Cut Out Size	53 mm	68 mm	68 mm	89 mm	111 mm

4 Kv Surge Protection | Wide Beam Angle | Works Upto 440 Volts | Extra Brightness | Flicker Free
Upto 50,000 Burning Hours | Eye Care Technology | Upto 80% Energy Savings | Fluctuation Proof | Zero Flickering

LED MAGNETIC

SURFACE CABINET LIGHT

Led Magnetic Surface Cabinet Light is most convenient light for surface fitting solutions for small places to highlight, its upper cover sticks to the body magnetically which results as a Clean and elegant look to it.



SPECIFICATION :

Model Name : Led Magnetic Surface Cabinet Light

SKU Name : IMEE-SCL

Power : 3W

Lumens : 110 Lumens Per Watt

Voltage : AC 70-440V, 50Hz.

Excellent CRI : Upto 80%

THD : <10%

Power Factor : Great Power Factor

Operating Temp. : 10°C to 80°C

Colour Temp. : 3000K, 4000K, 6500K, Red, Green, Blue, Pink

Warranty : 2 Years Warranty

Watts	3W
Lumens	330lm
Cut Out Size	57 mm

4 Kv Surge Protection | 120° Beam Angle | Works Upto 440 Volts | Extra Brightness
Upto 50,000 Burning Hours | Eye Care Technology | Upto 80% Energy Savings | Fluctuation Proof | Zero Flickering



HAPPY

LED CONCEALED DOWNLIGHT

Happy LED Concealed Downlight lightens your aura with an elegant look, Curvy and non bulky design, ensures the premium quality and ample light.



SPECIFICATION :

Model Name : Happy Led Concealed Downlight

SKU Name : IMEE-HAPPYCDL

Power : 3W

Lumens : 120 Lumens Per Watt

Voltage : AC 70-440V, 50Hz.

Excellent CRI : Upto 80%

THD : <10%

Power Factor : Great Power Factor

Operating Temp. : 10°C to 80°C

Colour Temp. : 3000K, 4000K, 6500K, 3IN1, Red, Green, Blue, Pink

Warranty : 2 Years Warranty

Watts	8W
Lumens	960lm
Cut Out Size	95 mm

4 Kv Surge Protection | 120° Beam Angle | Works Upto 440 Volts | Extra Brightness
Upto 50,000 Burning Hours | Eye Care Technology | Upto 80% Energy Savings | Fluctuation Proof | Zero Flickering



LED SURFACE STRIKER

Elegant Light which helps you to lighten the small units, mainly used in cabinets, walkways and lighting or highlighting shelves. Available in various illuminating colors.



SPECIFICATION :

Model Name : Led Surface Striker

SKU Name : IMEE-SURFSTRIKER

Power : 5W

Lumens : 120 Lumens Per Watt

Voltage : AC 70-440V, 50Hz.

Excellent CRI : Upto 80%

THD : <10%

Power Factor : Great Power Factor

Operating Temp. : 10°C to 80°C

Colour Temp. : 3000K, 4000K, 6500K, 3IN1, Red, Green, Blue, Pink

Warranty : 2 Years Warranty

Watts	5W
Lumens	600lm

4 Kv Surge Protection | 120° Beam Angle | Works Upto 440 Volts | Extra Brightness
Upto 50,000 Burning Hours | Eye Care Technology | Upto 80% Energy Savings | Fluctuation Proof | Zero Flickering



LESS DEEP

LED DOWNLIGHT

Deep Led Downlight is a Premium series light which emits a wide range of light with a premium look.



SPECIFICATION :

Model Name : Less Deep Led Downlight

SKU Name : IMEE-LESSDEEPLD

Power : 3W

Lumens : 120 Lumens Per Watt

Voltage : AC 70-440V, 50Hz.

Excellent CRI : Upto 80%

THD : <10%

Power Factor : Great Power Factor

Operating Temp. : 10°C to 80°C

Colour Temp. : 3000K, 4000K, 6500K, 3IN1, Red, Green, Blue, Pink

Warranty : 2 Years Warranty

Watts	3W
Lumens	360lm
Cut Out Size	60 mm

4 Kv Surge Protection | 120° Beam Angle | Works Upto 440 Volts | Extra Brightness
Upto 50,000 Burning Hours | Eye Care Technology | Upto 80% Energy Savings | Fluctuation Proof | Zero Flickering



MOONLIGHT

LED CONCEALED DOWNLIGHT

Moonlight Led Concealed Downlight is the Slim Light source to amplify the Light in your aura, Larger Spread oflight is what it promised.



SPECIFICATION :

Model Name : Moonlight Led Concealed Downlight

SKU Name : IMEE-MOONCDL

Power : 6W & 12W

Lumens : 120 Lumens Per Watt

Voltage : AC 70-440V, 50Hz.

Excellent CRI : Upto 80%

THD : <10%

Power Factor : Great Power Factor

Operating Temp. : 10°C to 80°C

Colour Temp. : 3000K, 4000K, 6500K, 3IN1, Red, Green, Blue, Pink

Warranty : 2 Years Warranty

Watts	6W	12W
Lumens	720lm	1440lm
Cut Out Size	50 mm	50 mm

4 Kv Surge Protection | 120° Beam Angle | Works Upto 440 Volts | Extra Brightness
Upto 50,000 Burning Hours | Eye Care Technology | Upto 80% Energy Savings | Fluctuation Proof | Zero Flickering



SUNLIGHT

LED SURFACE DOWNLIGHT

Sunlight Led Surface Downlight is for your easy convinces to add a light on any surface without making a cutout like concealed fitting.



SPECIFICATION :

Model Name : Sunlight Led Surface Downlight

SKU Name : IMEE-SUNLIGHTSDL

Power : 6W & 12W

Lumens : 120 Lumens Per Watt

Voltage : AC 70-440V, 50Hz.

Excellent CRI : Upto 80%

THD : <10%

Power Factor : Great Power Factor

Operating Temp. : 10°C to 80°C

Colour Temp. : 3000K, 4000K, 6500K, 3IN1, Red, Green, Blue, Pink

Warranty : 2 Years Warranty

Watts	6W	12W
Lumens	720lm	1440lm

4 Kv Surge Protection | 120° Beam Angle | Works Upto 440 Volts | Extra Brightness
Upto 50,000 Burning Hours | Eye Care Technology | Upto 80% Energy Savings | Fluctuation Proof | Zero Flickering



SPOTLIGHT

LED MOVABLE CONCEALED DOWNLIGHT

Spotlight Led movable concealed downlight helps you to create a focus on a subject or to highlight an specific area.

SPECIFICATION :

Model Name : Spotlight Led Movable Concealed Downlight

SKU Name : IMEE-SPOTCDL

Power : 3W & 7W

Lumens : 120 Lumens Per Watt

Voltage : AC 70-440V, 50Hz.

Excellent CRI : Upto 80%

THD : <10%

Power Factor : Great Power Factor

Operating Temp. : 10°C to 80°C

Colour Temp. : 3000K, 4000K, 6500K, 3IN1, Red, Green, Blue, Pink

Warranty : 2 Years Warranty



Watts	3W	7W
Lumens	360lm	840lm
Cut Out Size	60 mm	85 mm

4 Kv Surge Protection | 120° Beam Angle | Works Upto 440 Volts | Extra Brightness
Upto 50,000 Burning Hours | Eye Care Technology | Upto 80% Energy Savings | Fluctuation Proof | Zero Flickering



SUNSHINE

LED CONCEALED DOWNLIGHT

Sunshine Led Concealed Downlight is the Slim Light source to amplify the Light in your aura, Larger Spread of light is what it promised. to cover a large area with energy saving capabilities.

SPECIFICATION :

Model Name : Sunshine Led Concealed Downlight

SKU Name : IMEE-SUNSHINECDL

Power : 12W

Lumens : 120 Lumens Per Watt

Voltage : AC 70-440V, 50Hz.

Excellent CRI : Upto 80%

THD : <10%

Power Factor : Great Power Factor

Operating Temp. : 10°C to 80°C

Colour Temp. : 3000K, 4000K, 6500K, 3IN1, Red, Green, Blue, Pink

Warranty : 2 Years Warranty



Watts	12W
Lumens	1440lm
Cut Out Size	90 mm

4 Kv Surge Protection | 120° Beam Angle | Works Upto 440 Volts | Extra Brightness
Upto 50,000 Burning Hours | Eye Care Technology | Upto 80% Energy Savings | Fluctuation Proof | Zero Flickering

LED DOWNLIGHT FOR JUNCTION BOX

Led Downlight for junction box is our most demanded product with Round shape, available in 7 different color temperatures and emit wide beam angle with higher surge.



SPECIFICATION :

Model Name : Led Downlight For Junction Box

SKU Name : IMEE-DDLJ

Power : 3W, 8W, 10W

Lumens : 110 Lumens Per Watt

Voltage : AC 70-440V, 50Hz.

Excellent CRI : Upto 80%

THD : <10%

Power Factor : Great Power Factor

Operating Temp. : 10°C to 80°C

Colour Temp. : 3000K, 4000K, 6500K, Red, Green, Blue, Pink

Warranty : 2 Years Warranty

Watts	3W	8W	10W (Aluminium Body)
Lumens	330lm	880lm	1100lm
Cut Out Size	45 mm	70 mm	70 mm

4 Kv Surge Protection | Wide Beam Angle | Works Upto 440 Volts | Extra Brightness
Upto 50,000 Burning Hours | Eye Care Technology | Upto 80% Energy Savings | Fluctuation Proof | Zero Flickering



ENJOY

LED DOWNLIGHT FOR JUNCTION BOX

Enjoy Led Downlight for Junction Box is our most demanded product with Round shape, available in 7 different color temperatures and emit wide beam angle with higher surge.



SPECIFICATION :

Model Name : Enjoy Led Downlight For Junction Box

SKU Name : IMEE-ENDDLJ

Power : 6W

Lumens : 110 Lumens Per Watt

Voltage : AC 70-440V, 50Hz.

Excellent CRI : Upto 80%

THD : <10%

Power Factor : Great Power Factor

Operating Temp. : 10°C to 80°C

Colour Temp. : 3000K, 4000K, 6500K, Red, Green, Blue, Pink

Warranty : 2 Years Warranty

Watts	6W
Lumens	660lm
Cut Out Size	70 mm

4 Kv Surge Protection | Wide Beam Angle | Works Upto 440 Volts | Extra Brightness
Upto 50,000 Burning Hours | Eye Care Technology | Upto 80% Energy Savings | Fluctuation Proof | Zero Flickering

LED COB TRACK LIGHT

Led COB track light is most commonly used in highlighting specific spots in showrooms, shops like mannequins, artifacts which give a special effect of highlighting the product, Comes with a Degree measurement Scale on it for precise result.



SPECIFICATION :

Model Name : Led Cob Track Light

SKU Name : IMEE-TL

Power : 12W & 24W

Lumens : 100 Lumens Per Watt

Voltage : AC 70-440V, 50Hz.

Excellent CRI : Upto 80%

THD : <10%

Power Factor : Great Power Factor

Operating Temp. : 10°C to 80°C

Colour Temp. : 3000K, 4000K, 6500K

Warranty : 2 Years Warranty

Watts	12W	24W
Lumens	1200lm	2400lm

2.5 Kv Surge Protection | Perfect Beam Angle | Works Upto 440 Volts | With Degree Measurement Scale
Upto 50,000 Burning Hours | Eye Care Technology | Upto 80% Energy Savings | Fluctuation Proof | Zero Flickering



PREMIUM SERIES

12V LED STRIP

Premium Series led Strip light is most commonly used for lightning the False ceiling & to decorate the immerse & highlight the aura, available in various colors.



SPECIFICATION :

Model Name : Premium Series 12V Led Strip

SKU Name : IMEE-2835-PREMIUMSTRIP

LED Per Meter : 60 LED, 120 LED, 180 LED, 240 LED

Lumens Per LED : 26lm

Operating Voltage : 12V DC

Strip Length : 5 Meters

THD : <10%

LED Size : SMD 2835

Operating Temp. : 10°C to 80°C

Colour Temp. : 3000K, 4000K, 6500K, Amber, Red, Blue, Green, Pink

Warranty : 2 Years Warranty

CRI 80 For True Colours | Pure Copper | Cuttable Led Strip | Double PCB | Wide Operating Voltages
Life Expectancy Upto 15 Years | No Mercury & Lead Non Toxic | No UV & IR Radiation



ULTRA SLIM SMPS DRIVER

FOR LED STRIP LIGHT



Ultra Slim SMPS Driver helps you to stabilize the light to LED STRIP to immerisify the constant light with a smaller and slimmer form factor which helps you to hide it easily in smaller areas.



SPECIFICATION :

Model Name : Ultra Slim SMPS Driver For Led Strip Light

SKU Name : IMEE-ULTRASLIMSMP

Driver Amperes : 12V-5A/60W, 12V-10A/120W

Life Expectancy : Upto 15 Years

Operating Voltage : AC 70-440V, 50Hz

Excellent CRI : Upto 80%

Protection : Over Current & Over Load Protection

Power Factor : Great Power Factor

Operating Temp. : 10°C to 80°C

Radiation : No UV & IR Radiation

Warranty : 2 Years Warranty

Over Current/Over Load Protection | Reverse Connection Protection | Works Upto 440 Volts | Shock Proof
Upto 50,000 Burning Hours | Upto 80% Energy Savings | Fluctuation Proof | High Voltage Resistance



SLIM SMPS DRIVER FOR LED STRIP LIGHT



Slim SMPS Driver helps you to stabilize the light to LED STRIP to immersify the constant light.



SPECIFICATION :

Model Name : Slim SMPS Driver For Led Strip Light

SKU Name : IMEE-SLIMSMPs

Driver Amperes : 12V-2A/24W, 12V-3A/36W, 12V-5A/60W, 12V-10A/120W

Life Expectancy : Upto 15 Years

Operating Voltage : AC 70-440V, 50Hz

Excellent CRI : Upto 80%

Protection : Over Current & Over Load Protection

Power Factor : Great Power Factor

Operating Temp. : 10°C to 80°C

Radiation : No UV & IR Radiation

Warranty : 2 Years Warranty

Over Current/Over Load Protection | Reverse Connection Protection | Works Upto 440 Volts | Shock Proof
Upto 50,000 Burning Hours | Upto 80% Energy Savings | Fluctuation Proof | High Voltage Resistance

The Unending Light Source



LED SOLAR

STREET LIGHT WITH SENSOR & REMOTE CONTROL

LED Solar Street with Sensor and Remote control A Smart Product which operates in a most unique way to save electricity. This light uses A+ Grade Monocrystalline solar panel and Contains Sensor which automatically starts at Sunset & stops at Sunrise. The Solar Battery takes 6-8 hours to charge & gives you immense lighting till 12 hours.



SPECIFICATION :

Model Name : Led Solar Street Light With Sensor & Remote Control

SKU Name : IMEE-SLRST

Power : 30W, 60W, 90W, 120W

Beam Angle : 120°

Battery Charge Time : 6-8 Hrs.

Discharge Time : 8-12 Hrs.

Battery : 3.2V LePO4 Battery

Battery Working Temperature : -10°C ~ 80°C

Operating Temp. : 10°C to 80°C

Colour Temp. : 6500K

Warranty : 2 Years Warranty

Watts	30W	60W	90W	120W
Lumens	600lm	750lm	1200lm	1400lm
Solar Module Power	8 Watts / 6 Volts	10 Watts / 6 Volts	15 Watts / 6 Volts	16 Watts / 6 Volts
Battery	5,000mAh Battery	10,000mAh Battery	15,000mAh Battery	15,000mAh Battery

Battery Charge Time 6-8 Hrs | Discharge Time 8-12 Hrs | A+ Grade Monocrystalline Solar Panel | With Automatic Sensor
IP 66 Protection | Sunset Auto Start | Sunrise Auto Off | Auto Charge in Sunlight | Zero Recurring Cost | Eye Care Technology

LED SOLAR FLOOD LIGHT

WITH REMOTE CONTROL

LED SOLAR Flood light, most unique way to save electricity, this light converts solar energy to electrical energy. which automatically starts at Sunset. This Solar Battery Charge time 8 hrs. & Discharge time 10-12 hrs. A+ Grade Monocrystalline solar panel.



SPECIFICATION :

Model Name : Led Solar Flood Light With Remote Control

SKU Name : IMEE-SLRFL

Power : 50W, 100W, 200W, 300W

Beam Angle : 120°

Battery Charge Time : 8 Hrs.

Discharge Time : 10-12 Hrs.

Battery : 3.2V LePO4 Battery

Battery Working Temperature : -10°C ~ 80°C

Operating Temp. : 10°C to 80°C

Colour Temp. : 6500K

Warranty : 2 Years Warranty

Watts	50W	100W	200W	300W
Lumens	750lm	1500lm	2250lm	3000lm
Solar Module Power	10 Watts / 6 Volts	20 Watts / 6 Volts	30 Watts / 6 Volts	35 Watts / 6 Volts
Battery	10,000mAh Battery	15,000mAh Battery	25,000mAh Battery	30,000mAh Battery

Battery Charge Time 8 Hrs | Discharge Time 10-12 Hrs | A+ Grade Monocrystalline Solar Panel | Zero Maintenance
IP 66 Protection | Auto Charge in Sunlight | Zero Recurring Cost | Dim Mode | Eye Care Technology

Making your
Path Brighter



OUTDOOR LIGHTS



LED BULK HEAD

Led Bulk Head in an Super Quality outdoor light packed with IP65 certification is one of the most important form factor of this product.



SPECIFICATION :

Model Name : Led Bulk Head

SKU Name : IMEE-BH

Power : 10W & 20W

Lumens : 100 Lumens Per Watt

Voltage : AC 70-440V, 50Hz.

Housing : Polycarbonate

THD : <10%

Power Factor : Great Power Factor

Operating Temp. : 10°C to 80°C

Colour Temp. : 3000K, 4000K, 6500K, Red, Green, Blue, Pink

Warranty : 2 Years Warranty

Watts	10W	20W
Lumens	1000lm	2000lm

4 Kv Surge Protection | Works Upto 440 Volts | IP 65 Protection | Anti-Glare Diffuser
Upto 50,000 Burning Hours | Eye Care Technology | Save Upto 80% Energy

K SHAPE UPDOWN

LED WALL LIGHT (COB)

K Shape Up Down Led Wall Light (COB) A one-of-a-kind landscape lighting product that highlights your wall from Upside down and enhances your wall from both angles with very sharp beam.



SPECIFICATION :

Model Name : K Shape Updown Led Wall Light (COB)

SKU Name : IMEE-KSUDWL

Power : 6W

Lumens : 130 Lumens Per Watt

Voltage : AC 70-440V, 50Hz.

Housing : Die Cast Aluminum Body

THD : <10%

Power Factor : Great Power Factor

Operating Temp. : 10°C to 80°C

Colour Temp. : 2700K

Warranty : 2 Years Warranty

Watts	6W
Lumens	780lm

4 Kv Surge Protection | Works Upto 440 Volts | IP 66 Protection | Zero Flickering
Upto 50,000 Burning Hours | Eye Care Technology | Save Upto 80% Energy | Fluctuation Proof

SUPER SLIM

LED STREET LIGHT (WITH LENS)

Super Slim Led Street Light is a High-Quality Outdoor Street light with IP66 Certification, a solid housing, and a wide light spread, making it suitable for a variety of applications.



SPECIFICATION :

Model Name : Super Slim Led Street Light (With Lens)

SKU Name : IMEE-SST

Power : 20W, 30W, 50W, 100W

Lumens : 110 Lumens Per Watt

Voltage : AC 70-440V, 50Hz.

Housing : Die Cast Aluminum Body

THD : <10%

Power Factor : Great Power Factor

Operating Temp. : 10°C to 80°C

Colour Temp. : 3000K, 6500K

Warranty : 2 Years Warranty

Watts	20W	30W	50W	100W
Lumens	2200lm	3300lm	5500lm	11000lm

4 Kv Surge Protection | Works Upto 440 Volts | IP 66 Protection | Zero Flickering
Upto 50,000 Burning Hours | Eye Care Technology | Save Upto 80% Energy | Fluctuation Proof



CURVED

LED STREET LIGHT

Curved Led Street Light in an Ideal Street light with huge area coverage . Highly immersive light from the range with more brightness.



SPECIFICATION :

Model Name : Curved Led Street Light

SKU Name : IMEE-CURST

Power : 24W, 36W, 50W

Lumens : 120 Lumens Per Watt

Voltage : AC 70-440V, 50Hz.

Housing : Die Cast Aluminum Body

THD : <10%

Power Factor : Great Power Factor

Operating Temp. : 10°C to 80°C

Colour Temp. : 6500K

Warranty : 2 Years Warranty

Watts	24W	36W	50W
Lumens	2880lm	4320lm	6000lm

4 Kv Surge Protection | Works Upto 440 Volts | IP 65 Protection | Zero Flickering
Upto 50,000 Burning Hours | Eye Care Technology | Save Upto 80% Energy | Fluctuation Proof



SPARKLE

LED STREET LIGHT WITH LENS

Sparkle Led Street light is one of the most street light with latest design to immerse best lights in dark conditions



SPECIFICATION :

Model Name : Sparkle Led Street Light With Lens

SKU Name : IMEE-SPKST

Power : 24W, 36W, 50W

Lumens : 120 Lumens Per Watt

Voltage : AC 70-440V, 50Hz.

Housing : Die Cast Aluminum Body

THD : <10%

Power Factor : Great Power Factor

Operating Temp. : 10°C to 80°C

Colour Temp. : 6500K

Warranty : 2 Years Warranty

Watts	24W	36W	50W
Lumens	2880lm	4320lm	6000lm

4 Kv Surge Protection | Works Upto 440 Volts | IP 65 Protection | Zero Flickering
Upto 50,000 Burning Hours | Eye Care Technology | Save Upto 80% Energy | Fluctuation Proof



HEAVY OPTIC

LED STREET LIGHT

Heavy Optic is the well designed heavy duty light to perform in adverse conditions, Curved optics of this lights make it more special in term of performance



SPECIFICATION :

Model Name : Heavy Optic Led Street Light

SKU Name : IMEE-HVOST

Power : 50W & 100W

Lumens : 120 Lumens Per Watt

Voltage : AC 70-440V, 50Hz.

Housing : Die Cast Aluminum Body

THD : <10%

Power Factor : Great Power Factor

Operating Temp. : 10°C to 80°C

Colour Temp. : 6500K

Warranty : 2 Years Warranty

Watts	50W	100W
Lumens	6000lm	12000lm

6 Kv Surge Protection | Works Upto 440 Volts | IP 65 Protection | Zero Flickering
Upto 50,000 Burning Hours | Eye Care Technology | Save Upto 80% Energy | Fluctuation Proof

SUPER GLOW

LED STREET LIGHT

Super Glow led Street light in an ideal light for used as outdoor lighting , highly accepted light from the range with immersive brightness.



SPECIFICATION :

Model Name : Super Glow Led Street Light

SKU Name : IMEE-SGST

Power : 24W, 36W, 50W, 100W

Lumens : 120 Lumens Per Watt

Voltage : AC 70-440V, 50Hz.

Housing : Die Cast Aluminum Body

THD : <10%

Power Factor : Great Power Factor

Operating Temp. : 10°C to 80°C

Colour Temp. : 6500K

Warranty : 2 Years Warranty

Watts	24W	36W	50W	100W
Lumens	2880lm	4320lm	6000lm	12000lm

4 Kv Surge Protection | Works Upto 440 Volts | IP 66 Protection | Zero Flickering
Upto 50,000 Burning Hours | Eye Care Technology | Save Upto 80% Energy | Fluctuation Proof



SUPER STAR

LED STREET LIGHT

Our Best Seller in Street Lights category, Super Star led street light brings up a brighter view for street darkening problems, Wider beam angle with 4Kv surge protections make it stand taller in our range.



SPECIFICATION :

Model Name : Super Star Led Street Light

SKU Name : IMEE-STR

Power : 18W, 24W, 36W, 50W, 72W, 100W

Lumens : 110 Lumens Per Watt

Voltage : AC 70-440V, 50Hz.

Housing : Die Cast Aluminum Body

THD : <10%

Power Factor : Great Power Factor

Operating Temp. : 10°C to 80°C

Colour Temp. : 3000K, 4000K, 6500K

Warranty : 2 Years Warranty

Watts	18W	24W	36W	50W	72W	100W
Lumens	1980lm	2640lm	3960lm	5500lm	7920lm	11000lm

4 Kv Surge Protection | Works Upto 440 Volts | IP 66 Protection | Zero Flickering
Upto 50,000 Burning Hours | Eye Care Technology | Save Upto 80% Energy | Fluctuation Proof

ULTRA SLIM

STREET LIGHT WITH LENS

Our Best Seller in Street Lights category, Ultra slim street light with lens brings up a brighter view for street darken problems, with 4Kv surge protections make it stand taller in our range.



SPECIFICATION :

Model Name : Ultra Slim Street Light With Lens

SKU Name : IMEE--USSTR

Power : 24W, 36W, 50W

Lumens : 120 Lumens Per Watt

Voltage : AC 70-440V, 50Hz.

Housing : Die Cast Aluminum Body

THD : <10%

Power Factor : Great Power Factor

Operating Temp. : 10°C to 80°C

Colour Temp. : 6500K

Warranty : 2 Years Warranty

Watts	24W	36W	50W
Lumens	2880lm	4320lm	6000lm

4 Kv Surge Protection | Works Upto 440 Volts | IP 66 Protection | Zero Flickering
Upto 50,000 Burning Hours | Eye Care Technology | Save Upto 80% Energy | Fluctuation Proof

HEAVY DUTY

METAL LED STREET LIGHT

Heavy Duty Metal Led Street Light is commonly used as a household product for illuminating outdoor spaces like backyards and corridors, IP65 certification is one of the most important form factors of this product.



SPECIFICATION :

Model Name : Heavy Duty Metal Led Street Light

SKU Name : IMEE-HD-ST

Power : 25W, 40W, 50W

Lumens : 110 Lumens Per Watt

Voltage : AC 70-440V, 50Hz.

Housing : Heavy Duty Metal

THD : <10%

Power Factor : Great Power Factor

Operating Temp. : 10°C to 80°C

Colour Temp. : 3000K, 6500K

Warranty : 2 Years Warranty

Watts	25W	40W	50W
Lumens	2750lm	4400lm	5500lm

4 Kv Surge Protection | Works Upto 440 Volts | IP 65 Protection | Zero Flickering
Upto 50,000 Burning Hours | Eye Care Technology | Save Upto 80% Energy | Fluctuation Proof



APPLE SHAPE

SLIM LED FLOOD LIGHT

Best in Class Apple Shape of 120 Lumens Per Watt. Anti dust & Anti Fog Die Cast Aluminum Body with Toughened Glass adds High Class Look & Feel. Equipped with Highly Effective Heat Dissipation which results in smooth light distribution.



SPECIFICATION :

Model Name : Apple Shape Slim Led Flood Light

SKU Name : IMEE-APFL

Power : 50W & 100W

Lumens : 120 Lumens Per Watt

Voltage : AC 70-440V, 50Hz.

Housing : Die Cast Aluminum Body

THD : <10%

Power Factor : Great Power Factor

Operating Temp. : 10°C to 80°C

Colour Temp. : 6500K

Warranty : 2 Years Warranty

Watts	50W	100W
Lumens	6000lm	12000lm

4 Kv Surge Protection | Works Upto 440 Volts | IP 66 Protection | Anti Dust | Anti Fog | Zero Flickering
Upto 50,000 Burning Hours | Eye Care Technology | Save Upto 80% Energy | Fluctuation Proof



BIG BOSS

LED FLOOD LIGHT

Big boss led flood light contains 120 Lumens Per Watt. Movable Flood Light (Light direction can be moved as per your requirement). Die Cast Aluminum Body with Toughened Glass adds High Class Look & Feel. Equipped with Highly Effective Heat Dissipation which results in smooth light distribution.



SPECIFICATION :

Model Name : Big Boss Led Flood Light

SKU Name : IMEE-BBFL

Power : 10W, 20W, 30W, 50W, 100W, 150W, 200W

Lumens : 120 Lumens Per Watt

Voltage : AC 70-440V, 50Hz.

Housing : Die Cast Aluminum Body

THD : <10%

Power Factor : Great Power Factor

Operating Temp. : 10°C to 80°C

Colour Temp. : 6500K

Warranty : 2 Years Warranty

Watts	10W	20W	30W	50W	100W	150W	200W
Lumens	1200lm	2400lm	3600lm	6000lm	12000lm	18000lm	24000lm

6 Kv Surge Protection | Works Upto 440 Volts | IP 66 Protection | Zero Flickering
Upto 50,000 Burning Hours | Eye Care Technology | Save Upto 80% Energy | Fluctuation Proof



CURVED

LED FLOOD LIGHT

Curved led flood light masters the game of light by spreading the light in curved form resulting more coverage of light in mass area



SPECIFICATION :

Model Name : Curved Led Flood Light

SKU Name : IMEE-CURFL

Power : 50W & 100W

Lumens : 120 Lumens Per Watt

Voltage : AC 70-440V, 50Hz.

Housing : Die Cast Aluminum Body

THD : <10%

Power Factor : Great Power Factor

Operating Temp. : 10°C to 80°C

Colour Temp. : 6500K

Warranty : 2 Years Warranty

Watts	50W	100W
Lumens	6000lm	12000lm

4 Kv Surge Protection | Works Upto 440 Volts | IP 65 Protection | Zero Flickering
Upto 50,000 Burning Hours | Eye Care Technology | Save Upto 80% Energy | Fluctuation Proof



SUPER BEAM

LED FLOOD LIGHT

Super beam Flood light is an aggressive flood light in terms of light spreading and performance. Heavy duty build is one of the main property for its great performance



Powerful Reflector Boxes For 30% More
Brightness & Light

SPECIFICATION :

Model Name : Super Beam Led Flood Light

SKU Name : IMEE-SBFL

Power : 50W & 100W

Lumens : 120 Lumens Per Watt

Voltage : AC 70-440V, 50Hz.

Housing : Die Cast Aluminum Body

THD : <10%

Power Factor : Great Power Factor

Operating Temp. : 10°C to 80°C

Colour Temp. : 6500K

Warranty : 2 Years Warranty

Watts	50W	100W
Lumens	6000lm	12000lm

4 Kv Surge Protection | Works Upto 440 Volts | IP 65 Protection | Zero Flickering
Upto 50,000 Burning Hours | Eye Care Technology | Save Upto 80% Energy | Fluctuation Proof



LED FLOOD LIGHT

FOR PROJECTS

Giant lights for giant projects, these lights are usually useful for mega projects of indoor as well as outdoor like Stadiums, Courtyards, Construction sites, Lawns etc



Powered with
10 kV External
Surge Protection Device

SPECIFICATION :

Model Name : Led Flood Light For Projects

SKU Name : IMEE-PROFL

Power : 300W & 400W

Lumens : 120 Lumens Per Watt

Voltage : AC 70-440V, 50Hz.

Housing : Die Cast Aluminum Body

THD : <10%

Power Factor : Great Power Factor

Operating Temp. : 10°C to 80°C

Colour Temp. : 6500K

Warranty : 2 Years Warranty

Watts	300W	400W
Lumens	36000lm	48000lm

14 Kv Surge Protection | Works Upto 440 Volts | IP 66 Protection | Zero Flickering
Upto 50,000 Burning Hours | Eye Care Technology | Save Upto 80% Energy | Fluctuation Proof



SUPER GLOW

LED FLOOD LIGHT

Best-in-class super brightness of 120 lumens per watt. Die Cast Aluminum Body with toughened glass creates a premium look and feel. Equipped with highly effective heat dissipation resulting in smooth light distribution without heating the surrounding environment.



SPECIFICATION :

Model Name : Super Glow Led Flood Light

SKU Name : IMEE-SGFL

Power : 30W, 50W, 100W, 150W, 200W, 300W, 400W

Lumens : 120 Lumens Per Watt

Voltage : AC 70-440V, 50Hz.

Housing : Die Cast Aluminum Body

THD : <10%

Power Factor : Great Power Factor

Operating Temp. : 10°C to 80°C

Colour Temp. : 6500K

Warranty : 2 Years Warranty

Watts	30W	50W	100W	150W	200W	300W	400W
Lumens	3600lm	6000lm	12000lm	18000lm	24000lm	36000lm	48000lm

4 Kv Surge Protection | Works Upto 440 Volts | IP 66 Protection | Zero Flickering
Upto 50,000 Burning Hours | Eye Care Technology | Save Upto 80% Energy | Fluctuation Proof



ULTRA GLOW

LED FLOOD LIGHT

Best in class super brightness level of 120 lumens per watt. Die Cast Aluminum Body with toughened glass adds high class look and feel. Equipped with highly effective heat dissipation which results in smooth light distribution without heating the environment.



SPECIFICATION :

Model Name : Ultra Glow Led Flood Light

SKU Name : IMEE-UGFL

Power : 50W & 100W

Lumens : 120 Lumens Per Watt

Voltage : AC 70-440V, 50Hz.

Housing : Die Cast Aluminum Body

THD : <10%

Power Factor : Great Power Factor

Operating Temp. : 10°C to 80°C

Colour Temp. : 3000K, 4000K, 6500K

Warranty : 2 Years Warranty

Watts	50W	100W
Lumens	6000lm	12000lm

4 Kv Surge Protection | Works Upto 440 Volts | IP 66 Protection | Zero Flickering
Upto 50,000 Burning Hours | Eye Care Technology | Save Upto 80% Energy | Fluctuation Proof



ULTRA GLOW NEO

LED FLOOD LIGHT

Best in class super brightness level of 120 lumens per watt. Die Cast Aluminum Body with toughened glass adds high class look and feel. Equipped with highly effective heat dissipation which results in smooth light distribution without heating the environment.



SPECIFICATION :

Model Name : Ultra Glow Neo Led Flood Light

SKU Name : IMEE-UGFLNEO

Power : 50W & 100W

Lumens : 120 Lumens Per Watt

Voltage : AC 70-440V, 50Hz.

Housing : Die Cast Aluminum Body

THD : <10%

Power Factor : Great Power Factor

Operating Temp. : 10°C to 80°C

Colour Temp. : 6500K

Warranty : 2 Years Warranty

Watts	50W	100W
Lumens	6000lm	12000lm

4 Kv Surge Protection | Works Upto 440 Volts | IP 66 Protection | Zero Flickering
Upto 50,000 Burning Hours | Eye Care Technology | Save Upto 80% Energy | Fluctuation Proof



SUPER MAX

LED FLOOD LIGHT

Best in class super brightness level of 120 lumens per watt. Die Cast Aluminum Body with toughened glass adds high class look and feel. Equipped with highly effective heat dissipation which results in smooth light distribution without heating the environment.



SPECIFICATION :

Model Name : Super Max Led Flood Light

SKU Name : IMEE-SMAXFL

Power : 30W, 50W, 100W, 200W

Lumens : 120 Lumens Per Watt

Voltage : AC 70-440V, 50Hz.

Housing : Die Cast Aluminum Body

THD : <10%

Power Factor : Great Power Factor

Operating Temp. : 10°C to 80°C

Colour Temp. : 6500K

Warranty : 2 Years Warranty

Watts	30W	50W	100W	200W
Lumens	3600lm	6000lm	12000lm	24000lm

4 Kv Surge Protection | Works Upto 440 Volts | IP 66 Protection | Zero Flickering
Upto 50,000 Burning Hours | Eye Care Technology | Save Upto 80% Energy | Fluctuation Proof



SUPER SLIM

LED FLOOD LIGHT (WITH LENS)

Best in Class Super Slim LED Flood light of 130 lumens Per Watt. Equipped with highly effective heat dissipation which results in smooth light distribution without heating the environment.



SPECIFICATION :

Model Name : Super Slim Led Flood Light (With Lens)

SKU Name : IMEE-SSFL

Power : 50W, 100W, 150W

Lumens : 130 Lumens Per Watt

Voltage : AC 70-440V, 50Hz.

Housing : Die Cast Aluminum Body

THD : <10%

Power Factor : Great Power Factor

Operating Temp. : 10°C to 80°C

Colour Temp. : 3000K, 4000K, 6500K

Warranty : 2 Years Warranty

Watts	50W	100W	150W
Lumens	6500lm	13000lm	19500lm

4 Kv Surge Protection | Works Upto 440 Volts | IP 66 Protection | Zero Flickering
Upto 50,000 Burning Hours | Eye Care Technology | Save Upto 80% Energy | Fluctuation Proof

HIGH BEAM

LED FLOOD LIGHT

Best in Class Super Brightness level of 110 Lumens Per Watt. Movable Flood Light (Light direction can be moved as per your requirement). Die Cast Aluminum Body with Toughened Glass adds High Class Look & Feel. Equipped with Highly Effective Heat Dissipation which results in smooth light distribution.



SPECIFICATION :

Model Name : High Beam Led Flood Light

SKU Name : IMEE-HBFL

Power : 10W, 20W, 30W, 50W, 100W, 150W, 200W, 300W

Lumens : 110 Lumens Per Watt

Voltage : AC 70-440V, 50Hz.

Housing : Die Cast Aluminum Body

THD : <10%

Power Factor : Great Power Factor

Operating Temp. : 10°C to 80°C

Colour Temp. : 3000K, 6500K

Warranty : 2 Years Warranty

Watts	10W	20W	30W	50W	100W	150W	200W	300W
Lumens	1100lm	2200lm	3300lm	5500lm	11000lm	16500lm	22000lm	33000lm

4 Kv Surge Protection | Works Upto 440 Volts | IP 66 Protection | Zero Flickering
Upto 50,000 Burning Hours | Eye Care Technology | Save Upto 80% Energy | Fluctuation Proof

HIGH FOCUS

LED FLOOD LIGHT

A floodlight is a broad-beamed, high-intensity artificial light. They are often used to illuminate outdoor playing fields while an outdoor sports event is being held during low-light conditions. More focused kinds are often used as a stage lighting instrument in live performances such as concerts and plays.



SPECIFICATION :

Model Name : High Focus Led Flood Light

SKU Name : IMEE-HFFL

Power : 50W & 100W

Lumens : 110 Lumens Per Watt

Voltage : AC 70-440V, 50Hz.

Housing : Die Cast Aluminum Body

THD : <10%

Power Factor : Great Power Factor

Operating Temp. : 10°C to 80°C

Colour Temp. : 6500K

Warranty : 2 Years Warranty

Watts	50W	100W
Lumens	5500lm	11000lm

4 Kv Surge Protection | Works Upto 440 Volts | IP 66 Protection | Zero Flickering
Upto 50,000 Burning Hours | Eye Care Technology | Save Upto 80% Energy | Fluctuation Proof

EMERGENCY

LED FLOOD LIGHT

Emergency floodlights are commonly installed to cover the final exit points of public or commercial premises, especially when those final exits lead out to areas which are dark at night.



SPECIFICATION :

Model Name : Emergency Led Flood Light

SKU Name : IMEE-EMFL

Power : 10W & 20W

Lumens : 110 Lumens Per Watt

Voltage : AC 70-440V, 50Hz.

Housing : Die Cast Aluminum Body

THD : <10%

Power Factor : Great Power Factor

Operating Temp. : 10°C to 80°C

Colour Temp. : 6500K

Warranty : 2 Years Warranty

Watts	10W	20W
Lumens	1100lm	2200lm

4 Kv Surge Protection | Works Upto 440 Volts | IP 66 Protection | Zero Flickering
Upto 50,000 Burning Hours | Eye Care Technology | Save Upto 80% Energy | Fluctuation Proof

UFO SHAPE

LED HIGH BAY

Built-In HIGH QUALITY POWER LED DRIVER with HIGH POWER FACTOR, NO UV/IR, Lead-Free, 0% Mercury, Recyclable Material, Water & Dust Proof || All Aluminium Body with SMD LEDs covered by Optical Lens for enhanced illumination || Eye-Bolt for easy Ceiling Mounting || Excellent Heat Management enhancing product life.



SPECIFICATION :

Model Name : Ufo Shape Led High Bay

SKU Name : IMEE-UFOHB

Power : 100W, 150W, 200W

Lumens : 110 Lumens Per Watt

Voltage : AC 70-440V, 50Hz.

Housing : Die Cast Aluminum Body

THD : <10%

Power Factor : Great Power Factor

Operating Temp. : 10°C to 80°C

Colour Temp. : 3000K, 4000K, 6500K

Warranty : 2 Years Warranty

Watts	100W	150W	200W
Lumens	11000lm	16500lm	22000lm

6 Kv Surge Protection | Works Upto 440 Volts | IP 66 Protection | Zero Flickering
Upto 50,000 Burning Hours | Eye Care Technology | Save Upto 80% Energy | Fluctuation Proof

LED COB

HIGH BAY

Unique product, Wide beam angle, No UV & IR radiation, BIS Certified, save upto 80 % energy, Duty Metal Body with Toughened Glass adds High Class Look & Feel.



SPECIFICATION :

Model Name : Led Cob High Bay

SKU Name : IMEE-HBAY

Power : 100W, 150W, 200W

Lumens : 110 Lumens Per Watt

Voltage : AC 70-440V, 50Hz.

Housing : Die Cast Aluminum Body

THD : <10%

Power Factor : Great Power Factor

Operating Temp. : 10°C to 80°C

Colour Temp. : 6500K



















Warranty : 2 Years Warranty

Watts	100W	150W	200W
Lumens	11000lm	16500lm	22000lm

15 Kv Surge Protection | Works Upto 440 Volts | Unique Procure | Zero Flickering
Upto 50,000 Burning Hours | Eye Care Technology | Save Upto 80% Energy | Fluctuation Proof


LED FLOOD LIGHT COMPARISON



Sr. No	iMee Flood Lights	Operating Voltage	Lumens (per watt)	Surge Protection	Die Cast	LED Focus Angle	Product Image
01	APPLE SHAPE SLIM FLOOD LIGHT	AC 70-440V, 50Hz	120 Lumens Per Watt	4kV Surge Protection	Aluminum Body	 Rectangle	
02	BIG BOSS LED FLOOD LIGHT	AC 70-440V, 50Hz	120 Lumens Per Watt	6kV Surge Protection	Aluminum Body	 Square	
03	SUPER GLOW LED FLOOD LIGHT	AC 70-440V, 50Hz	120 Lumens Per Watt	4kV Surge Protection	Aluminum Body	 Horizontal	
04	ULTRA GLOW LED FLOOD LIGHT	AC 70-440V, 50Hz	120 Lumens Per Watt	4kV Surge Protection	Aluminum Body	 Horizontal	
05	SUPER SLIM LED FLOOD LIGHT	AC 70-440V, 50Hz	120 Lumens Per Watt	4kV Surge Protection	Aluminum Body	 Square	
06	SUPER MAX LED FLOOD LIGHT	AC 70-440V, 50Hz	110 Lumens Per Watt	4kV Surge Protection	Aluminum Body	 Square	
07	HIGH BEAM LED FLOOD LIGHT	AC 70-440V, 50Hz	120 Lumens Per Watt	4kV Surge Protection	Aluminum Body	 Square	
08	HIGH FOCUS LED FLOOD LIGHT	AC 70-440V, 50Hz	110 Lumens Per Watt	4kV Surge Protection	Aluminum Body	 Square	
09	LED SOLAR FLOOD LIGHT WITH REMOTE	AC 70-440V, 50Hz	120 Lumens Per Watt	—	Aluminum Body	 Square	

- 1) All iMee Products under LED LIGHTING category fall under piece to piece replacement policy within the time frame as mentioned on the product from the date of purchase EXCEPT any product which has external driver like COB Downlights, LED Panels etc, in case of products with external drivers, first the driver will be changed and if the problem still persists, then whole product will be changed.
- 2) Every product is intended to be used in a specific area, every type of LED Light is created to be used in a specific manner. For example, Indoor products like Bulb, Tube Lights, Panels must not be used in Outdoor Areas & likewise Flame Proof lights must be used near chimneys or in factories which have burners etc and their temperature is higher than outdoors, using flood lights in these areas will not be covered under warranty.
- 3) Physical Damages are not covered under warranty, only technical defects that occur within the mentioned specifications/parameters are covered under warranty.
- 4) Water Damage is not covered under warranty for Indoor Products OR all products having IP Rating Above 64+.
- 5) Products returned to iMee under replacement must be free of physical damages.
- 6) iMee reserves the right to give any alternative product of similar value or similar use if the returned product is discontinued or out of stock.
- 7) Replacement flow chart would be Customer->Retailer->Distributor->Super Stockiest>iMee.
- 8) Products returned to iMee are subjected to be audited by iMee's technical team, any pieces which are working but still were returned to iMee under replacement will be duly sent back.
- 9) All above conditions are subject to change, Terms & Conditions Apply. All authorities belong to iMee & its authorized team. All disputes subject to Nagpur Jurisdiction.


imee[®]
"Quality isn't Expensive,
it's PRICELESS"



AIR CONDITIONER



1.5 TON INVERTER SPLIT AIR CONDITIONER



5 YEARS
COMPREHENSIVE WARRANTY
1 YEAR ON INDOOR UNIT
5 YEARS ON OUTDOOR UNIT

iMee 1.5 Ton Inverter Split Air Conditioners has Variable Speed energy efficient rotary compressor with wide rotational frequency range. Variable Rotary Compressor inside ensure faster cooling and more efficiency as well as drastic reduction in noise and vibration levels. It constantly adjusts the compressor's speed to maintain desired levels of temperature and assured savings – both power and electricity bills.



SPECIFICATION :

Model Name : iMee 1.5 Ton 5 Star Inverter Split AC

SKU Name : IMEE-SPLITAC-INV-1.5T-5STR-555

Operating Mode : Cooling

Rated Voltage : 220-240V

Rated Frequency / Phase : 50hz / Single

Cooling Capacity : 5100W (Full Load)

Cooling Capacity : 2550W (Half Load)

Input Power : 1365W (Full Load)

Input Power : 527W (Half Load)

Electricity Consumption : 857.36kwh

Refrigerant / Charge : R32/0.81kg



Eco
Friendly



Cools at
52°C



Auto
Clean



100% Copper
Condenser



Auto
Restart



Helpline 1800 258 4343
customercare@imee.in

Heavy Duty Air Conditioner | ISEER 4.6 | Rated Current 6.2 Amperes | Sleep Mode | Drip Prevention | Freeze Prevention
Latest LED Display | Auto Diagnosis | R32 Eco Friendly Refrigerant | Inner - Grooved Copper Tube | Full Function Remote
Auto Clean | 24-Hours ON or OFF Timer | Hydrophilic Aluminum Fin | Strong Dehumidification | Turbo Cooling




1.5 TON INVERTER SPLIT AIR CONDITIONER



5 YEARS
COMPREHENSIVE WARRANTY
1 YEAR ON INDOOR UNIT
5 YEARS ON OUTDOOR UNIT

imee 1.5 Ton Inverter Split Air Conditioners has Variable Speed energy efficient rotary compressor with wide rotational frequency range. Variable Rotary Compressor inside ensure faster cooling and more efficiency as well as drastic reduction in noise and vibration levels. It constantly adjusts the compressor's speed to maintain desired levels of temperature and assured savings – both power and electricity bills.



SPECIFICATION :

Model Name : imee 1.5 Ton 3 Star Inverter Split AC

SKU Name : IMEE-SPLITAC-INV-1.5T-3STR-555

Operating Mode : Cooling

Rated Voltage : 220-240V

Rated Frequency / Phase : 50hz / Single

Cooling Capacity : 5100W (Full Load)

Cooling Capacity : 2550W (Half Load)

Input Power : 1750W (Full Load)

Input Power : 690W (Half Load)

Electricity Consumption : 1111.93kwh

Refrigerant / Charge : R32/0.81kg



Eco
Friendly



Cools at
52°C



Auto
Clean



100% Copper
Condenser



Auto
Restart



Helpline 1800 258 4343
customercare@imee.in

Heavy Duty Air Conditioner | ISEER 3.55 | Rated Current 6.39 Amperes | Sleep Mode | Drip Prevention | Freeze Prevention
Latest LED Display | Auto Diagnosis | R32 Eco Friendly Refrigerant | Inner - Grooved Copper Tube | Full Function Remote
Auto Clean | 24-Hours ON or OFF Timer | Hydrophilic Aluminum Fin | Strong Dehumidification | Turbo Cooling

Important :

- 1) Warranty for Consumers/End Users from the date of Purchase.
- 2) Additional 3 months extra warranty period will be given to all Channel Partners combined together so that they can sell out the goods to Consumers/End Users.
- 3) All Super Stockiest must ensure that the stock is sold to consumer/End user within 3 months of their purchase & their sales/distributor sales should be on FIFO Basis.
- 4) All channel partners must only buy such a quantity which they can sell out to consumers within the above specified time frame.
- 5) All serial numbers will be validated through the DMS portal.
- 6) iMee Warranty Card is mandatory along with invoice Duly signed and stamped by Dealer/distributor/SS

Things to remember :

- 1) All the iMee AC models come with a 5 Year Comprehensive Warranty. 1 Year for Indoor Unit and 5 Years for Outdoor Unit.
- 2) Consumer/End User or whomsoever is opening the AC box for the first time must record an unboxing video while opening the box, and the serial number of the AC must be clearly visible in the video otherwise it will not be eligible for free warranty.
- 3) AC must be installed through a qualified and experienced technician.
- 4) Any faults which arise due to improper installation will not be covered under warranty if the installation is done by a technician not associated with iMee.
- 5) If the security seal on AC is broken or tampered, that AC will not be eligible for warranty.
- 6) Physical Damages are not covered under warranty, only technical defects that occur within the mentioned specifications/parameters are covered under warranty.

Please go through the following Standard Operating Procedures :

Problem	Solution
Missing Remote or Accessories	Please download iMee Customer Care App from Google Play Store or iPhone App Store and register with your email id or mobile number & register your complaint & then please login your complaint OR you can also log your complaint through iMee Customer Care Toll Free Number & submit a video proof while opening the box, share the serial number written on your product, and we will make the missing accessories available on priority.
Technical Issues	Please download iMee Customer Care App from Google Play Store or iPhone App Store and register with your email id or mobile number & register your complaint & then please login your complaint OR you can also log your complaint through iMee Customer Care Toll Free Number & share your product Serial number and submit required photos/videos, after evaluating the problem, we will send a technician to solve/repair the problem/replace the faulty part which will be solved within 4 to 7 working days.
Physical Damages	Physical Damages or Water Damages are not covered under Warranty. All the Super Stockiests/Distributors/Retailers must carefully check the boxes for any dents or damage marks while receiving the goods and write a note "Subject to physical check within 72 hours" & notify the transporter within 72 hours in case of any physical damages and write a note on the receiving copy about the damage along with stamp on every POD. If found correct, iMee will compensate to Super Stockiest after investigating the matter accordingly & Super Stockiest should compensate to distributor accordingly. Super Stockiest to Distributor transport risk belongs to Super Stockiest & Distributor to Retailer transport risk belongs to Distributor.

Please Note :

All complaints must be registered on iMee Customer Care Mobile Application only OR iMee Customer Care toll free number only, any complaints directly given to any engineer or any employee directly or anyone else will not be valid and will not be entertained.

All above conditions are subject to change, Terms & Conditions Apply. All authorities belong to iMee & its authorized team. All disputes subject to Nagpur Jurisdiction.



Spinning the **cool**
around the **world.**



EXCEL DECO

HIGH SPEED ANTI DUST CEILING FAN



New wings for the fresh air. Presenting the all new series of stylish fans from iMee family. Ceiling fan with consistent air flow, high power 75 watts along with aluminum blades, double ball bearings, low noise ratio, dust resistant and comes in a variety of colors with a 40% reduction in energy consumption.



Available Colour : Matte Black, Satin Gold, Shimmer White, Himalaya Grey, Electric Blue

SPECIFICATION :

Model Name : Excel Deco High Speed Anti Dust Ceiling Fan

SKU Name : IMEE-CFAN-EXCELDECO

Power : 72 Watts (36"), 75 Watts (48")

Motor Body & Blade Material : Aluminum

Voltage : AC 220-230V, 50Hz Single Phase AC

Thickness of Blades : 1 mm

Motor Body Size : 200 mm Diameter

Air Delivery : 200 Cubic Meters/Minute (36"), 210 Cubic Meters/Minute (48")

Type of Bearing : Double Ball Bearing (6201/6202 ZZ)

Class of Insulation : Class B

Rotor : Die Casted with EC Grade Aluminum

Warranty : 2 Years Warranty

Sweep	900mm (36")	1200mm (48")
RPM	500+RPM	400+RPM
Stator	12 Pole / 12 mm Thickness	12 Pole / 12 mm Thickness

Oil Condenser | 2.25 MFD Capacitor | Double Ball Bearing | Pure Copper Winding | No. of Blades Three | Silent Fan
 Power Factor 0.9+ | Powerful & Durable Motor | Energy Efficient Performance | Wide Angle Air Flow
 Anti Dust & Rust Resistant | Earthing Resistance <0.1 Ω | High Air Delivery | Aerodynamic Blades | Long Life Span

MAJESTY DECO

HIGH SPEED ANTI DUST CEILING FAN



New wings for the fresh air. Presenting the all new series of stylish fans from iMee family. Ceiling fan with consistent air flow, high power 75 watts along with aluminum blades, double ball bearings, low noise ratio, dust resistant and comes in a variety of colors with a 40% reduction in energy consumption.



Available Colour : Deep Brown, Glorious Gold, Rose Gold, Matte Black, Shimmer White

SPECIFICATION :

Model Name : Majesty Deco High Speed Anti Dust Ceiling Fan

SKU Name : IMEE-CFAN-MAJESTYDECO48"

Power : 75 Watts

Motor Body & Blade Material : Aluminum

Voltage : AC 220-230V, 50Hz Single Phase AC

Thickness of Blades : 1 mm

Motor Body Size : 192 mm Diameter

Air Delivery : 210 Cubic Meters/Minute

Type of Bearing : Double Ball Bearing (6201/6202 ZZ)

Class of Insulation : Class B

Rotor : Die Casted with EC Grade Aluminum

Warranty : 2 Years Warranty

Sweep	1200mm (48")
RPM	400+RPM
Stator	12 Pole / 12 mm Thickness

Oil Condenser | 2.25 MFD Capacitor | Double Ball Bearing | Pure Copper Winding | No. of Blades Three | Silent Fan
Power Factor 0.9+ | Powerful & Durable Motor | Energy Efficient Performance | Wide Angle Air Flow
Anti Dust & Rust Resistant | Earthing Resistance <0.1 Ω | High Air Delivery | Aerodynamic Blades | Long Life Span

ORCHID DECO

HIGH SPEED ANTI DUST CEILING FAN



New wings for the fresh air. Presenting the all new series of stylish fans from iMee family. Ceiling fan with consistent air flow, high power 75 watts along with aluminum blades, double ball bearings, low noise ratio, dust resistant and comes in a variety of colors with a 40% reduction in energy consumption.



Available Colour : Shimmer White, Matte Black,
Metallic Deep Brown, Burgundy

SPECIFICATION :

Model Name : Orchid Deco High Speed Anti Dust Ceiling Fan

SKU Name : IMEE-CFAN-ORCHIDDECO48"

Power : 75 Watts

Motor Body & Blade Material : Aluminum

Voltage : AC 220-230V, 50Hz Single Phase AC

Thickness of Blades : 1 mm

Motor Body Size : 192 mm Diameter

Air Delivery : 210 Cubic Meters/Minute

Type of Bearing : Double Ball Bearing (6201/6202 ZZ)

Class of Insulation : Class B

Rotor : Die Casted with EC Grade Aluminum

Warranty : 2 Years Warranty

Sweep	1200mm (48")
RPM	400+RPM
Stator	12 Pole / 12 mm Thickness

Oil Condenser | 2.25 MFD Capacitor | Double Ball Bearing | Pure Copper Winding | No. of Blades Three | Silent Fan
Power Factor 0.9+ | Powerful & Durable Motor | Energy Efficient Performance | Wide Angle Air Flow
Anti Dust & Rust Resistant | Earthing Resistance <0.1 Ω | High Air Delivery | Aerodynamic Blades | Long Life Span

PRIME**HIGH SPEED ANTI DUST CEILING FAN**

Ceiling fan with consistent air flow, high power 75 watts along with aluminum blades, double ball bearings, low noise ratio, dust resistant and comes in a variety of colors with a 40% reduction in energy consumption.

**SPECIFICATION :**

Model Name : Prime High Speed Anti Dust Ceiling Fan

SKU Name : IMEE-CFAN-PRIME48"

Power : 75 Watts

Motor Body & Blade Material : Aluminum

Voltage : AC 220-230V, 50Hz Single Phase AC

Thickness of Blades : 1 mm

Motor Body Size : 192 mm Diameter

Air Delivery : 210 Cubic Meters/Minute

Type of Bearing : Double Ball Bearing (6201/6202 ZZ)

Class of Insulation : Class B

Rotor : Die Casted with EC Grade Aluminum

Warranty : 2 Years Warranty



Available Colour : Shimmer White, Metallic Rainbow Ivory, Himalaya Grey, Copper Bronze, Metallic Deep Brown

Sweep	1200mm (48")
RPM	400+RPM
Stator	12 Pole / 12 mm Thickness

Oil Condenser | 2.25 MFD Capacitor | Double Ball Bearing | Pure Copper Winding | No. of Blades Three | Silent Fan
Power Factor 0.9+ | Powerful & Durable Motor | Energy Efficient Performance | Wide Angle Air Flow
Anti Dust & Rust Resistant | Earthing Resistance <0.1 Ω | High Air Delivery | Aerodynamic Blades | Long Life Span

REGAL DECO

HIGH SPEED ANTI DUST CEILING FAN



Ceiling fan with consistent air flow, high power 75 watts along with aluminum blades, double ball bearings, low noise ratio, dust resistant and comes in a variety of colors with a 40% reduction in energy consumption.



SPECIFICATION :

Model Name : Regal Deco High Speed Anti Dust Ceiling Fan

SKU Name : IMEE-CFAN-REGALDECO48"

Power : 75 Watts

Motor Body & Blade Material : Aluminum

Voltage : AC 220-230V, 50Hz Single Phase AC

Thickness of Blades : 1 mm

Motor Body Size : 192 mm Diameter

Air Delivery : 210 Cubic Meters/Minute

Type of Bearing : Double Ball Bearing (6201/6202 ZZ)

Class of Insulation : Class B

Rotor : Die Casted with EC Grade Aluminum

Warranty : 2 Years Warranty



Available Colour : Deep Brown, Satin Gold, Rose Gold, Matte Black, Shimmer White

Sweep	1200mm (48")
RPM	400+RPM
Stator	12 Pole / 12 mm Thickness

Oil Condenser | 2.25 MFD Capacitor | Double Ball Bearing | Pure Copper Winding | No. of Blades Three | Silent Fan
Power Factor 0.9+ | Powerful & Durable Motor | Energy Efficient Performance | Wide Angle Air Flow
Anti Dust & Rust Resistant | Earthing Resistance <0.1 Ω | High Air Delivery | Aerodynamic Blades | Long Life Span

BREEZE

HIGH SPEED CEILING FAN



New wings for the fresh air. Presenting the all new series of stylish fans from iMee family. Ceiling fan with consistent air flow, high power 75 watts along with aluminum blades, double ball bearings, low noise ratio, dust resistant and comes in a variety of colors with a 40% reduction in energy consumption.



SPECIFICATION :

Model Name : Breeze High Speed Ceiling Fan

SKU Name : IMEE-CFAN-BREEZE

Power : 70 Watts (24"), 75 Watts (48"),

Motor Body & Blade Material : Aluminum

Voltage : AC 220-230V, 50Hz Single Phase AC

Thickness of Blades : 0.8 mm (24"), 1 mm (48")

Motor Body Size : 160 mm Diameter (24"), 192 mm Diameter (48")

Air Delivery : 165 Cubic Meters/Minute (24"), 210 Cubic Meters/Minute (48")

Type of Bearing : Double Ball Bearing (6201/6202 ZZ)

Class of Insulation : Class B

Rotor : Die Casted with EC Grade Aluminum

Warranty : 2 Years Warranty



Available Colour : White, Ivory, Brown, Smoke Brown

Sweep	600mm (24")	1200mm (48")
RPM	850+RPM	400+RPM
Stator	6 Pole / 13 mm Thickness	12 Pole / 11 mm Thickness

Oil Condenser | 2.25 MFD Capacitor | Double Ball Bearing | Pure Copper Winding | No. of Blades Three | Silent Fan
 Power Factor 0.9+ | Powerful & Durable Motor | Energy Efficient Performance | Wide Angle Air Flow
 Rust & Dust Resistant | Earthing Resistance <0.1 Ω | High Air Delivery | Aerodynamic Blades | Long Life Span

CLASSIC DECO

HIGH SPEED CEILING FAN



New wings for the fresh air. Presenting the all new series of stylish fans from iMee family. Ceiling fan with consistent air flow, high power 75 watts along with aluminum blades, double ball bearings, low noise ratio, dust resistant and comes in a variety of colors with a 40% reduction in energy consumption.



SPECIFICATION :

Model Name : Classic Deco High Speed Ceiling Fan

SKU Name : IMEE-CFAN-CLASSICDECO48"

Power : 75 Watts

Motor Body & Blade Material : Aluminum

Voltage : AC 220-230V, 50Hz Single Phase AC

Thickness of Blades : 1 mm

Motor Body Size : 187 mm Diameter

Air Delivery : 210 Cubic Meters/Minute

Type of Bearing : Double Ball Bearing (6201/6202 ZZ)

Class of Insulation : Class B

Rotor : Die Casted with EC Grade Aluminum

Warranty : 2 Years Warranty



Available Colour : White, Ivory, Brown, Matte Brown, Smoke Brown

Sweep	1200mm (48")
RPM	400+RPM
Stator	12 Pole / 11 mm Thickness

Oil Condenser | 2.25 MFD Capacitor | Double Ball Bearing | Pure Copper Winding | No. of Blades Three | Silent Fan
Power Factor 0.9+ | Powerful & Durable Motor | Energy Efficient Performance | Wide Angle Air Flow
Rust & Dust Resistant | Earthing Resistance <0.1 Ω | High Air Delivery | Aerodynamic Blades | Long Life Span

DELITE DECO 24 INCH

HIGH SPEED CEILING FAN



New wings for the fresh air. Presenting the all new series of stylish fans from iMee family. Ceiling fan with consistent air flow, high power 70 watts along with aluminum blades, double ball bearings, low noise ratio, dust resistant and comes in a variety of colors with a 40% reduction in energy consumption.



SPECIFICATION :

Model Name : Delite Deco 24 Inch High Speed Ceiling Fan

SKU Name : IMEE-CFAN-DELITEDECO24"

Power : 70 Watts

Motor Body & Blade Material : Aluminum

Voltage : AC 220-230V, 50Hz Single Phase AC

Thickness of Blades : 0.8 mm

Motor Body Size : 160 mm Diameter

Air Delivery : 165 Cubic Meters/Minute

Type of Bearing : Double Ball Bearing (6201/6202 ZZ)

Class of Insulation : Class B

Rotor : Die Casted with EC Grade Aluminum

Warranty : 2 Years Warranty



Available Colour : White, Ivory, Brown, Matte Brown, Smoke Brown

Sweep	600mm (24")
RPM	850+RPM
Stator	6 Pole / 13 mm Thickness

Oil Condenser | 2.25 MFD Capacitor | Double Ball Bearing | Pure Copper Winding | No. of Blades Four | Silent Fan
 Power Factor 0.9+ | Powerful & Durable Motor | Energy Efficient Performance | Wide Angle Air Flow
 Rust & Dust Resistant | Earthing Resistance <0.1 Ω | High Air Delivery | Aerodynamic Blades | Long Life Span

DELUXE DECO

HIGH SPEED CEILING FAN



New wings for the fresh air. Presenting the all new series of stylish fans from iMee family. Ceiling fan with consistent air flow, high power 75 watts along with Aluminum Body & GP Sheet Blades, double ball bearings, low noise ratio, dust resistant and comes in a variety of colors with a 40% reduction in energy consumption.



Available Colour : White, Ivory, Brown, Smoke Brown, Matte Brown, Glossy Black, Pure Gray, Beige

SPECIFICATION :

Model Name : Deluxe Deco High Speed Ceiling Fan

SKU Name : IMEE-CFAN-DELUXEDECO48"

Power : 75 Watts

Motor Body & Blade Material : Aluminum Body & GP Sheet Blades

Voltage : AC 220-230V, 50Hz Single Phase AC

Thickness of Blades : 0.6 mm

Motor Body Size : 185 mm Diameter

Air Delivery : 210 Cubic Meters/Minute

Type of Bearing : Double Ball Bearing (VLH V3)

Class of Insulation : Class B

Rotor : Die Casted with EC Grade Aluminum

Warranty : 2 Years Warranty

Sweep	1200mm (48")
RPM	400+RPM
Stator	12 Pole / 11 mm Thickness

Oil Condenser | 2.25 MFD Capacitor | Double Ball Bearing | Pure Copper Winding | No. of Blades Three | Silent Fan
Power Factor 0.9+ | Powerful & Durable Motor | Energy Efficient Performance | Wide Angle Air Flow
Rust & Dust Resistant | Earthing Resistance <0.1 Ω | High Air Delivery | Aerodynamic Blades | Long Life Span

GRACE

HIGH SPEED CEILING FAN



New wings for the fresh air. Presenting the all new series of stylish fans from iMee family. Ceiling fan with consistent air flow, high power 75 watts along with aluminum blades, double ball bearings, low noise ratio, dust resistant and comes in a variety of colors with a 40% reduction in energy consumption.



SPECIFICATION :

Model Name : Grace High Speed Ceiling Fan

SKU Name : IMEE-CFAN-GRACE48"

Power : 75 Watts

Motor Body & Blade Material : Aluminum

Voltage : AC 220-230V, 50Hz Single Phase AC

Thickness of Blades : 1 mm

Motor Body Size : 180 mm Diameter

Air Delivery : 210 Cubic Meters/Minute

Type of Bearing : Double Ball Bearing (6201/6202 ZZ)

Class of Insulation : Class B

Rotor : Die Casted with EC Grade Aluminum

Warranty : 2 Years Warranty



Available Colour : White, Ivory, Brown, Matte Brown, Smoke Brown

Sweep	1200mm (48")
RPM	400+RPM
Stator	12 Pole / 11 mm Thickness

Oil Condenser | 2.25 MFD Capacitor | Double Ball Bearing | Pure Copper Winding | No. of Blades Three | Silent Fan
 Power Factor 0.9+ | Powerful & Durable Motor | Energy Efficient Performance | Wide Angle Air Flow
 Rust & Dust Resistant | Earthing Resistance <0.1 Ω | High Air Delivery | Aerodynamic Blades | Long Life Span

INNOVA

HIGH SPEED CEILING FAN



Ceiling fan with consistent air flow, high power 75 watts along with MS Body & Blades double ball bearings, low noise ratio, dust resistant and comes in a variety of colors with a 40% reduction in energy consumption.



Available Colour : White, Ivory, Brown, Smoke Brown, Matte Brown, Glossy Black, Pure Gray, Beige

SPECIFICATION :

Model Name : Innova High Speed Ceiling Fan

SKU Name : IMEE-CFAN-INNOVA48"

Power : 75 Watts

Motor Body & Blade Material : CR Sheet (MS)

Voltage : AC 220-230V, 50Hz Single Phase AC

Thickness of Blades : 0.6 mm

Motor Body Size : 186 mm Diameter

Air Delivery : 210 Cubic Meters/Minute

Type of Bearing : Double Ball Bearing (6201/6202 ZZ)

Class of Insulation : Class B

Rotor : Die Casted with EC Grade Aluminum

Warranty : 2 Years Warranty

Sweep	1200mm (48")
RPM	400+RPM
Stator	12 Pole / 11 mm Thickness

Oil Condenser | 2.25 MFD Capacitor | Double Ball Bearing | Pure Copper Winding | No. of Blades Three | Silent Fan
 Power Factor 0.9+ | Powerful & Durable Motor | Energy Efficient Performance | Wide Angle Air Flow
 Rust & Dust Resistant | Earthing Resistance <0.1 Ω | High Air Delivery | Aerodynamic Blades | Long Life Span

MATRIX

HIGH SPEED CEILING FAN



Ceiling fan with consistent air flow, high power 75 watts along with aluminum blades, double ball bearings, low noise ratio, dust resistant and comes in a variety of colors with a 40% reduction in energy consumption.



SPECIFICATION :

Model Name : Matrix High Speed Ceiling Fan

SKU Name : IMEE-CFAN-MATRIX48"

Power : 75 Watts

Motor Body & Blade Material : Aluminum

Voltage : AC 220-230V, 50Hz Single Phase AC

Thickness of Blades : 1 mm

Motor Body Size : 187 mm Diameter

Air Delivery : 210 Cubic Meters/Minute

Type of Bearing : Double Ball Bearing (6201/6202 ZZ)

Class of Insulation : Class B

Rotor : Die Casted with EC Grade Aluminum

Warranty : 2 Years Warranty



Available Colour : White, Ivory, Brown, Matte Brown, Smoke Brown

Sweep	1200mm (48")
RPM	400+RPM
Stator	12 Pole / 11 mm Thickness

Oil Condenser | 2.25 MFD Capacitor | Double Ball Bearing | Pure Copper Winding | No. of Blades Three | Silent Fan
 Power Factor 0.9+ | Powerful & Durable Motor | Energy Efficient Performance | Wide Angle Air Flow
 Anti Dust & Rust Resistant | Earthing Resistance <0.1 Ω | High Air Delivery | Aerodynamic Blades | Long Life Span

RAPID**HIGH SPEED CEILING FAN**

New wings for the fresh air. Presenting the all new series of stylish fans from iMee family. Ceiling fan with consistent air flow, high power 75 watts along with Aluminum Bottom & MS Top Motor Body & GP Sheet Blades, double ball bearings, low noise ratio, dust resistant and comes in a variety of colors with a 40% reduction in energy consumption.



Available Colour : White, Ivory, Brown, Smoke Brown, Matte Brown, Glossy Black, Pure Gray, Beige

SPECIFICATION :

Model Name : Rapid High Speed Ceiling Fan

SKU Name : IMEE-CFAN-RAPID48"

Power : 75 Watts

Motor Body & Blade Material : Aluminum Bottom & MS Top Motor Body & GP Sheet Blades

Voltage : AC 220-230V, 50Hz Single Phase AC

Thickness of Blades : 0.6 mm

Motor Body Size : 185 mm Diameter

Air Delivery : 210 Cubic Meters/Minute

Type of Bearing : Double Ball Bearing (VLH V3)

Class of Insulation : Class B

Rotor : Die Casted with EC Grade Aluminum

Warranty : 2 Years Warranty

Sweep	1200mm (48")
RPM	400+RPM
Stator	12 Pole / 11 mm Thickness

Oil Condenser | 2.25 MFD Capacitor | Double Ball Bearing | Pure Copper Winding | No. of Blades Three | Silent Fan
Power Factor 0.9+ | Powerful & Durable Motor | Energy Efficient Performance | Wide Angle Air Flow
Anti Dust & Rust Resistant | Earthing Resistance <0.1 Ω | High Air Delivery | Aerodynamic Blades | Long Life Span

TURBO

HIGH SPEED CEILING FAN



New wings for the fresh air. Presenting the all new series of stylish fans from iMee family. Ceiling fan with consistent air flow, high power 75 watts along with Aluminum Body & GP Sheet Blades, double ball bearings, low noise ratio, dust resistant and comes in a variety of colors with a 40% reduction in energy consumption.



Available Colour : White, Ivory, Brown, Smoke Brown, Matte Brown, Glossy Black, Pure Gray, Beige

SPECIFICATION :

Model Name : Turbo High Speed Ceiling Fan

SKU Name : IMEE-CFAN-TURBO48"

Power : 75 Watts

Motor Body & Blade Material : Aluminum Body & GP Sheet Blades

Voltage : AC 220-230V, 50Hz Single Phase AC

Thickness of Blades : 0.6 mm

Motor Body Size : 185 mm Diameter

Air Delivery : 210 Cubic Meters/Minute

Type of Bearing : Double Ball Bearing (VLH V3)

Class of Insulation : Class B

Rotor : Die Casted with EC Grade Aluminum

Warranty : 2 Years Warranty

Sweep	1200mm (48")
RPM	400+RPM
Stator	12 Pole / 11 mm Thickness

Oil Condenser | 2.25 MFD Capacitor | Double Ball Bearing | Pure Copper Winding | No. of Blades Three | Silent Fan
Power Factor 0.9+ | Powerful & Durable Motor | Energy Efficient Performance | Wide Angle Air Flow
Anti Dust & Rust Resistant | Earthing Resistance <0.1 Ω | High Air Delivery | Aerodynamic Blades | Long Life Span



CLASSIC

HIGH SPEED PEDESTAL FAN



A high-speed motor-driven fan with a variable switch that is perfect solution for offices or wide spaces, with a 400mm sweep that leads to achieving rpm of over 2100.



SPECIFICATION :

Model Name : Classic High Speed Pedestal Fan

SKU Name : IMEE-CLHSPF-16IN

Power : 125 Watts

RPM : 2100+RPM

Voltage : AC 180-440V, 50Hz

Sweep : 400 mm (16")

Capacitor Value : 3.15 mfd

Power Factor : 0.9+

Frequency : 50 Hz \pm 0.5%

Warranty : 2 Years Warranty

Sweep	400mm (16")
RPM	2100+RPM

Sleek Design | Pure Copper Winding | Operating Voltage AC 180 - 440V
3 Blades | Power Consumption 125 watts | Smooth & Noiseless Operation




CLASSIC

HIGH SPEED WALL FAN



Classy design for all kind of interior settings, its power packed with Pure Copper winding & Operating Voltage of 180-440V resulting Smooth & Noiseless Operation, Protected with a Dust Protector Shutter.



SPECIFICATION :

Model Name : Classic High Speed Wall Fan

SKU Name : IMEE-CLHSWF-16IN

Power : 125 Watts

RPM : 2100+RPM

Voltage : AC 180-440V, 50Hz

Sweep : 400 mm (16")

Capacitor Value : 3.15 mfd

Power Factor : 0.9+

Frequency : 50 Hz \pm 0.5%

Warranty : 2 Years Warranty

Sweep	400mm (16")
RPM	2100+RPM

Sleek Design | Pure Copper Winding | Operating Voltage AC 180 - 440V
3 Blades | Power Consumption 125 watts | Smooth & Noiseless Operation



CLASSIC

HIGH SPEED TABLE FAN



Classy design for all kind of interior settings, its power packed with Pure Copper winding & Operating Voltage of 180-440V resulting Smooth & Noiseless Operation, Protected with a Dust Protector Shutter.

SPECIFICATION :

Model Name : Classic High Speed Table Fan

SKU Name : IMEE-CLHSTF-16IN

Power : 125 Watts

RPM : 2100+RPM

Voltage : AC 180-440V, 50Hz

Sweep : 400 mm (16")

Capacitor Value : 3.15 mfd

Power Factor : 0.9+

Frequency : 50 Hz \pm 0.5%

Warranty : 2 Years Warranty



Sweep	400mm (16")
RPM	2100+RPM

Sleek Design | Pure Copper Winding | Operating Voltage AC 180 - 440V
3 Blades | Power Consumption 125 watts | Smooth & Noiseless Operation



PRIMO

VENTILATION EXHAUST FAN



Most adorable fan in the range is Primo, Sleek Design, its power packed with Pure Copper winding resulting Smooth & Noiseless Operation, Protected with an Dust Protector Shutter.



SPECIFICATION :

Model Name : Primo Ventilation Exhaust Fan

SKU Name : IMEE-PVEF

Power : 40 Watts

RPM : 1350+RPM

Voltage : AC 180-440V, 50Hz

Sweep : 150 mm (6"), 200 mm (8"), 250 mm (10")

Capacitor Value : 1.00 mfd

Power Factor : 0.9+

Frequency : 50 Hz \pm 0.5%

Warranty : 2 Years Warranty

Sweep	150mm (6")	200mm (8")	250mm (10")
RPM	1350+RPM	1350+RPM	1350+RPM

Sleek Design | Pure Copper Winding | Operating Voltage AC 180 - 440V | 6 Blades
Power Consumption 40 watts | Dust Protector Shutter | Smooth & Noiseless Operation



JUMBO FARATA FAN



Elegant Design with Heavy Duty Material to Freshen Up Any Space without hassle, Power packed with Pure Copper Winding resulting Smooth & Noiseless Operation, Adjustable Height & Rotations.



SPECIFICATION :

Model Name : Jumbo Farata Fan

SKU Name : IMEE-JFAR-20IN

Power : 140 Watts

RPM : 1360+RPM

Voltage : AC 180-440V, 50Hz

Sweep : 500 mm (20")

Capacitor Value : 4.00 mfd

Power Factor : 0.9+

Frequency : 50 Hz \pm 0.5%

Warranty : 1 Year Warranty

Sweep	500 mm (20")
RPM	1360+RPM

Sleek Design | Pure Copper Winding | Operating Voltage AC 180 - 440V | Power Consumption 140 watts
3 Blades | Dust Protector Shutter | Smooth & Noiseless Operation



TYPHOON

HIGH SPEED OSCILLATING FARATA FAN



An Oscillating Farata Fan, Elegant Design with Heavy Duty Material to Freshen Up Any Space without hassle, Power packed with Pure Copper Winding resulting Smooth & Noiseless Operation, Adjustable Height & Rotations.

SPECIFICATION :

Model Name : Typhoon High Speed Oscillating Farata Fan

SKU Name : IMEE-TFAR-16IN

Power : 110 Watts

RPM : 2100+RPM

Voltage : AC 180-440V, 50Hz

Sweep : 400 mm (16")

Capacitor Value : 2.50 mfd

Power Factor : 0.9+

Frequency : 50 Hz \pm 0.5%

Warranty : 1 Year Warranty



Sweep	400 mm (16")
RPM	2100+RPM

Sleek Design | Pure Copper Winding | Operating Voltage AC 180 - 440V | Power Consumption 110 watts
3 Blades | Dust Protector Shutter | Smooth & Noiseless Operation



WARRANTY POLICY

- 1) All iMee Products under FANS category fall under piece to piece replacement policy within the time frame as mentioned on the product from the date of purchase.
- 2) Every product is intended to be used in a specific area, Fans are created to be used in Indoors or Outdoors (under a shed and away from the reach of rain).
- 3) Physical Damages are not covered under warranty, only technical defects that occur within the mentioned specifications / parameters are covered under warranty.
- 4) Water Damage is not covered under warranty for Fans in any circumstances.
- 5) Products returned to iMee under replacement must be free of physical damages.
- 6) iMee reserves the right to give any alternative product of similar value or similar use if the returned product is discontinued or out of stock.
- 7) Replacement flow chart would be Customer-→Retailer-→Distributor-→Super Stockiest→iMee.
- 8) Products returned to iMee are subjected to be audited by iMee's technical team, any pieces which are working but still were returned to iMee under replacement will be duly sent back.
- 9) All above conditions are subject to change, Terms & Conditions Apply. All authorities belong to iMee & its authorized team. All disputes subject to Nagpur Jurisdiction.

Regards,
iMee Customer Care Team,
customercare@imee.in | www.imee.in



Rights Choice For Your **Cloths**



IRONS

SUPER

ELECTRIC DRY IRON



Super Electric dry iron is one of the biggest numbers selling iron with instant heating 750W along with 1.75 meters long cord, Cool touch handle, automatic temperature control, Great power factor, safety cut off, over heating safety, 2 layers non stick sole plate.



SPECIFICATION :

Model Name : Super Electric Dry Iron

SKU Name : IMEE-DI-SUPER-750W

Power : 750 Watts

Iron Weight : 525 Grams

Voltage : AC 230V, 50Hz

Sole Plate Material : Aluminum Alloy

Coating Colour : Black

Cord Length : 1.75 Meters

Cord Plug Rating : 6 A/250V

Power Factor : 0.9+

Max. Temperature : 180-200 Average Maximum

Warranty : 2 Years Warranty

Available Colour : White Grey

1.75 Meters Long Cord | Multi Fabric Select | Maintenance Free | Automatic Temperature Control | Great Power Factor
Safety Cut Off | Cool Touch Handle | Left & Right Both Hand Operation | Over Heating Safety | 2 Layers Non Stick Sole Plate

QUEEN

ELECTRIC DRY IRON



Queen Electric Dry Iron is one of the biggest numbers selling iron with instant heating 1000W along with 1.75 meters long cord, Cool touch handle, automatic temperature control, Great power factor, safety cutoff, over heating safety, 2 layers non stick sole plate.



SPECIFICATION :

Model Name : Queen Electric Dry Iron

SKU Name : IMEE-DI-QUEEN-1000W

Power : 1000 Watts

Iron Weight : 1.5 Kg

Voltage : AC 230V, 50Hz

Sole Plate Material : Aluminum Alloy

Coating Colour : Golden

Cord Length : 1.75 Meters

Cord Plug Rating : 6 A/250V

Power Factor : 0.9+

Max. Temperature : 180-200 Average Maximum

Warranty : 2 Years Warranty

Available Colour : Golden, Silver

1.75 Meters Long Cord | Multi Fabric Select | Maintenance Free | Automatic Temperature Control | Great Power Factor
Safety Cut Off | Cool Touch Handle | Left & Right Both Hand Operation | Over Heating Safety | 2 Layers Non Stick Sole Plate

PRINCESS

ELECTRIC DRY IRON



Princess Electric Dry Iron is one of the biggest numbers selling iron with instant heating 1000W along with 1.75 meters long cord, Cool touch handle, automatic temperature control, Great power factor, safety cutoff, over heating safety, 2 layers non stick sole plate.



SPECIFICATION :

Model Name : Princess Electric Dry Iron

SKU Name : IMEE-DI-PRINCESS-1000W

Power : 1000 Watts

Iron Weight : 650 Grams

Voltage : AC 240V, 50Hz

Sole Plate Material : Aluminum Alloy

Coating Colour : Black

Cord Length : 1.75 Meters

Cord Plug Rating : 6 A/250V

Power Factor : 0.9+

Max. Temperature : 180-200 Average Maximum

Warranty : 2 Years Warranty

Available Colour : White

1.75 Meters Long Cord | Multi Fabric Select | Maintenance Free | Automatic Temperature Control | Great Power Factor
Safety Cut Off | Cool Touch Handle | Left & Right Both Hand Operation | Over Heating Safety | 2 Layers Non Stick Sole Plate

CHAMPION LITE

ELECTRIC DRY IRON



Champion Lite Electric Dry Iron is one of the biggest numbers selling iron with instant heating 1000W along with 1.75 meters long cord, Cool touch handle, automatic temperature control, Great power factor, safety cutoff, over heating safety, 2 layers non stick sole plate.



SPECIFICATION :

Model Name : Champion Lite Electric Dry Iron

SKU Name : IMEE-DI-CHAMPION LITE-1000W

Power : 1000 Watts

Iron Weight : 600 Grams

Voltage : AC 240V, 50Hz

Sole Plate Material : Aluminum Alloy

Coating Colour : Black

Cord Length : 1.75 Meters

Cord Plug Rating : 6 A/250V

Power Factor : 0.9+

Max. Temperature : 180-200 Average Maximum

Warranty : 2 Years Warranty

Available Colour : Black

1.75 Meters Long Cord | Multi Fabric Select | Maintenance Free | Automatic Temperature Control | Great Power Factor
Safety Cut Off | Cool Touch Handle | Left & Right Both Hand Operation | Over Heating Safety | 2 Layers Non Stick Sole Plate

CHAMPION HEAVY

ELECTRIC DRY IRON



Champion Electric Dry Iron is one of the biggest numbers selling iron with instant heating 1000W along with 1.75 meters long cord, Cool touch handle, automatic temperature control, Great power factor, safety cut off, over heating safety, 2 layers non stick sole plate.



SPECIFICATION :

Model Name : Champion Heavy Electric Dry Iron

SKU Name : IMEE-DI-CHAMPION-1000W

Power : 1000 Watts

Iron Weight : 1 Kg.

Voltage : AC 240V, 50Hz

Sole Plate Material : Aluminum Alloy

Coating Colour : Black

Cord Length : 1.75 Meters

Cord Plug Rating : 6 A/250V

Power Factor : 0.9+

Max. Temperature : 180-200 Average Maximum

Warranty : 2 Years Warranty

Available Colour : Black

1.75 Meters Long Cord | Multi Fabric Select | Maintenance Free | Automatic Temperature Control | Great Power Factor
Safety Cut Off | Cool Touch Handle | Left & Right Both Hand Operation | Over Heating Safety | 2 Layers Non Stick Sole Plate

CLASSIC

ELECTRIC DRY IRON



Classic Electric Dry Iron is one of the biggest numbers selling iron with instant heating 750W along with 1.75 meters long cord, Cool touch handle, automatic temperature control, Great power factor, safety cut off, over heating safety, 2 layers non stick sole plate.



SPECIFICATION :

Model Name : Classic Electric Dry Iron

SKU Name : IMEE-DI-CLASSIC-750W

Power : 750 Watts

Iron Weight : 525 Grams

Voltage : AC 230V, 50Hz

Sole Plate Material : Aluminum Alloy

Coating Colour : Black

Cord Length : 1.75 Meters

Cord Plug Rating : 6 A/250V

Power Factor : 0.9+

Max. Temperature : 180-200 Average Maximum

Warranty : 2 Years Warranty

Available Colour : Green

1.75 Meters Long Cord | Multi Fabric Select | Maintenance Free | Automatic Temperature Control | Great Power Factor
Safety Cut Off | Cool Touch Handle | Left & Right Both Hand Operation | Over Heating Safety | 2 Layers Non Stick Sole Plate

MISTY

ELECTRIC STEAM IRON



Misty Electric Steam Iron is one of the biggest numbers selling iron with instant heating 1200W along with 1.75 meters long cord, Cool touch handle, unique temperature control with label, Great power factor, safety cut off, spray outlet, steam knob, spray & burst button, 2 layers non stick sole plate.



SPECIFICATION :

Model Name : Misty Electric Steam Iron

SKU Name : IMEE-SI-MISTY-1200W

Power : 1200 Watts

Iron Weight : 0.7 Kg.

Voltage : AC 230V, 50Hz

Sole Plate Material : Aluminum Alloy

Coating Colour : Dark Grey

Cord Length : 1.75 Meters

Cord Plug Rating : 6 A/250V

Power Factor : 0.9+

Max. Temperature : 180-200 Average Maximum

Warranty : 1 Year Warranty

Available Colour : Blue

1.75 Meters Long Cord | Non-Stick Teflon Coated Sole Plate | Unique Temperature Control with Label | Great Power Factor
Maintenance Free | Safety Cut Off | Cool Touch Handle | Spray Outlet | Steam Knob, Spray & Burst Button | 2 Layers Non Stick Sole Plate



WARRANTY POLICY

- 1) All iMee Products under IRONS category fall under piece to piece replacement policy within the time frame as mentioned on the product from the date of purchase.
- 2) Every product is intended to be used in a specific area, Irons are created to be used in Indoors only.
- 3) Physical Damages are not covered under warranty, only technical defects that occur within the mentioned specifications/parameters are covered under warranty.
- 4) Water Damage is not covered under warranty in any circumstances.
- 5) Products returned to iMee under replacement must be free of physical damages.
- 6) iMee reserves the right to give any alternative product of similar value or similar use if the returned product is discontinued or out of stock.
- 7) Replacement flow chart would be Customer->Retailer->Distributor->Super Stockiest>iMee.
- 8) Products returned to iMee are subjected to be audited by iMee's technical team, any pieces which are working but still were returned to iMee under replacement will be duly sent back.
- 9) All above conditions are subject to change, Terms & Conditions Apply. All authorities belong to iMee & its authorized team. All disputes subject to Nagpur Jurisdiction.

Regards,
iMee Customer Care Team,
customercare@imee.in | www.imee.in

- FLEX BOX
- POWER STRIP
- 2 PIN MULTI PLUG
- 3 PIN MULTI PLUG
- 4 WAY MULTI PLUG
- 2 PIN PLUG TOP
- 3 PIN PLUG TOP
- LED LANTERN



ELECTRIC ACCESSORIES

EXTEND

ROUND FLEX BOX



This model comes with 6 AMP two 2-pin and one 3-pin socket. This allows you to power three devices simultaneously. The elegant shape of this extension cord gives it a compact design that saves space. It is portable and can be taken anywhere. Operating Voltage : 220-240 volts. Made with ABS plastic material, which makes it shock resistant and allows the user to use it safely.



SPECIFICATION :

Model Name : Extend Round Flex Box

SKU Name : IMEE-EA-EXTEND-ROUND-2PIN-6A

Power : 1500 Watts

Current : 6 Amperes

Voltage : AC 220-240V, 50-60Hz

Wire Length : 4 Mtr. (Inbuilt)

Input Plug : 2 Pin Connector

Rotation : 360° Rotation

Switch : Master Switch

LED Indicator : Indicates status of power supply On/Off

Flex Box : Round Flex Box

Warranty : 1 Year Warranty

EXTEND

SQUARE FLEX BOX WITH HANDLE



Ergonomic design with adequate space between the sockets to accommodate plugs of different designs. Led indicator to show the status of power supply. High quality 4-m long copper cord wire allows freedom of movement with the extension of those devices who seconds are not long enough to reach a wall outlet. The universal socket is designed to work with a variety of plugs from around the globe. When you travel the world, a flex box is a must-have.



SPECIFICATION :

Model Name : Extend Square Flex Box With Handle

SKU Name : IMEE-EA-EXTEND-SQUARE-2PIN-6A

Power : 1500 Watts

Current : 6 Amperes

Voltage : AC 220-240V, 50-60Hz

Wire Length : 4 Mtr. (Inbuilt)

Input Plug : 2 Pin Connector

Rotation : 360° Rotation

Switch : Master Switch

LED Indicator : Indicates status of power supply On/Off

Flex Box : Square Flex Box

Warranty : 1 Year Warranty

EXTEND

POWER STRIP WITH 4 SOCKETS & 1 SWITCH



The power adaptor has four universal sockets that can be used to power a variety of high-voltage devices like Mobile phones, music systems, TV sets, VCD/DVD players, home appliances, computers, and other high-voltage devices simultaneously. Place it conveniently in your home or office, and connect scanners, printers, and other devices. 4 Universal Multi plug sockets for various types of adaptors are included. The power adaptor is made of durable material and has a single switch that is designed to protect.



SPECIFICATION :

Model Name : Extend Power Strip With 4 Sockets & 1 Switch

SKU Name : IMEE-EA-EXTEND-4+1-3PIN-6A

Power : 1500 Watts

Current : 6 Amperes

Voltage : AC 220-240V, 50-60Hz

Wire Length : 1.5 Mtr. (Inbuilt)

Input Plug : 3 Pin Connector

Protection : Over Current & Over Load Protection

LED Indicator : Indicates status of power supply On/Off

Sockets & Switch : 4 Sockets & 1 Switch

Warranty : 1 Year Warranty

EXTEND

POWER STRIP WITH 4 SOCKETS & 4 SWITCH



Multi Switch has been perfectly crafted for continuous and heavy usage. Moreover, this resourceful extension cord is available at the best possible through robust material this multi-port extension cord consists of high plastic. This material makes the external body reliably strong and rigid. Extend multi plug cords this breakage-free is very versatile too. Extend multi plug extension cord is white in color and has six button and there is a use inside of the board. Every socket has one switch and indicator. The LED turns on when the electricity is passing through and turns off when it is not.



SPECIFICATION :

Model Name : Extend Power Strip With 4 Sockets & 4 Switch

SKU Name : IMEE-EA-EXTEND-4+4-3PIN-6A

Power : 1500 Watts

Current : 6 Amperes

Voltage : AC 220-240V, 50-60Hz

Wire Length : 1.5 Mtr. (Inbuilt)

Input Plug : 3 Pin Connector

Protection : Over Current & Over Load Protection

LED Indicator : Individual Switch With In Built LED Indicator For Individual Socket

Sockets & Switch : 4 Sockets & 4 Switch

Warranty : 1 Year Warranty

Comfortable Spacing | Sleek Design | Aesthetic & Ergonomic Design | Current 6 Amperes
Individual Switch With In Built LED Indicator For Individual Socket | Input Plug 3 Pin Connector | 1.5 Meters Cable



DUO

2 PIN MULTI PLUG



iMee DUO 2 pin Multi Plug Adaptor , Fire retardant and unbreakable PC material. With Heavy brass part and longer durability. Suitable for different types of plug used.



SPECIFICATION :

Model Name : Duo 2 Pin Multi Plug

SKU Name : IMEE-EA-DUO-2PIN-6A

Voltage : AC 220-240V, 50-60Hz

Current : 6 Amperes

Input Plug : 2 Pin Connector

Warranty : 1 Year Warranty

Current 6 Amperes | Aesthetic & Ergonomic Design | Input Plug 2 Pin Connector



TRIO

3 PIN MULTI PLUG



Trio 3 pin Multi Plug from iMee , Robust and Elegant design With Stylish Finish & aesthetic look, solves the purpose. Durable, High-Quality Multi Plugs. The usage of Multi Plugs is endless be it residential or commercial areas such as restaurants, hotels, warehouses, hospitals, automotive repair shops, schools, industry.



SPECIFICATION :

Model Name : Trio 3 Pin Multi Plug

SKU Name : IMEE-EA-TRIO-3PIN-6A

Power : 1500 Watts

Current : 6 Amperes

Voltage : AC 220-240V, 50-60Hz

Input Plug : 3 Pin Connector

Warranty : 1 Year Warranty

Comfortable Spacing | Sleek Design | Current 6 Amperes | Aesthetic & Ergonomic Design | Stabilized Output
Input Plug 3 Pin Connector | High Efficiency Low Ripple & Low Interference



TRIO PRO

3 PIN MULTI PLUG WITH SURGE PROTECTION



The Trio Pro pin universal travel adapter is the best choice for you because it is designed to work with a variety of plug types. The attached equipment is also powered by the standard 3-pin multi-plug wall socket. The designers made certain that the features of this adapter did not detract from the product's aesthetic appeal. This tough-looking white adapter will last you a long time. If you have small children in your house, this adapter may be the best thing you can have. It is shockproof because it is built with a surge protection technique.



SPECIFICATION :

Model Name : Trio Pro 3 Pin Multi Plug With Surge Protection

SKU Name : IMEE-EA-TRIOPRO-3PIN-6A

Power : 1000 Watts

Current : 6 Amperes

Voltage : AC 220-240V, 50-60Hz

Input Plug : 3 Pin Connector

Warranty : 1 Year Warranty

Comfortable Spacing | Sleek Design | Current 6 Amperes | Aesthetic & Ergonomic Design | Stabilized Output
With Surge Protection | Input Plug 3 Pin Connector | High Efficiency Low Ripple & Low Interference



QUADRO

4 WAY MULTI PLUG



Quadro 4 way multi plug Contemporary stylish design. Suitable for most consumer electronic equipment such as cell phones, PDAs, laptops, computers, alarm clock battery chargers & many more. Suitable for different type of Plugs used around the World. With indicator for indication of power supply.



SPECIFICATION :

Model Name : Quadro 4 Way Multi Plug

SKU Name : IMEE-EA-QUADRO-3PIN-6A

Power : 1500 Watts

Current : 6 Amperes

Voltage : AC 220-240V, 50-60Hz

Multi Plug : 4 Way Multi Plug

Warranty : 1 Year Warranty

Comfortable Spacing | Sleek Design | Current 6 Amperes | Aesthetic & Ergonomic Design | Input Plug 3 Pin Connector
LED Indicator - Indicates status of power supply On/Off | Two 2 Pin Sockets & Two Three Pin Sockets | 1 Year Warranty



EXTREME

2 PIN PLUG TOP

imee EXTREME 2 pin plug top is our most demanded product in the list , which is Fire retardant and Made of unbreakable PC material. With Heavy brass part and longer durability. Suitable for different types of Socket used. Heavy Quality renders the long life of product.



SPECIFICATION :

Model Name : Extreme 2 Pin Plug Top (6 Amperes)

SKU Name : IMEE-EA-EXTREME-PLUGTOP-2PIN-6A

Current : 6 Amperes

Voltage : AC 220-240V, 50-60Hz

Plug Top : 2 Pin Plug Top

Warranty : 6 Months Warranty

100% Polycarbonate | 100% Brass Pin | Elegant & Durable Design | Sufficient Space For Wiring



EXTREME

3 PIN PLUG TOP (6 AMPERES)

iMee Extreme 3 Pin Plug Top 6 amperes by iMee Suitable for use in household, offices, shops, restaurants, hospitals and more. Made with heavy quality material.



SPECIFICATION :

Model Name : Extreme 3 Pin Plug Top (6 Amperes)

SKU Name : IMEE-EA-EXTREME-PLUGTOP-3PIN-6A

Current : 6 Amperes

Voltage : AC 220-240V, 50-60Hz

Plug Top : 3 Pin Plug Top

Warranty : 6 Months Warranty

100% Polycarbonate | 100% Brass Pin | Elegant & Durable Design | Sufficient Space For Wiring



EXTREME

3 PIN PLUG TOP (16 AMPERES)

iMee Extreme 3 Pin Plug Top 16 amperes by iMee Suitable for use in household, offices, shops, restaurants, hospitals and more. Made with heavy quality material.



SPECIFICATION :

Model Name : Extreme 3 Pin Plug Top (16 Amperes)

SKU Name : IMEE-EA-EXTREME-PLUGTOP-3PIN-16A

Current : 16 Amperes

Voltage : AC 220-240V, 50-60Hz

Plug Top : 3 Pin Plug Top

Warranty : 6 Months Warranty

100% Polycarbonate | 100% Brass Pin | Elegant & Durable Design | Sufficient Space For Wiring



CAPTAIN

HIGH BEAM LASER LED BATTERY TORCH

Easy to Go accessory of this time. High beam torch to reach the maximum range. Ultra durable build. Best in class design. Contains the power packed rechargeable battery which can provide you the brightness for a longer period.



SPECIFICATION :

Model Name : Captain High Beam Laser Led Battery Torch

SKU Name : IMEE-TOR-CAPTAIN-0.5W

Lumens : 135 Lumens Per Watt Super Bright LED

Battery Life : 50 Hours

Comes with : 3 Free Batteries

Light : Intense White Light

Body : Strong & Durable Body

Torch : Long Lasting Torch

Range : High Beam Range

Warranty : 6 Months Warranty

135 Lumens Per Watt Super Bright LED | Focused Light | Latest Technology | Comes with 3 Free Batteries
Laser LED | Strong & Durable Body | Battery Life 50 Hours | High Beam Range



ULTIMA

HIGH BEAM LASER LED BATTERY TORCH

Easy to Go accessory of this time. High beam torch to reach the maximum range. Ultra durable build. Best in class design. Contains the power packed rechargeable battery which can provide you the brightness for a longer period.



SPECIFICATION :

Model Name : Ultima High Beam Laser Led Battery Torch

SKU Name : IMEE-TOR-ULTIMA-0.5W

Lumens : 135 Lumens / Watt | Ultra Bright LED

Battery Life : 50 Hours

Comes with : 3 Free Batteries

Light : Intense White Light

Body : Strong & Durable Body

Torch : Long Lasting Torch

LED Type : 3.2V 1/2W

Warranty : 6 Months Warranty

20 Times More Battery Life | LED Type 3.2V 1/2W | Strong & Durable Body | Laser Led
Latest Technology | Focused Light | 135 Lumens / Watt | Ultra Bright LED



POCKET

SIZE HIGH BEAM LASER LED BATTERY TORCH

The most versatile torch for travel and emergency, built with best quality, quality ensures the long life of the product.



SPECIFICATION :

Model Name : Pocket Size High Beam Laser Led Battery Torch

SKU Name : IMEE-TOR-POCKET-0.5W

Lumens : 135 Lumens Per Watt Super Bright LED

Battery Life : 50 Hours

Comes with : 2 Free Batteries

Light : Intense White Light

Body : Strong & Durable Body

Torch : Long Lasting Torch

Range : High Beam Range

Warranty : 6 Months Warranty

Strong & Durable Body | 135 Lumens Per Watt Super Bright LED | 12 Times Brighter Light | Laser Led
Latest Technology | High Beam Range Focused Light | Battery Life 50 Hours



MAX FOCUS

RECHARGEABLE HIGH BEAM LASER LED TORCH

Easy to Go accessory of this time. High beam torch to reach the maximum range. Ultra durable build. Best in class design. Contains the power packed rechargeable battery which can provide you the brightness for a longer period.



SPECIFICATION :

Model Name : Max Focus Rechargeable High Beam Laser Led Torch

SKU Name : IMEE-TOR-MAXFOCUS-3W

Voltage : AC 220-240V, 50-60Hz

Battery Capacitor : 1200 mAh Lithium Ion Battery

Charging Time : 8-10 Hours

Working Time : Up To 5 Hours

Charging : Micro USB Charging

Indicator : Charging Indicator

Range : 1 Km High Range Focus

Warranty : 6 Months Warranty

Long Lasting Battery | 800 Times Charging Cycles | Battery Capacity 1200 mAh | Sliding Switch | Laser Led
ABS Break Resistant Body | Rated Lux at Bright Mode 9500 Lumens & Dim Mode 6500 Lumens \pm 5%
Latest Technology | High Brightness | Ultra Strong Focus | Long Life LEDs | 2 Levels of Brightness



TWIN

RECHARGEABLE HIGH BEAM LASER LED TORCH & DESK LAMP

The most newer in the segment. Rechargeable torch. With very long range of focus. Toggle switch helps you to switch between the the high range light to the eisel light on the body. Eisel light on body helps to illuminate the auro more prominently.



SPECIFICATION :

Model Name : Twin Rechargeable High Beam Laser Led Torch & Desk Lamp

SKU Name : IMEE-TOR-TWIN-3W

Voltage : AC 220-240V, 50-60Hz

Battery Capacitor : 1200 mAh Lithium Battery

Charging Time : 8-10 Hours

Working Time : Up To 5 Hours

Charging : Micro USB Charging

Indicator : Charging Indicator

Range : 1 Km High Range Focus

Warranty : 6 Months Warranty

Rechargeable & Easy to use | Advance Energy Saving Circuit | Micro USB Charging | Laser Led | Dual Light Sources
Rated Lux at Bright Mode 14,300 Lumens & Dim Mode 7600 Lumens $\pm 5\%$ | Battery Capacity 1200 mAh | 800 Times Charging Cycles
ABS Break Resistant Body | Ultra Strong Focus | Discharge Time at Dim Mode Upto 8 Hours & Bright Mode Upto 5 Hours

SPARKLE

SOLAR RECHARGEABLE LED LANTERN

Most versatile lamp/light of all the time. Made with most durable materials. It can be used in all weather conditions. Variable dial helps you to adjust the brightness as per the requirement. The solar plate at the top adds a cherry on the cake. Resulting the gud amount of good time with solar and power charging connections.



SPECIFICATION :

Model Name : Sparkle Solar Rechargeable Led Lantern

SKU Name : IMEE-LAN-SPARKLE

Voltage : AC 220-240V, 50-60Hz

Battery Capacitor : 4000 mAh Lithium Battery

Recharging Time : 5-6 Hours (AC), 32 Hours (Solar)

Operating Time : 1.5-2 Hours Strong Light/20 Hours Weak Light

Input Plug : 2 Pin Connector

SMD Led : 84 X 0.2W

Lighting Reflectors : 360°

Warranty : 6 Months Warranty

Recharging Time 5-6 Hours (AC), 32 Hours (Solar) | Rechargeable Battery 4000 mAh Li-ion | Laser Led | User Friendly
Solar Charging Option | Operating Time 1.5-2 Hours Strong Light/20 Hours Weak Light | Input Plug 2 Pin Connector



COMMANDER

LONG RANGE RECHARGEABLE HIGH BEAM LASER LED TORCH

The perfect partner for your darker nights. Designed for longer vision towards the darkness. Best for onfield uses. Most demanded product. Made with high quality material resulting the best product quality.



SPECIFICATION :

Model Name : Commander Long Range Rechargeable High Beam Laser Led Torch

SKU Name : IMEE-TOR-COMMANDER-3W

Voltage : AC 220-240V, 50-60Hz

Battery Capacitor : 3000 mAh Lithium Ion Battery

Recharging Time : 4 to 10 Hours

Operating Time : Upto 6 Hours

Range : 1 Km High Range Focus

Indicator : Charging Indicator

Charging : USB Charging

Warranty : 6 Months Warranty

Micro USB | Dual Charging Option | Dual Mode Operation | Recharging Time 4 to 10 Hours | Operating Time Upto 6 Hours
Rated Lux at Bright Mode 16,800 & Dim Mode 9,500 Lumens $\pm 5\%$ | Rechargeable Battery 3000 mAh Li-Ion | Overcharging Protection

- 1) All iMee Products under ELECTRICAL ACCESSORIES category fall under piece to piece replacement policy within the time frame as mentioned on the product from the date of purchase.
- 2) Every product is intended to be used in a specific area, Electrical Accessories are created to be used in Indoors only.
- 3) Physical Damages are not covered under warranty, only technical defects that occur within the mentioned specifications/parameters are covered under warranty.
- 4) Water Damage is not covered under warranty in any circumstances.
- 5) Warranty applies to iMee product only, not for the connected appliances.
- 6) Products returned to iMee under replacement must be free of physical damages.
- 7) iMee reserves the right to give any alternative product of similar value or similar use if the returned product is discontinued or out of stock.
- 8) Replacement flow chart would be Customer->Retailer->Distributor->Super Stockiest>iMee.
- 9) Products returned to iMee are subjected to be audited by iMee's technical team, any pieces which are working but still were returned to iMee under replacement will be duly sent back.
- 10) All above conditions are subject to change, Terms & Conditions Apply. All authorities belong to iMee & its authorized team. All disputes subject to Nagpur Jurisdiction.

PREMIUM SERIES

— SMART LED TV —



Supported By :



Powered with
MEDIA TEK
 PROCESSOR



DESIGNED IN
جاپاتاھ



YouTube



ATTRACTIVE FINANCE OFFERS ON



24" (60 cm)

LED TV



Enjoy the Ultimate Viewing experience with HD LED TVs. A+ Grade Panels provide Ultra Clarity with Super Brightness. A better viewing experience with EYE PROTECTION TECHNOLOGY & 16 million+ colors gamut for a colorful viewing experience & powerful speakers do their job at its best. the new dimension to design. Experience the reality with all new iMee premium Led tv.

Color Gamut 16 Million+ Colours




COLOR VARIANTS

Customizable Coloured bezel

You Can Choose More style options & Modern bezel Colour Variants comes in to suit your home Furniture with iMee Only.

So, you Choose the right look for the mood you're in.

- * Available Attractive colours variants style
- * Customizable coloured Bezel designed in Japan only for iMee Customers



SPECIFICATION :

Model Name : 24" Premium Series Led Tv

SKU Name : IMEE-PREMIUM-24N

Power : 12 Watts

Voltage : AC 100-240V, 50 Hz

Audio : 2x10W Speakers

Resolution : HD 1366x768 Pixels

Panel : A+ Grade Zero Dot IPS Panel

Chipset : Mediatek

USB & HDMI : 2 USB & 1 HDMI Port

Contrast Ratio : 5000:1

Colour : Black, Silver, Gold, Pearl White, Rose Gold, Dark Grey

Warranty : 1 Year Warranty



24" (60 cm)

SMART LED TV



Enjoy the Ultimate Viewing experience with HD LED TVs & Smart LED TVs. A+ Grade Panels provide Ultra Clarity with Super Brightness. A better viewing experience with EYE PROTECTION TECHNOLOGY & 16 million+ colors gamut for a colorful viewing experience & powerful speakers do their job at its best. the new dimension to design. Experience the reality with all new iMee premium Led tv.

RAM / ROM	512 MB RAM/4 GB ROM	Color Gamut	16 Million+ Colours
-----------	---------------------	-------------	---------------------



COLOR VARIANTS

Customizable Coloured bezel

You Can Choose More style options & Modern bezel Colour Variants comes in to suit your home Furniture with iMee Only.

So, you Choose the right look for the mood you're in.

- * Available Attractive colours variants style
- * Customizable coloured Bezel designed in Japan only for iMee Customers



SPECIFICATION :

Model Name : 24" Premium Series Smart Led Tv

SKU Name : IMEE-PREMIUM-24S

Power : 12 Watts

Voltage : AC 100-240V, 50 Hz

Audio : 2x10W Speakers

Resolution : HD 1366x768 Pixels

Panel : A+ Grade Zero Dot IPS Panel

Chipset : Mediatek-MT9255T

Processor : MT9255T- 4 Core

GPU : Mali400

USB & HDMI : 2 USB, 2 HDMI & 1 RJ45

Contrast Ratio : 5000:1

Colour : Black, Silver, White, Steel Grey, Champagne

Warranty : 1 Year Warranty

16 Million+
colours



32" (80 cm)

SMART LED TV



Enjoy the Ultimate Viewing experience with Smart LED TVs. A+ Grade Panels provide Ultra Clarity with Super Brightness. A better viewing experience with EYE PROTECTION TECHNOLOGY & 16 million+ colors gamut for a colorful viewing experience & powerful speakers do their job at its best. the new dimension to design. Experience the reality with all new iMee premium Led tv.

RAM / ROM 1 GB RAM / 8 GB ROM

Color Gamut 16 Million+ Colours



COLOR VARIANTS

Customizable Coloured bezel

You Can Choose More style options & Modern bezel Colour Variants comes in to suit your home Furniture with iMee Only.

So, you Choose the right look for the mood you're in.

- * Available Attractive colours variants style
- * Customizable coloured Bezel designed in Japan only for iMee Customers



SPECIFICATION :

Model Name : 32" Premium Series Smart Led Tv

SKU Name : IMEE-PREMIUM-32S

Power : 20 Watts

Voltage : AC 100-240V, 50 Hz

Audio : 2x10W Tube Speakers

Resolution : HD 1366x768 Pixels

Panel : A+ Grade Zero Dot IPS Panel

Chipset : Mediatek-MT9255T

Processor : MT9255T- 4 Core

GPU : Mali400

USB & HDMI : 2 USB & 2 HDMI Ports

Contrast Ratio : 5000:1

Colour : Black, Silver, White, Steel Grey, Champagne

Warranty : 1 Year Warranty

16 Million+ colours



40" (100 cm)

SMART LED TV



Enjoy the Ultimate Viewing experience with Smart LED TVs. A+ Grade Panels provide Ultra Clarity with Super Brightness. A better viewing experience with EYE PROTECTION TECHNOLOGY & 16 million+ colors gamut for a colorful viewing experience & powerful speakers do their job at its best. the new dimension to design. Experience the reality with all new iMee premium Led tv.

RAM / ROM 1 GB RAM / 8 GB ROM

Color Gamut 16 Million+ Colours



COLOR VARIANTS

Customizable Coloured bezel

You Can Choose More style options & Modern bezel Colour Variants comes in to suit your home Furniture with iMee Only.

So, you Choose the right look for the mood you're in.

- * Available Attractive colours variants style
- * Customizable coloured Bezel designed in Japan only for iMee Customers



SPECIFICATION :

Model Name : 40" Premium Series Smart Led Tv

SKU Name : IMEE-PREMIUM-40S

Power : 32 Watts

Voltage : AC 100-240V, 50 Hz

Audio : 2x12W Power Speakers

Resolution : FHD 1920x1080 Pixels

Panel : A+ Grade Zero Dot Panel

Chipset : Mediatek-MT9255T

Processor : MT9255T- 4 Core

GPU : Mali400

USB & HDMI : 2 USB & 2 HDMI Ports

Contrast Ratio : 5000:1

Colour : Black, Silver, White, Steel Grey, Champagne

Warranty : 1 Year Warranty

16 Million+ colours





40" (100 cm)

SMART LED TV



Enjoy the Ultimate Viewing experience with Smart Pro LED TVs. A+ Grade Panels provide Ultra Clarity with Super Brightness. A better viewing experience with EYE PROTECTION TECHNOLOGY & 16.7 million+ colors gamut for a colorful viewing experience & powerful speakers do their job at its best. the new dimension to design. Experience the reality with all new iMee premium Pro Led tv.

RAM / ROM 1 GB RAM / 8 GB ROM

Color Gamut 16 Million+ Colours



COLOR VARIANTS

Customizable Coloured bezel

You Can Choose More style options & Modern bezel Colour Variants comes in to suit your home Furnitur with iMee Only.

So, you Choose the right look for the mood you're in.

* Available Attractive colours variants style

* Customizable coloured Bezel designed in Japan only for iMee Customers



SPECIFICATION :

Model Name : 40" Premium Series Smart Pro Led Tv

SKU Name : IMEE-PREMIUM-40SPRO

Power : 32 Watts

Voltage : AC 100-240V, 50 Hz

Audio : 2x10W Power Speakers

Resolution : FHD 1920x1080 Pixels

Panel : A+ Grade Zero Dot Panel

Chipset : Mediatek

Processor : CORTEX A53X4

GPU : G31MC1

USB & HDMI : 2 USB & 2 HDMI Ports

Contrast Ratio : 5000:1

Colour : Black, Silver, Gold, Pearl White, Rose Gold, Dark Grey

Warranty : 1 Year Warranty



ELITE SERIES

— FRAMELESS LED TV —



LED TELEVISION

Supported By :



Powered with
MEDIATEK
 PROCESSOR



DESIGNED IN
જાપાન



YouTube



ATTRACTIVE FINANCE OFFERS ON



32" (80 cm)

FRAMELESS LED TV



Welcome the limitless display with an extraordinary vision presenting all new series of iMee Elite LED tv. Enjoy the Ultimate Viewing experience with HD LED TVs. A+ Grade Panels provide Ultra Clarity with Super Brightness. A better viewing experience with EYE PROTECTION TECHNOLOGY & 16 million+ colors gamut for a colorful viewing experience & powerful speakers do their job at its best.

Color Gamut 16 Million+ Colours



COLOR VARIANTS

Customizable Coloured bezel

You Can Choose More style options & Modern bezel Colour Variants comes in to suit your home Furniture with iMee Only.

So, you Choose the right look for the mood you're in.

- * Available Attractive colours variants style
- * Customizable coloured Bezel designed in Japan only for iMee Customers



SPECIFICATION :

Model Name : 32" Elite Series Frameless Led Tv

SKU Name : IMEE-ELITE-32NFL

Power : 20 Watts

Voltage : AC 100-240V, 50 Hz

Audio : 2x10W Tube Speakers

Resolution : HD 1366x768 Pixels

Panel : A+ Grade Zero Dot IPS Panel

Chipset : Mediatek

USB & HDMI : 2 USB & 2 HDMI Ports

Contrast Ratio : 5000:1

Colour : Black, Silver, White, Steel Grey, Champagne

Warranty : 1 Year Warranty

16 Million+ colours

DOLBY AUDIO

32" (80 cm)

FRAMELESS LED TV



Welcome the limitless display with an extraordinary vision presenting all new series of iMee Elite LED tv. Enjoy the Ultimate Viewing experience with Smart LED TVs. A+ Grade Panels provide Ultra Clarity with Super Brightness. A better viewing experience with EYE PROTECTION TECHNOLOGY & 16 million+ colors gamut for a colorful viewing experience & powerful speakers do their job at its best.

RAM / ROM	1 GB RAM / 8 GB ROM	Color Gamut	16 Million+ Colours
-----------	---------------------	-------------	---------------------

SPECIFICATION :



Model Name : 32" Elite Series Smart Frameless Led Tv

SKU Name : IMEE-ELITE-32SFL

Power : 20 Watts

Voltage : AC 100-240V, 50 Hz

Audio : 2x10W Tube Speakers

Resolution : HD 1366x768 Pixels

Panel : A+ Grade Zero Dot IPS Panel

Chipset : Mediatek-MT9255T

Processor : MT9255T- 4 Core

GPU : Mali400

USB & HDMI : 2 USB & 2 HDMI Ports

Contrast Ratio : 5000:1

Colour : Black, Silver, White, Steel Grey, Champagne

Warranty : 1 Year Warranty

COLOR VARIANTS

Customizable Coloured bezel

You Can Choose More style options & Modern bezel Colour Variants comes in to suit your home Furniture with iMee Only.

So, you Choose the right look for the mood you're in.

* Available Attractive colours variants style

* Customizable coloured Bezel designed in Japan only for iMee Customers



16 Million+ colours



43" (109 cm)

FRAMELESS LED TV



Welcome the limitless display with an extraordinary vision presenting all new series of iMee Elite LED tv. Enjoy the Ultimate Viewing experience with Smart LED TVs. A+ Grade Panels provide Ultra Clarity with Super Brightness. A better viewing experience with EYE PROTECTION TECHNOLOGY & 16 million+ colors gamut for a colorful viewing experience & powerful speakers do their job at its best.

RAM / ROM 1 GB RAM / 8 GB ROM

Color Gamut 16 Million+ Colours



COLOR VARIANTS

Customizable Coloured bezel

You Can Choose More style options & Modern bezel Colour Variants comes in to suit your home Furniture with iMee Only.

So, you Choose the right look for the mood you're in.

- * Available Attractive colours variants style
- * Customizable coloured Bezel designed in Japan only for iMee Customers



SPECIFICATION :

Model Name : 43" Elite Series Smart Frameless Led Tv

SKU Name : IMEE-ELITE-43SFL

Power : 38 Watts

Voltage : AC 100-240V, 50 Hz

Audio : 2x12W Tube Speakers

Resolution : FHD 1920x1080 Pixels

Panel : A+ Grade Zero Dot IPS Panel

Chipset : Mediatek-MT9255T

Processor : MT9255T- 4 Core

GPU : Mali400

USB & HDMI : 2 USB & 2 HDMI Ports

Contrast Ratio : 5000:1

Colour : Black, Silver, White, Steel Grey, Champagne

Warranty : 1 Year Warranty



43" (109 cm)

FRAMELESS LED TV



Welcome the limitless display with an extraordinary vision presenting all new series of iMee Elite Pro LED tv. Enjoy the Ultimate Viewing experience with Smart LED TVs. A+ Grade Panels provide Ultra Clarity with Super Brightness. A better viewing experience with EYE PROTECTION TECHNOLOGY & 16.7 million+ colors gamut for a colorful viewing experience & powerful speakers do their job at its best.

RAM / ROM 1 GB RAM / 8 GB ROM

Color Gamut 16.7 Million+ Colours



COLOR VARIANTS

Customizable Coloured bezel

You Can Choose More style options & Modern bezel Colour Variants comes in to suit your home Furniture with iMee Only.

So, you Choose the right look for the mood you're in.

* Available Attractive colours variants style

* Customizable coloured Bezel designed in Japan only for iMee Customers



SPECIFICATION :

Model Name : 43" Elite Series Smart Pro Frameless Led Tv

SKU Name : IMEE-ELITE-43SFLPRO

Power : 38 Watts

Voltage : AC 100-240V, 50 Hz

Audio : 2x10W Power Speakers

Resolution : FHD 1920x1080 Pixels

Panel : A+ Grade Zero Dot IPS Panel

Chipset : Mediatek-MT9255

Processor : CORTEX A53X4

GPU : G31MC1

USB & HDMI : 2 USB & 2 HDMI Ports

WIFI : 2.5GHZ

Contrast Ratio : 5000:1

Colour : Black, Silver, Gold, Pearl White, Rose Gold, Dark Grey

Warranty : 1 Year Warranty





SUPREME SERIES

— FRAMELESS LED TV —
WITH DOLBY VISION & CINEMA SOUND



LED TELEVISION

Supported By :



YouTube



voot



ATTRACTIVE FINANCE OFFERS ON



www.imee.in | sales@imee.in | 1800 258 4343

32" (80 cm)

SMART FRAMELESS LED TV WITH DOLBY VISION & CINEMA SOUND



The all new cinema Experience. Presenting the all new iMee Supreme Series LED Tv. Experience the all new Supremacy with Premium build and Esthetic design. Enjoy the Ultimate Viewing experience with best clarity with Cinema Sound Speakers. A+ Grade Zero Dot Panels provide Ultra Clarity with Super Brightness provides a better viewing experience with wide & vivid colors gamut for a colorful viewing experience & Cinema Sound gives you the best result for your binge watching experience.

RAM / ROM	1.5 GB RAM / 8 GB ROM	Color Gamut	1.07 Billion+ Colours
-----------	-----------------------	-------------	-----------------------

SPECIFICATION :



Model Name : 32" Supreme Series Smart Frameless Led Tv With Dolby Vision & Cinema Sound
SKU Name : IMEE-SUPREME-32SFLCS
Power : 20 Watts
Voltage : AC 100-240V, 50 Hz
Audio : 2x10W Tube Speakers
Resolution : HD 1366x768 Pixels
Panel : A+ Grade Zero Dot IPS Panel
Chipset : Realtek
Processor : ARM CORTEX A55 – 4 core
GPU : Mali G31 x 2
USB & HDMI : 2 USB & 2 HDMI Ports
Contrast Ratio : 5000:1
Optical Fiber Port : Yes
Colour : Black, Gold, Silver, Copper, Steel
Warranty : 1 Year Warranty

COLOR VARIANTS

Customizable Coloured bezel

You Can Choose More style options & Modern bezel Colour Variants comes in to suit your home Furniture with iMee Only.

So, you Choose the right look for the mood you're in.

- * Available Attractive colours variants style
- * Customizable coloured Bezel designed in Japan only for iMee Customers



43" (109 cm)

SMART FRAMELESS LED TV WITH DOLBY VISION & CINEMA SOUND



The all new cinema Experience. Presenting the all new iMee Supreme Series LED Tv. Experience the all new Supremacy with Premium build and Esthetic design. Enjoy the Ultimate Viewing experience with best clarity with Cinema Sound Speakers. A+ Grade Zero Dot Panels provide Ultra Clarity with Super Brightness provides a better viewing experience with wide & vivid colors gamut for a colorful viewing experience & Cinema Sound gives you the best result for your binge watching experience.

RAM / ROM	1.5 GB RAM / 8 GB ROM	Color Gamut	1.07 Billion+ Colours
-----------	-----------------------	-------------	-----------------------

SPECIFICATION :



Model Name : 43" Supreme Series Smart Frameless Led Tv
With Dolby Vision & Cinema Sound

SKU Name : IMEE-SUPREME-43SFLCS

Power : 38 Watts

Voltage : AC 100-240V, 50 Hz

Audio : 2x10W Box Speakers

Resolution : FHD 1920x1080 Pixels

Panel : A+ Grade Zero Dot IPS Panel

Chipset : Realtek

Processor : ARM CORTEX A55 – 4 core

GPU : Mali G31 x 2

USB & HDMI : 2 USB & 2 HDMI Ports

Contrast Ratio : 5000:1

Optical Fiber Port : Yes

Colour : Black, Gold, Silver, Copper, Steel

Warranty : 1 Year Warranty

COLOR VARIANTS

Customizable Coloured bezel

You Can Choose More style options & Modern bezel Colour Variants comes in to suit your home Furniture with iMee Only.

So, you Choose the right look for the mood you're in.

* Available Attractive colours variants style

* Customizable coloured Bezel designed in Japan only for iMee Customers





SIGNATURE SERIES

— FRAMELESS LED TV —
WITH DOLBY VISION & VOICE COMMAND



Supported By :



YouTube



ATTRACTIVE FINANCE OFFERS ON




www.imee.in | sales@imee.in | 1800 258 4343

LED TELEVISION

43" (109 cm)

SMART FRAMELESS LED TV WITH DOLBY VISION & VOICE COMMAND



The One above all experience is here. Presenting the all new iMee Signature Series LED Tv. Experience the all new luxury with Premium build and Esthetic design. Enjoy the Ultimate Viewing experience with 4K ULTRA HD LED TVs with VOICE COMMAND gives a premium experience to communicate the order to your TV by Voice Command. A+ Grade Zero Dot Panels provide Ultra Clarity with Super Brightness provides a better viewing experience with wide & vivid colors gamut for a colorful viewing experience & powerful speakers do their job at its best.

RAM / ROM 2 GB RAM / 8 GB ROM Color Gamut 1.07 Billion+ Colours



Customized features :
Wallpaper, Screen saver, Screen Shot, EYESAFE

SPECIFICATION :

Model Name : Signature Series 4K UHD Smart Frameless Led Tv
 With Dolby Vision & Voice Command

SKU Name : IMEE-SIGNATURE4KUHD-43SFLVC

Power : 38 Watts

Voltage : AC 100-240V, 50 Hz

Audio : 4x10W Inbuilt Sound Bar Speakers

Resolution : 4K UHD 3840x2160 Pixels

Panel : A+ Grade Zero Dot IPS Panel

Chipset : Realtek

Processor : ARM CORTEX A55 – 4 core

GPU : Mali G31 x 2

USB & HDMI : 2 USB & 3 HDMI Ports

Contrast Ratio : 5000:1

Optical Fiber Port : Yes

Colours : Gold, Black

Warranty : 1 Year Warranty



50" (127 cm)

SMART FRAMELESS LED TV WITH DOLBY VISION & VOICE COMMAND



The One above all experience is here. Presenting the all new iMee Signature Series LED Tv. Experience the all new luxury with Premium build and Esthetic design. Enjoy the Ultimate Viewing experience with 4K ULTRA HD LED TVs with VOICE COMMAND gives a premium experience to communicate the order to your TV by Voice Command. A+ Grade Zero Dot Panels provide Ultra Clarity with Super Brightness provides a better viewing experience with wide & vivid colors gamut for a colorful viewing experience & powerful speakers do their job at its best.

RAM / ROM 2 GB RAM / 16 GB ROM Color Gamut 1.07 Billion+ Colours



Customized features :
Wallpaper, Screen saver, Screen Shot, EYESAFE

SPECIFICATION :

Model Name : Signature Series 4K UHD Smart Frameless Led Tv
With Dolby Vision & Voice Command

SKU Name : IMEE-SIGNATURE4KUHD-50SFLVC

Power : 50 Watts

Voltage : AC 100-240V, 50 Hz

Audio : 4x10W Inbuilt Sound Bar Speakers

Resolution : 4K UHD 3840x2160 Pixels

Panel : A+ Grade Zero Dot IPS Panel

Chipset : Realtek

Processor : ARM CORTEX A55 – 4 core

GPU : Mali G31 x 2


USB & HDMI : 2 USB & 3 HDMI Ports

Contrast Ratio : 5000:1

Optical Fiber Port : Yes

Colours : Gold, Black

Warranty : 1 Year Warranty



55" (139 cm)

SMART FRAMELESS LED TV WITH DOLBY VISION & VOICE COMMAND



The One above all experience is here. Presenting the all new iMee Signature Series LED Tv. Experience the all new luxury with Premium build and Esthetic design. Enjoy the Ultimate Viewing experience with 4K ULTRA HD LED TVs with VOICE COMMAND gives a premium experience to communicate the order to your TV by Voice Command. A+ Grade Zero Dot Panels provide Ultra Clarity with Super Brightness provides a better viewing experience with wide & vivid colors gamut for a colorful viewing experience & powerful speakers do their job at its best.

RAM / ROM 2 GB RAM / 16 GB ROM Color Gamut 1.07 Billion+ Colours



Customized features :
Wallpaper, Screen saver, Screen Shot, EYESAFE

SPECIFICATION :

Model Name : Signature Series 4K UHD Smart Frameless Led Tv
 With Dolby Vision & Voice Command

SKU Name : IMEE-SIGNATURE4KUHD-55SFLVC

Power : 60 Watts

Voltage : AC 100-240V, 50 Hz

Audio : 4x10W Inbuilt Sound Bar Speakers

Resolution : 4K UHD 3840x2160 Pixels

Panel : A+ Grade Zero Dot IPS Panel

Chipset : Realtek

Processor : ARM CORTEX A55 – 4 core

GPU : Mali G31 x 2

USB & HDMI : 2 USB & 3 HDMI Ports

Contrast Ratio : 5000:1

Optical Fiber Port : Yes

Colours : Gold, Black

Warranty : 1 Year Warranty



65" (165 cm)

SMART FRAMELESS LED TV WITH DOLBY VISION & VOICE COMMAND

The One above all experience is here. Presenting the all new iMee Signature Series LED Tv. Experience the all new luxury with Premium build and Esthetic design. Enjoy the Ultimate Viewing experience with 4K ULTRA HD LED TVs with VOICE COMMAND gives a premium experience to communicate the order to your TV by Voice Command. A+ Grade Zero Dot Panels provide Ultra Clarity with Super Brightness provides a better viewing experience with wide & vivid colors gamut for a colorful viewing experience & powerful speakers do their job at its best.

RAM / ROM 2 GB RAM / 16 GB ROM Color Gamut 1.07 Billion+ Colours



Customized features :
Wallpaper, Screen saver, Screen Shot, EYESAFE

SPECIFICATION :

Model Name : Signature Series 4K UHD Smart Frameless Led Tv
With Dolby Vision & Voice Command

SKU Name : IMEE-SIGNATURE4KUHD-65SFLVC

Power : 84 Watts

Voltage : AC 100-240V, 50 Hz

Audio : 4x10W Inbuilt Sound Bar Speakers

Resolution : 4K UHD 3840x2160 Pixels

Panel : A+ Grade Zero Dot IPS Panel

Chipset : Realtek

Processor : ARM CORTEX A55 – 4 core

GPU : Mali G31 x 2

USB & HDMI : 2 USB & 3 HDMI Ports

Contrast Ratio : 5000:1

Optical Fiber Port : Yes



Colours : Gold, Black

Warranty : 1 Year Warranty



LED Tv's Comparison Chart



MODEL	Premium Series	Premium Series Pro	Elite Series	Elite Series Pro	Supreme Series	Signature Series
DESIGN	With Frame	With Frame	Frameless	Frameless	Frameless	Frameless
SIZES CONTAINS	24", 32", 40"	40"	32", 43"	43"	32", 43"	43", 50", 55", 65"
RESOLUTION	24" & 32" HD / 40" FHD	FHD	32" HD & 43" FHD	FHD	32"HD & 43"FHD	4K UHD
ANDROID VERSION & RAM/ROM	Android 9.0 (1/8GB)	Android 9.0 (1/8GB)	Android 9.0 (1/8GB)	Android 9.0 (1/8GB)	Android 9.0 (1.5/8GB)	Android 11.0 (2/16GB)
CHIPSET	Mediatek	Mediatek	Mediatek	Mediatek	Realtek 	Realtek 
GPU	Mali400	G31MC1	Mali400	G31MC1	Mali G31 x 2	Mali G31*2
PROCESSOR	A53*4 Core	CORTEX A53X4 Core	A53*4 Core	CORTEX A53X4 Core	ARM CORTEX A55- 4 core	ARM CORTEX A55 - 4 core
SPEAKERS	24" Flat Speakers-20W 32", 40", 43" Tube Speakers-20W	Power Speakers-32W	32" & 43" Tube Speakers-20W	Power Speakers-38W	32" & 43" Tube Speakers-20W	Inbuilt Sound Bar Speakers 20W(with Tweeter)
PORTS	Normal 2 USB & 1 HDMI Port Smart 2 USB & 2 HDMI Port	2 USB & 2 HDMI Port	2 USB & 2 HDMI Port	2 USB & 2 HDMI Port	2 USB & 2 HDMI Port	2 USB & 3 HDMI Port / Optical Fiber Port
COLOURS GROMETT	16.7 Million	16.7 Million	16.7 Million	16.7 Million	1.07 Billion	1.07 Billion
BLUETOOTH WIFI	NA Inbuilt WiFi	NA Inbuilt WiFi	NA Inbuilt WiFi	NA Inbuilt WiFi	Two Way Bluetooth inbuilt WiFi	Two Way Bluetooth, Inbuilt WiFi With Opticle Fiber Antenna
CUSTOMIZED FUNCTIONS	NA	NA	NA	NA	Wallpaper, Screen Saver, Screen Shot, EYE-SAFE	Wallpaper, Screen Saver, Screen Shot, EYE-SAFE
SHORTCUT KEYS	P Mode & S Mode	Amazon, YouTube, Netflix, S Mode, P Mode, HDMI, Media	P Mode & S Mode	Amazon, YouTube, Netflix, S Mode, P Mode, HDMI, Media	Amazon, YouTube, Netflix, Hot Star, Amazon, S Mode, P Mode, USB, HDMI, Screen Shot, Browser	Amazon , YouTube, Netflix, Hotstar, S Mode, P Mode, USB, HDMI, Screen Shot, Browser with Additional Voice Remote
ADDITIONAL ACC.	NA	Remote Stand	NA	Remote Stand	NA	Remote Stand
OSD LANGUAGES	English , Hindi, Multinational Languages	English, Hindi, Tamil, Malayalam & Multinational Languages	English , Hindi, Multinational Languages	English, Hindi, Tamil, Malayalam & Multinational Languages	English with Hindi, Gujarati, Tamil, Kannada, Malayalam Regional Languages	English, Hindi, Gujarati, Marathi



SMART PRO

— LED TV —



LED TELEVISION

Supported By :



Powered with **MEDIA TEK** PROCESSOR



YouTube



ATTRACTIVE FINANCE OFFERS ON



www.imee.in | sales@imee.in | 1800 258 4343

50" (127 cm)

LED TV

The vision beyond the imaginations. Presenting the all new iMee Smart Pro LED Tv. Enjoy the Ultimate Viewing experience with 4K ULTRA HD LED TVs with VOICE COMMAND gives a premium experience to communicate the order to your TV by Voice Command & comes with special VOICE COMMAND remote, ready to accept commands given through voice. A+ Grade Panels provide Ultra Clarity with Super Brightness provides a better viewing experience with EYE PROTECTION TECHNOLOGY & 16 million+ colors gamut for a colorful viewing experience & powerful speakers do their job at its best.



SIZE	MODEL NAME	SKU NAME
50" 127 cm	50" SMART PRO LED TV	IMEE-50SPRO
	50" SMART PRO LED TV WITH VOICE COMMAND	IMEE-50SPROVC

RAM / ROM	1 GB RAM / 8 GB ROM	Color Gamut	16 Million+ Colours
-----------	---------------------	-------------	---------------------

SPECIFICATION :

Model Name : 50" Smart Pro Led Tv

SKU Name : IMEE-50SPRO

Power : 120 Watts

Voltage : AC 100-240V, 50 Hz

Audio : 2x10W Tube Speakers

Resolution : 1920 x 1080 Pixels

Panel : A+ Grade Zero Dot IPS Panel

Chipset : Mediatek-MT9255T

Processor : MT9255T- 4 Core

GPU : Mali400

USB & HDMI : 2 USB & 2 HDMI Ports

Contrast Ratio : 5000:1

Warranty : 1 Year Warranty



WIDEST RANGE OF LED TV'S



LED TELEVISION

24" (60 cm)

LED TV

Enjoy the Ultimate Viewing experience with HD LED TVs & Smart LED TVs. A+ Grade Panels provide Ultra Clarity with Super Brightness. A better viewing experience with EYE PROTECTION TECHNOLOGY & 16 million+ colors gamut for a colorful viewing experience & powerful speakers do their job at its best.



SPECIFICATION :

Model Name : 24" Led Tv

Power : 50 Watts

Voltage : AC 100-240V, 50 Hz

Audio : SRS Surround Sound

Resolution : 1366 x 768 Pixels

Panel : A+ Grade IPS Panel

Android TV

Graphic Equalizer

Eye Care Technology

High Definition

USB & HDMI Ports

Wide Colour Enhancer

Digital Noise Reduction

Warranty : 1 Year Warranty

SIZE	MODEL NAME	SKU NAME
24" 60 cm	24" HD LED TV	IMEE-24N
	24" SMART LED TV	IMEE-24S124

RAM / ROM	512 MB RAM / 4 GB ROM	Color Gamut	16 Million+ Colours
-----------	-----------------------	-------------	---------------------



32" (80 cm)

LED TV

Enjoy the Ultimate Viewing experience with HD LED TVs & Smart LED TVs with Sound Bar & VOICE COMMAND gives a premium experience to communicate the order to your TV by Voice Command & comes with special VOICE COMMAND remote, ready to accept commands given through voice. A+ Grade Panels provide Ultra Clarity with Super Brightness provides a better viewing experience with EYE PROTECTION TECHNOLOGY & 16 million+ colors gamut for a colorful viewing experience & powerful speakers do their job at its best.



SPECIFICATION :

- Model Name : 32" Led Tv
- Power : 50 Watts
- Voltage : AC 100-240V, 50 Hz
- Audio : SRS Surround Sound
- Resolution : 1366 x 768 Pixels
- Panel : A+ Grade IPS Panel
- Android TV
- Graphic Equalizer
- Eye Care Technology
- High Definition
- USB & HDMI Ports
- Wide Colour Enhancer
- Digital Noise Reduction
- Warranty : 1 Year Warranty

SIZE	MODEL NAME	SKU NAME
32" 80 cm	32" HD LED TV	IMEE-32N
	32" HD CURVED LED TV	IMEE-32NC
	32" FRAMELESS LED TV WITH BOOM SOUND	IMEE-32NFLBS
	32" SMART LED TV	IMEE-32S18
	32" SMART LED TV WITH SOUND BAR	IMEE-32S18SB
	32" SMART LED TV WITH VOICE COMMAND	IMEE-32S18VC
	32" SMART FRAMELESS LED TV	IMEE-32S18FL
	32" SMART FRAMELESS LED TV WITH CINEMA SOUND	IMEE-32S18FLCS
	32" SMART FRAMELESS LED TV WITH CINEMA SOUND & VOICE COMMAND	IMEE-32S18FLCSVC
	32" SMART CURVED LED TV	IMEE-32S18C

RAM / ROM	1 GB RAM / 8 GB ROM	Color Gamut	16 Million+ Colours
-----------	---------------------	-------------	---------------------



40" (100 cm)

LED TV

Enjoy the Ultimate Viewing experience with HD LED TVs & Smart LED TVs with Sound Bar & VOICE COMMAND gives a premium experience to communicate the order to your TV by Voice Command & comes with special VOICE COMMAND remote, ready to accept commands given through voice. A+ Grade Panels provide Ultra Clarity with Super Brightness provides a better viewing experience with EYE PROTECTION TECHNOLOGY & 16 million+ colors gamut for a colorful viewing experience & powerful speakers do their job at its best.



SPECIFICATION :

- Model Name : 40" Led Tv
- Power : 75 Watts
- Voltage : AC 100-240V, 50 Hz
- Audio : SRS Surround Sound
- Resolution : 1920 x 1080 Pixels
- Panel : A+ Grade IPS Panel
- Android TV
- Graphic Equalizer
- Eye Care Technology
- High Definition
- USB & HDMI Ports
- Wide Colour Enhancer
- Digital Noise Reduction
- Warranty : 1 Year Warranty

SIZE	MODEL NAME	SKU NAME
40" 100 cm	40" HD LED TV	IMEE-40N
	40" HD LED TV WITH SOUND BAR	IMEE-40NSB
	40" SMART TV	IMEE-40S18
	40" SMART TV WITH SOUND BAR	IMEE-40S18SB
	40" SMART TV WITH VOICE COMMAND	IMEE-40S18VC

RAM / ROM	1 GB RAM / 8 GB ROM	Color Gamut	16 Million+ Colours
-----------	---------------------	-------------	---------------------



43" (109 cm)

LED TV

Enjoy the Ultimate Viewing experience with 4K Ultra High Definition Smart FRAMELESS LED TVs Packed up with latest Android AOSP Operating System with lots of surprising features for a better overall experience. A+ Grade Panels provide Ultra Clarity with Super Brightness resulting in a better viewing experience with EYE PROTECTION TECHNOLOGY & 16 million+ colors gamut for a colorful viewing experience & powerful speakers do their job at its best. VOICE COMMAND gives a premium experience to communicate the order to your TV by Voice Command & comes with special VOICE COMMAND remote, ready to accept commands given through voice.



SPECIFICATION :

Model Name : 43" Led Tv

Power : 75 Watts

Voltage : AC 100-240V, 50 Hz

Audio : SRS Surround Sound

Resolution : 1920 x 1080 Pixels

Panel : A+ Grade IPS Panel

Android TV

Graphic Equalizer

Eye Care Technology

High Definition

USB & HDMI Ports

Wide Colour Enhancer

Digital Noise Reduction

Warranty : 1 Year Warranty

SIZE	MODEL NAME	SKU NAME
43" 109 cm	43" 4K ULTRA HD SMART LED TV WITH SOUND BAR	IMEE-43S18SB
	43" 4K ULTRA HD SMART LED TV WITH VOICE COMMAND	IMEE-43S18VC
	43" 4K ULTRA HD SMART LED TV WITH BOOM SOUND	IMEE-43S18BS
	43" 4K ULTRA SMART FRAMELESS LED TV	IMEE-43S18FL
	43" 4K ULTRA SMART FRAMELESS LED TV WITH VOICE COMMAND	IMEE-43S18FLVC
	43" 4K ULTRA SMART FRAMELESS LED TV WITH CINEMA SOUND	IMEE-43S18FLCS
	43" 4K ULTRA SMART FRAMELESS LED TV WITH CINEMA SOUND & VOICE COMMAND	IMEE-43S18FLCSVC

RAM / ROM	1 GB RAM / 8 GB ROM	Color Gamut	16 Million+ Colours
-----------	---------------------	-------------	---------------------



50" (127 cm)

LED TV

Enjoy the Ultimate Viewing experience with 4K ULTRA HD LED TVs with Sound Bar & VOICE COMMAND gives a premium experience to communicate the order to your TV by Voice Command & comes with special VOICE COMMAND remote, ready to accept commands given through voice. A+ Grade Panels provide Ultra Clarity with Super Brightness provides a better viewing experience with EYE PROTECTION TECHNOLOGY & 16 million+ colors gamut for a colorful viewing experience & powerful speakers do their job at its best.



SPECIFICATION :

Model Name : 50" Led Tv

Power : 120 Watts

Voltage : AC 100-240V, 50 Hz

Audio : 360° SRS Surround Sound

Resolution : 1920 x 1080 Pixels

Panel : A+ Grade IPS Panel

Android TV

Graphic Equalizer

Eye Care Technology

High Definition

USB & HDMI Ports

Wide Colour Enhancer

Digital Noise Reduction

Warranty : 1 Year Warranty

SIZE	MODEL NAME	SKU NAME
50" 127 cm	50" 4K ULTRA HD SMART LED TV WITH SOUND BAR	IMEE-50S18SB
	50" 4K ULTRA HD SMART LED TV WITH VOICE COMMAND	IMEE-50S18VC

RAM / ROM	1 GB RAM / 8 GB ROM	Color Gamut	16 Million+ Colours
-----------	---------------------	-------------	---------------------



55" (139 cm)

LED TV

Enjoy the Ultimate Viewing experience with 4K ULTRA HD SMART FRAMELESS LED TVs with Sound Bar & VOICE COMMAND gives a premium experience to communicate the order to your TV by Voice Command & comes with special VOICE COMMAND remote, ready to accept commands given through voice. A+ Grade Panels provide Ultra Clarity with Super Brightness provides a better viewing experience with EYE PROTECTION TECHNOLOGY & 16 million+ colors gamut for a colorful viewing experience & powerful speakers do their job at its best.



SPECIFICATION :

Model Name : 55" Led Tv

Power : 120 Watts

Voltage : AC 100-240V, 50 Hz

Audio : 360° SRS Surround Sound

Resolution : 1920 x 1080 Pixels

Panel : A+ Grade IPS Panel

Android TV

Graphic Equalizer

Eye Care Technology

High Definition

USB & HDMI Ports

Wide Colour Enhancer

Digital Noise Reduction

Warranty : 1 Year Warranty

SIZE	MODEL NAME	SKU NAME
55" 139 cm	55" 4K ULTRA HD SMART LED TV WITH SOUND BAR	IMEE-55S18SB
	55" 4K ULTRA HD SMART LED TV WITH VOICE COMMAND	IMEE-55S18VC
	55" 4K ULTRA HD SMART FRAMELESS LED TV	IMEE-55S18FL
	55" 4K ULTRA HD SMART FRAMELESS LED TV WITH VOICE COMMAND	IMEE-55S18FLVC

RAM / ROM	1 GB RAM / 8 GB ROM	Color Gamut	16 Million+ Colours
-----------	---------------------	-------------	---------------------



65" (165 cm)

OLED TV

Enjoy the Ultimate Viewing experience with 4K Ultra High Definition Smart Frameless OLED TVs. The beauty of a masterpiece, like this piece of art cannot be contained in a frame. This exclusive range model opens up the world as it merges seamlessly with the surroundings, augmenting your world with its compelling appeal. A+ Grade Panels provide Ultra Clarity with Super Brightness resulting in a better viewing experience with EYE PROTECTION TECHNOLOGY & 16 million+ colors gamut for a colorful viewing experience & powerful speakers do their job at its best. HDMI and USB ports along with the HD functionality are perfect for connecting all your high definition entertainment devices to the TV.



SPECIFICATION :

Model Name : 65" Led Tv

Power : 120 Watts

Voltage : AC 100-240V, 50 Hz

Audio : Dolby Audio Sound

Resolution : 3840 x 2160 Pixels

Panel : A+ Grade Premium Product

Android TV

Supports Apple Share & Android Share

with Bluetooth, Wifi & Ethernet Functions

Aspect Ratio 16 : 9

USB & HDMI Ports

Wide Colour Enhancer

Digital Noise Reduction

Warranty : 1 Year Warranty

SIZE	MODEL NAME	SKU NAME
65" 165 cm	65" FRAMELESS 4K UHD OLED TV WITH VOICE COMMAND	IMEE-65216FLVC

RAM / ROM	2 GB RAM / 16 GB ROM	Color Gamut	16 Million+ Colours
-----------	----------------------	-------------	---------------------

OLED



75" (190 cm)

OLED TV

Enjoy the Ultimate Viewing experience with 4K Ultra High Definition OLED TV with Voice Command (Silver Strip Model). A+Grade Panels provide Ultra Clarity with Super Brightness resulting in a better viewing experience with EYE PROTECTION TECHNOLOGY & 16 million+ colors gamut for a colorful viewing experience & powerful speakers do their job at its best VOICE COMMAND gives a premium experience to communicate the order to your TV by Voice Command & comes with special VOICE COMMAND remote, ready to accept commands given through voice.



SIZE	MODEL NAME	SKU NAME
75" 190 cm	75" 4K UHD OLED TV WITH VOICE COMMAND (SILVER STRIP MODEL)	IMEE-75216VC

RAM / ROM	2 GB RAM / 16 GB ROM	Color Gamut	16 Million+ Colours
-----------	----------------------	-------------	---------------------

SPECIFICATION :

Model Name : 75" Led Tv

Power : 120 Watts

Voltage : AC 100-240V, 50 Hz

Audio : Dolby Audio Sound

Resolution : 3840 x 2160 Pixels

Panel : A+ Grade Premium Product

Android TV

Supports Apple Share & Android Share

with Bluetooth, Wifi & Ethernet Functions

Aspect Ratio 16 : 9

USB & HDMI Ports

Wide Colour Enhancer

Digital Noise Reduction

Warranty : 1 Year Warranty

OLED



■ Important :

- 1) All iMee TV's have 1 year Warranty for Consumers/End Users from the date of Purchase.
- 2) Additional 3 months extra warranty period will be given to all Channel Partners combined together so that they can sell out the goods to Consumers/End Users.
- 3) That is a total 15 months warranty from the billing date from iMee.
- 4) All Super Stockiest must ensure that the stock is sold to consumer/End user within 3 months of their purchase & their sales/distributor sales should be on FIFO Basis.
- 5) 15 Months Warranty will start from the day of billing to Super Stockiest or any first point by iMee.
- 6) All channel partners must only buy such a quantity which they can sell out to consumers within the above specified time frame.
- 7) All serial numbers will be validated through the DMS portal.
- 8) iMee will be liable to give warranty for 15 months from its billing date or 1 year from the date of purchase by consumer, whichever is lower.
- 9) iMee Warranty Card is mandatory along with invoice Duly signed and stamped by Dealer/distributor/SS

■ Things to remember :

- 1) Consumer/End User or whomsoever is opening the TV box for the first time must record an Unboxing video while opening the box, and the serial number of the TV and the brand new untouched box seal must be clearly visible in the video otherwise it will not be eligible for free warranty.
- 2) If the TV is sold to any ODA location which is more than 25 Kilometers far from the nearest iMee service centre then the customer must bring the TV to Service Centre or to the Dealer Point for a timely solution.
- 3) Every product is intended to be used in a specific area, Usage of TV in a dusty area or such an area where TV should not be used, that leads to the dust entering the open cell (screen) and damages the components. Dust inside the screen will not be covered under warranty.
- 4) If the security seal on TV is broken or tampered, that TV will not be eligible for warranty.
- 5) Physical Damages are not covered under warranty, only technical defects that occur within the mentioned specifications/parameters are covered under warranty.

■ Please go through the following Standard Operating Procedures :

Problem	Solution
Missing Remote or Accessories	Please download iMee Customer Care App from Google Play Store or iPhone App Store and register with your email id or mobile number & register your complaint & then please login your complaint OR you can also log your complaint through iMee Customer Care Toll Free Number & submit a video proof while opening the box, share the serial number written on your product, and we will make the missing accessories available on priority.
Software Related Issues	Please download iMee Customer Care App from Google Play Store or iPhone App Store and register with your email id or mobile number & register your complaint & then please login your complaint Or you can also log your complaint through iMee Customer Care Toll Free Number & share the serial number written on your product and submit required photos/videos, we will send a technician and get the software re-installed within 3 to 5 working days. If any dealer/distributor/super stockiest wish to get the problem solved on priority, then we can provide software to them for a fast solution.
Hardware Related Issues	Please download iMee Customer Care App from Google Play Store or iPhone App Store and register with your email id or mobile number & register your complaint Or you can also log your complaint through iMee Customer Care Toll Free Number & share your TV Serial number and submit required photos/videos, after evaluating the problem, we will send a technician to solve/repair the problem/replace the faulty part which will be solved within 4 to 7 working days.
Physical Damages	Physical Damages or Water Damages are not covered under Warranty. All the Super Stockiests/Distributors/Retailers must carefully check the boxes for any dents or damage marks while receiving the goods and write a note "Subject to physical check within 72 hours" & notify the transporter within 72 hours in case of any physical damages and write a note on the receiving copy about the damage along with stamp on every POD. If found correct, iMee will compensate to Super Stockiest after investigating the matter accordingly & Super Stockiest should compensate to distributor accordingly, Super Stockiest to Distributor transport risk belongs to Super Stockiest & Distributor to Retailer transport risk belongs to Distributor.

■ Please Note :

All complaints must be registered on iMee Customer Care Mobile Application only OR iMee Customer Care toll free number only, any complaints directly given to any engineer or any employee directly or anyone else will not be valid and will not be entertained.

All above conditions are subject to change, Terms & Conditions Apply. All authorities belong to iMee & its authorized team. All disputes subject to Nagpur Jurisdiction.



NORMAL TV REMOTE

Keys in Remote - Source for Different Modes | Return and Exit | Navigation Keys | Fast Forward and Backward Keys
Number Key 0 to 9, Mute Keys | Power ON/OFF Key



SPECIFICATION :

Model Name : Normal Tv Remote

SKU Name : IMEE-RMN01

Product Dimensions : 17.5 X 4.5 X 2.5 cm

Batteries : 2 AAA batteries required

Item Weight : 76g



SMART TV REMOTE

Small and Attractive Remote with Proper Keys | Auto | Fast Forward and Backward Keys | Source | Display
Input Key For Different Sources | Power Key | Menu Button with Navigation Keys



SPECIFICATION :

Model Name : Smart Tv Remote

SKU Name : IMEE-RMS01

Product Dimensions : 17.7 X 4.7 X 2.5 cm

Batteries : 2 AAA batteries required

Item Weight : 78g





SMART TV REMOTE

Small and Attractive Remote with Proper Keys | Auto | Fast Forward and Backward Keys | Source | Display
Input Key For Different Sources | Power Key | Menu Button with Navigation Keys



SPECIFICATION :

Model Name : Smart Tv Remote

SKU Name : IMEE-RMS02

Product Dimensions : 2 x 0.8 x 7.9 cm

Batteries : 2 AAA batteries required

Item Weight : 94g





VOICE COMMAND SMART TV REMOTE

Small and Attractive Remote with Proper Keys | Display | Fast Forward and Backward Keys | Source | Auto Input Key For Different Sources | Power Key | Voice Command | Menu Button with Navigation Keys



SPECIFICATION :

Model Name : Voice Command Smart Tv Remote

SKU Name : IMEE-RMVC01

Product Dimensions : 4 x 1.5 x 15.7 cm

Batteries : 2 AAA batteries required

Item Weight : 49g





GOOGLE AIR MOUSE

VOICE REMOTE

Small and Attractive Remote with Proper Keys | Display | Fast Forward and Backward Keys | Source | Auto Input Key For Different Sources | Power Key | Voice Command | Menu Button with Navigation Keys



SPECIFICATION :


Model Name : Google Air Mouse Voice Remote

SKU Name : IMEE-TVREM-GAMVR01

Product Dimensions : 4.3 x 1.7 x 15.8 cm

Batteries : 2 AAA batteries required

Item Weight : 51g





AA & AAA CARBON ZINC BATTERY



BATTERIES



R6P 1.5V AA

CARBON ZINC BATTERY



SPECIFICATION :

Model Name : R6P 1.5V AA Carbon Zinc Battery

Zinc Carbon Battery : R6P 99A+GT

Guaranteed Leak Proof : Up to 0.6 CCV

Voltage : 1.5V

Temperature Range : -25° C to 55° C

No Mercury Added

Heavy Duty & Leak Proof

Aluminum Jacket



R03 1.5V AAA

CARBON ZINC BATTERY



SPECIFICATION :

Model Name : R03 1.5V AAA Carbon Zinc Battery

Zinc Carbon Battery : R03 99A+GT

Guaranteed Leak Proof : Up to 0.6 CCV

Voltage : 1.5V

Temperature Range : -25° C to 55° C

No Mercury Added

Heavy Duty & Leak Proof

Aluminum Jacket





MASTER FREE TO AIR

SD SET TOP BOX

Master Free to Air SD set top box are capable of receiving Free to Air Channels. It can receive both TV and Radio channels with STEREO audio easy to install, Fully remote control. Master Free To Air set top box offers you extraordinary picture clarity and comes with a remote which makes it easy to operate the set top box.



SPECIFICATION :

Model Name : Master Free To Air Sd Set Top Box

SKU Name : IMEE-F2ASDMASTER

Power : 8 Watts

Voltages : AC-100-300V/50Hz

Main Chip : AVL2168 (AVLINK)

Flash Memory : 1 Mbyte

CPU : 216MHz

Tuner Chip : Av2028

DDR2 Memor : 8 Mbyte

Available Colours : White & Black

Warranty : 1 Year Warranty



C/KU Band | DVB (Digital Video Broadcasting) | DiSEqC 1.2 | Press Signal Button To Show Signal Db In Display
Capable to edit transponder, symbol rate and LO frequency etc. | Accurate and Convenient facility for antenna installation
With Signal Strength and Quality/Rev.BER Display | Symbol Rate 1-45 Msps, Support DiSEqC 1.0 | Display (OSD)
Input Frequency Range 950-2150 MHZ | C/N Threshold 4.2dB | Input Level - 70dBm~-7dBm
Support 0-22KHz and 13-18V to Control Signal | Multi Language OSD & Audio | Multi Channels Grid Function



MINI BOMB FREE TO AIR SD SET TOP BOX

Mini Bomb Free to Air SD set top box are capable of receiving Free to Air Channels. It can receive both TV and Radio channels with STEREO audio easy to install, Fully remote control. Mini Bomb Free To Air set top box offers you extraordinary picture clarity and comes with a remote which makes it easy to operate the set top box.



SPECIFICATION :

Model Name : Mini Bomb Free To Air Sd Set Top Box

SKU Name : IMEE-F2ASDMINIBOMB

Power : 8 Watts

Voltages : AC-100-300V/50Hz

Available Colours : White & Black

Warranty : 1 Year Warranty



DiSEqC 1.2 | Support All C/KU Band | C/N Threshold 4.2dB | DVBS (Digital Video Broadcasting)
Input Frequency Range 950~2150 MHZ | Symbol Rate 1-45 MSps, Support DiSEqC 1.0
Press Signal Button To Show Signal dB In Display



PUNCH FREE TO AIR

SD SET TOP BOX

Punch Free to Air SD set top box are capable of receiving Free to Air Channels. It can receive both TV and Radio channels with STEREO audio easy to install, Fully remote control. Punch Free To Air set top box offers you extraordinary picture clarity and comes with a remote which makes it easy to operate the set top box.



SPECIFICATION :

Model Name : Punch Free To Air Sd Set Top Box

SKU Name : IMEE-F2ASDPUNCH

Power : 8 Watts

Voltages : AC-100-300V/50Hz

Available Colours : White & Black

Warranty : 1 Year Warranty



DiSEqC 1.2 | Support All C/KU Band | C/N Threshold 4.2dB | DVBS (Digital Video Broadcasting)
Input Frequency Range 950~2150 MHZ | Symbol Rate 1-45 MSps, Support DiSEqC 1.0
Press Signal Button To Show Signal dB In Display



SONIC FREE TO AIR

SD SET TOP BOX

Sonic Free to Air SD set top box are capable of receiving Free to Air Channels. It can receive both TV and Radio channels with STEREO audio easy to install, Fully remote control. Sonic Free To Air set top box offers you extraordinary picture clarity and comes with a remote which makes it easy to operate the set top box.



SPECIFICATION :

Model Name : Sonic Free To Air Sd Set Top Box

SKU Name : IMEE-F2ASDSONIC

Power : 8 Watts

Voltages : AC-100-300V/50Hz

Main Chip : AVL2168 (AVLINK)

Flash Memory : 1 Mbyte

CPU : 216MHZ

Tuner Chip : Av2028

DDR2 Memor : 8 Mbyte

Available Colours : White & Black

Warranty : 1 Year Warranty



C/KU Band | DVB (Digital Video Broadcasting) | DiSEqC 1.2 | Press Signal Button To Show Signal Db In Display
Capable to edit transponder, symbol rate and LO frequency etc. | Accurate and Convenient facility for antenna installation
With Signal Strength and Quality/Rev.BER Display | Symbol Rate 1-45 Msps, Support DiSEqC 1.0 | Display (OSD)
Input Frequency Range 950~2150 MHZ | C/N Threshold 4.2dB | Input Level - 70dBm~-7dBm
Support 0-22KHz and 13-18V to Control Signal | Multi Language OSD & Audio | Multi Channels Grid Function



VICTOR FREE TO AIR

SD SET TOP BOX

Victor Free to Air SD set top box are capable of receiving Free to Air Channels. It can receive both TV and Radio channels with STEREO audio easy to install, Fully remote control. Victor Free To Air set top box offers you extraordinary picture clarity and comes with a remote which makes it easy to operate the set top box.



SPECIFICATION :

Model Name : Victor Free To Air Sd Set Top Box

SKU Name : IMEE-F2ASDVICTOR

Power : 8 Watts

Voltages : AC-100-300V/50Hz

Main Chip : AVL2168 (AVLINK)

Flash Memory : 1 Mbyte

CPU : 216MHz

Tuner Chip : Av2028

DDR2 Memor : 8 Mbyte

Available Colours : White & Black

Warranty : 1 Year Warranty



C/KU Band | DVB (Digital Video Broadcasting) | DiSEqC 1.2 | Press Signal Button To Show Signal Db In Display
Capable to edit transponder, symbol rate and LO frequency etc. | Accurate and Convenient facility for antenna installation
With Signal Strength and Quality/Rev.BER Display | Symbol Rate 1-45 Msps, Support DiSEqC 1.0 | Display (OSD)
Metal Body | Input Frequency Range 950~2150 MHz | C/N Threshold 4.2dB | Input Level - 70dBm~-7dBm
Support 0-22KHz and 13-18V to Control Signal | Multi Language OSD & Audio | Multi Channels Grid Function



CHAMPION FREE TO AIR

HD SET TOP BOX

Champion Free To Air HD set top box offers you better picture quality and digital sound when compared to other local cable sources. Champion Free to Air HD set top Box uses MPEG2 DVB-S2 technology for providing excellent quality picture and Dolby digital sound.



SPECIFICATION :

Model Name : Champion Free To Air Hd Set Top Box

SKU Name : IMEE-F2AHD-CHAMPION

Power : 8 Watts

Voltages : AC-100-300V/50Hz

Main Chip : AVL2168 (AVLINK)

Flash Memory : 1 Mbyte

CPU : 216MHz

Tuner Chip : Av2028

DDR2 Memor : 8 Mbyte

Available Colours : White & Black

Warranty : 1 Year Warranty



Full HD 1080p | Fully DVB-S/ MPEG-2/H.264 Decoder | Demodulation DVB-S (QPSK, OVB-S (8PSK-QPSK) | Input Frequency Range 950-2150 Mhz | Capable to edit transponder, symbol rate and LO frequency etc
8000 Channel Memory Space (TV+Radio) | LNB Power-13 Volt/18 Volt | Support all C & KU Band Signal Reception | Press Signal Button To Show Signal Db In Display | Symbol Rate 1-45 Msps, Support DiSEqC 1.0
Support 0-22KHz and 13-18V to control signal | Max. 2500 channels. Max. 64 satellites memory Space | 6 favorite channel groups | 256 colors on screen | SCPC&MCPC receivable from C/ku band satellites
Support Disque | Metal Body | 1 HDMI Port | 2 USB Ports | Accurate and convenient facility for antenna installation | With Signal Strength and Quality/Rev. BER Display | display (OSD)
Fully DVB-S/MPEG-2 Compliant Channel search in automatic blind scan | PAL-NTSC Auto-conversion System | Multi-Language OSD | Multi-Language audio
Multi Channel Grid function Timer function support automatic turn off | DiSEqC 1.0/1.1/1.2.Voltage (14/18V), Tone (22K) and 0/12 LNB switching support (optional)

FREE TO AIR

SD SET TOP BOX



SPECIFICATION

GENERAL

- Model Name : Free To Air Sd Set Top Box
- Input Power : 8 Watts

SYSTEM

- Main Chip : AVL2168 ((AVLINK)
- Input Power : 8 Watts
- Demodulator Chip : Integrated

DECODER

- Video Decoder : MPEG-1; MPEG-2 MP@ML
- Video Output Formats : PAL/NTSC/Auto

TUNER & CHANNEL

- Input Frequency Range : 950~2150 MHz
- C/N Threshold : 4.2dB

TERMINAL

- LNB Input : 1 × IEC 169-2 Female
- Rs232 : 1 × CON4

FRONT PANEL

- Power Indicator : Power, Lock
- Front Panel Keyboard : C+/-,V+/-, OK, MENU,

ACCESSORY

- Remote Control : 1
- Instruction Book : 1

DIMENSIONS

- Body Size : 180mm x 28mm x 115mm
- Packing Size : TBD

FEATURES

- OSD Mul-language
- TV and Radio List Handling
- Satellite program management via satellite
- Satellite program management via nonsatellite
- Automatic PAL/NTSC conversion
- Restore factory Settings and power lost memories
- DiSEqC1.0\22K



- Operating Voltage : AC~100-300V/50Hz
- Standby Power Consumption : 3 Watts

- CPU : 216MHz
- Tuner Chip : AV2028
- DDR2 Memory : 8 Mbyte

- Audio Decoder : MPEG-1; MPEG-2(Layer I & II)
- Audio Output Model : Mono/ Stereo/ Mix stereo

- Demodulation : QPSK
- Input Level : -70dBm ~ -7dBm

- Video Output : 1 × RCA
- Audio Output : 2 × RCA

- Infra-red Receiver : Yes
- Panel Display : 3 digits LED display

- AV Cable : 1
- Warranty Card : 1

- QTY/CT : TBD
- Net Weight : TBD

- Satellite and transponder management
- Programmable volume adjustment
- Program management
- Channel Search with Automatic/Manual
- RS-232 serial port upgrade
- Upgrade online
- Favorite list editing for both radio and TV

Brand Owned & Marketed By:

PAREKH GADGETS PRIVATE LIMITED

An ISO 9001 : 2015 Certified Company, Regd Office: Bhumi Arcade, Opp. Garden, Lakadganj, Nagpur - 440008, Maharashtra, India.
sales@imee.in || www.imee.in || customercare@imee.in || Toll Free 1800 258 4343

- 1) All iMee Products under SET TOP BOXES category fall under piece to piece replacement policy within the time frame as mentioned on the product from the date of purchase.
- 2) Every product is intended to be used in a specific area, Set Top Boxes are created to be used in Indoors only.
- 3) Physical Damages are not covered under warranty, only technical defects that occur within the mentioned specifications/parameters are covered under warranty.
- 4) Water Damage is not covered under warranty in any circumstances.
- 5) If the security seal is broken or tampered, product will not be eligible for warranty.
- 6) Products returned to iMee under replacement must be free of physical damages.
- 7) iMee reserves the right to give any alternative product of similar value or similar use if the returned product is discontinued or out of stock.
- 8) Replacement flow chart would be Customer->Retailer->Distributor->Super Stockiest>iMee.
- 9) Products returned to iMee are subjected to be audited by iMee's technical team, any pieces which are working but still were returned to iMee under replacement will be duly sent back.
- 10) All above conditions are subject to change, Terms & Conditions Apply. All authorities belong to iMee & its authorized team. All disputes subject to Nagpur Jurisdiction.

Home Audio to Rock Your Life



MUSIC SYSTEM

SEOUL

4.1 HOME THEATRE

Most demanded product of line, A versatile product to enhance your Cinema Experience, Enhanced Audio quality with Heavy bass and multi-connectivity options like wireless streaming via BT, other inputs like USB, audio-in and SD card. There is a built-in FM radio as well.



4.1 Home Theatre

PMPO 7200W | Bluetooth | FM Radio | USB ready | AUX in
High Bass Performance

SPECIFICATION :

Model Name : Seoul 4.1 Home Theatre

SKU Name : IMEE-MM-SEOUL4.1

Output Power : 45 Watts

Voltages : AC 220-230V, 50Hz

Total Output : 25W+5Wx4

Sub Woofer Driver Size : 133 mm (5.25 Inch)

Satellite Driver Size : 102 mm (4 Inch)

Magnet Size : 90x17 mm

Frequency Response : 45Hz-20KHz

Separation : ≥ 45 db

Sensitivity : 550mV

S/N Ratio : ≥ 65 db

Warranty : 1 Year Warranty

LED
Display



MP3/FM



EQ Selection | LED Display | Impedance SW / Satellite : 8 Ohms | Remote Sensing Distance : ≥ 5 Meter
Bluetooth Version 5 | USB File Format Support : Mp3 | FM Frequency Scan Range : 87-108 MHz

MADRID

4.1 HOME THEATRE

Most demanded product of line, A versatile product to enhance your Cinema Experience, Enhanced Audio quality with Heavy bass and multi-connectivity options like wireless streaming via BT, other inputs like USB, audio-in and SD card. There is a built-in FM radio as well.



4.1 Home Theatre

PMPO 4000W | Bluetooth | FM Radio | USB ready |AUX in
High Bass Performance

SPECIFICATION :

Model Name : Madrid 4.1 Home Theatre

SKU Name : IMEE-MM-MADRID4.1

Output Power : 38 Watts

Voltages : AC 220-230V, 50Hz

Total Output : 18W + 5W x 4

Woofer Size : 102 mm (4 Inch)

Satellite Speaker Size : 76.2 mm (3 Inch)

Woofer Magnet Size : 72x15 mm

Woofer Output : 18W

Satellite Output : 5W x 4

Woofer Cabinet Size : L-260mm X W-150mm X H-240mm

Satellite Size : L-100mm X W-90mm X H-160mm

Warranty : 1 Year Warranty

LED
Display



MP3/FM





CLASSIC

TOWER SPEAKER

A Tower of Sound, Presenting our most appreciated product of line with Big Bass speakers and multi-connectivity options like wireless streaming via BT, other inputs like USB, audio-in and SD card. There is a built-in FM radio as well.&Tall elegant design to Enhance your Audio experience with a Design Complement.



Tower Speaker

PMPO 4000W | Bluetooth | FM Radio | USB ready | AUX in
Compatible with MIC | High Bass Performance

SPECIFICATION :

Model Name : Classic Tower Speaker

SKU Name : IMEE-MM-CLASSICTOWER

Output Power : 40 Watts

Voltages : AC 220-230V, 50Hz

RMS : 40W

Frequency : 45Hz-20KHz

Satellite Output : 8W x 2

Impedance Sub Woofer : 8E

Impedance Satellite : 4E

Sub Woofer Driver Size : 133 mm (5.25 Inch)

Satellite Driver Size : 102 mm (4 Inch)

FM Frequency : 88 MHZ - 108 MHZ

Warranty : 1 Year Warranty



ROCKSTAR MINI TROLLEY

WITH KARAOKE & MIC

Fantastic Sound quality now on wheels, Presenting the solid build Trolley Speaker with heavy bass & magnificent sound quality.



Mini Trolley

PMPO 2000W | Bluetooth | FM Radio | USB ready | AUX in
MIC | Karaoke | Recording | High Bass Performance

SPECIFICATION :

Model Name : Rockstar Mini Trolley With Karaoke & Mic

SKU Name : IMEE-MM-ROCKSTARMINITROLLEY

Output Power : 40 Watts

Voltages : AC 220-230V, 50Hz

Output Power : (DC9V/1.5A)

Battery Capacity : 7.4V/2500mAh (Lithium)

Tweeter Piezo Type

Volume Control Rotary / Key Type

Amplifier Class D

Trolley Cabinet Plastic

Woofer Size : 203 mm (40W)

Bass/Treble Rotary

Warranty : 1 Year Warranty



Echo Control Rotary Type | MIC Volume Rotary Type | With Wheels & Long Handle



12" PARTY TROLLEY SPEAKER WITH DOUBLE MIC

Fantastic Sound quality now on wheels, Presenting the solid build Trolley Speaker with heavy bass & magnificent sound quality.

Available Colours : Metallic Black, Grey, Rose Gold, Silver, Matte Black & Green Handle, Matte Black & Yellow Handle



SPECIFICATION :

Model Name : Party Trolley Speaker With Double Mic

SKU Name : IMEE-MM-PARTYTROLLEY-12"

Output Power : 120 Watts

Voltages : AC 110-240 Volts, 50 Hz

Works On : External 12V DC Source

Battery Capacity : 12V DC/7200 mA(H) (Lithium)

Woofer : 90W

Tweeter : 30W

Charging Time : 3.5 Hours

Battery Backup : 4-5 Hours

Frequency Response : 45 Hz- 20kHz

Mounting Type : Portable Floor Standing

Warranty : 1 Year Warranty

12" Party Trolley Speaker

PMPO 12000W | Bluetooth | FM Radio | USB ready | SD | MIC
AUX in | Guitar in | Karaoke | Recording | External 12V DC IN
High Bass Performance | Wooden Cabinet



Volume Control Rotary / Key Type | Connector Type - Wireless Bluetooth | Amplifier Class D | Wooden Cabinet
Bass/Treble Rotary | Echo Control Rotary Type | MIC Volume Rotary Type | Guitar volume rotary type
2 Wireless Microphones | With Wheels & Long Handle



CINEMATIC

2.1 SOUNDBAR WITH SUB WOOFER

Stylish & Powerful soundbar gives you a rich Audio feeling, widely used and most demanded product of the generation, with all new Enhanced audio tech to match the line of quality.



Sub Woofer & Soundbar

PMPO 6000W | Bluetooth | FM Radio | USB ready | AUX in
Wall Mountable | High Bass Performance

SPECIFICATION :

Model Name : Cinematic 2.1 Soundbar With Sub Woofer

SKU Name : IMEE-MM-CINEMATICSB2.1

Output Power : 40 Watts

Voltages : AC 220-230V, 50Hz

Soundbar Power Output : 20W + 6W x 2

Power Output : 6W (Each Satellite Speaker)

Sub Woofer Driver Size : 133 mm (5.25 Inch)

Satellite Driver Size : 76.2 mm (3 Inch)

Power Output : 6W (Each Satellite Speaker)

Separation : ≥ 35 dB

S/N Ratio : ≥ 55 dB

Frequency Response 40Hz - 20KHz

Warranty : 1 Year Warranty

LED
Display



FM Frequency Range : 88-108 MHz | Impedance - OHMS SW 4 Ω , Satellite 8 Ω | Elegant Looks with LED Display | Equalizer Function

Superior Sound Quality with Powerful Bass | Seamless Bluetooth Connectivity | Bluetooth Range ≥ 7.62 m (25 Ft.) | USB and AUX Audio Input
Fully - Functional Remote Control | Remote Control Range ≥ 3 m (10 Ft.) | FM Radio Function | Wall Mountable Sound Bar

Important :

- 1) Warranty for Consumers/End Users from the date of Purchase.
- 2) Additional 3 months extra warranty period will be given to all Channel Partners combined together so that they can sell out the goods to Consumers/End Users.
- 3) All Super Stockiest must ensure that the stock is sold to consumer/End user within 3 months of their purchase & their sales/distributor sales should be on FIFO Basis.
- 4) All channel partners must only buy such a quantity which they can sell out to consumers within the above specified time frame.
- 5) All serial numbers will be validated through the DMS portal.
- 6) iMee Warranty Card is mandatory along with invoice Duly signed and stamped by Dealer/distributor/SS

Things to remember :

- 1) Consumer/End User or whomsoever is opening the product for the first time must record a un boxing video while opening the box, and the serial number of the product and the brand new untouched box seal must be clearly visible in the video.
- 2) If the product is sold to any ODA location which is more than 25 Kilometers far from the nearest iMee service centre then the customer must bring the product to Service Centre or to the Dealer Point for a timely solution.
- 3) Every product is intended to be used in a specific area, Usage of product in a dusty area or under the rain or or such an area where it should not be used, will not be covered under warranty.
- 4) If the security seal is broken or tampered, product will not be eligible for warranty.
- 5) Physical Damages are not covered under warranty, only technical defects that occur within the mentioned specifications/parameters are covered under warranty.

Please go through the following Standard Operating Procedures :

Problem	Solution
Missing Remote or Accessories	Please download iMee Customer Care App from Google Play Store or iPhone App Store and register with your email id or mobile number & register your complaint & then please login your complaint OR you can also log your complaint through iMee Customer Care Toll Free Number & submit a video proof while opening the box, share the serial number written on your product, and we will make the missing accessories available on priority.
Technical Issues	Please download iMee Customer Care App from Google Play Store or iPhone App Store and register with your email id or mobile number & register your complaint & then please login your complaint OR you can also log your complaint through iMee Customer Care Toll Free Number & share your product Serial number and submit required photos/videos, after evaluating the problem, we will send a technician to solve/repair the problem/replace the faulty part which will be solved within 4 to 7 working days.
Physical Damages	Physical Damages or Water Damages are not covered under Warranty. All the Super Stockiests/Distributors/Retailers must carefully check the boxes for any dents or damage marks while receiving the goods and write a note "Subject to physical check within 72 hours" & notify the transporter within 72 hours in case of any physical damages and write a note on the receiving copy about the damage along with stamp on every POD. If found correct, iMee will compensate to Super Stockiest after investigating the matter accordingly & Super Stockiest should compensate to distributor accordingly. Super Stockiest to Distributor transport risk belongs to Super Stockiest & Distributor to Retailer transport risk belongs to Distributor.

Please Note :

All complaints must be registered on iMee Customer Care Mobile Application only OR iMee Customer Care toll free number only, any complaints directly given to any engineer or any employee directly or anyone else will not be valid and will not be entertained.

All above conditions are subject to change, Terms & Conditions Apply. All authorities belong to iMee & its authorized team. All disputes subject to Nagpur Jurisdiction.

Personal Care and Home Care Product



3 PLY DISPOSABLE FACE MASK

WITH NOSE WIRE FOR PERFECT GRIP & COMFORT

iMee Disposable Face Mask with Nose Wire for Perfect Grip and Comfort Export Quality Made up with fully automatic machines including Ultrasonically welded ear loops, anti bacterial coating, Hypoallergenic Filtration Efficiency 95% to 99.9%



SPECIFICATION :

Model Name : 3 Ply Disposable Face Mask

Product Type : Civilian Mask (Non-medical/Non-Surgical)

Layers : 3 Layers

Welding Type : Ultrasonically Welded Layer

Outer/Filter/Inner Layer : Polypropylene Spunbond

Length : 175mm

Width : 94mm

Thickness : 25 gsm \pm 5%

Nose Pin Presence : Yes

Nose Pin Material : Metal Wire with Plastic Sleeve

Elastic Earloop : Spandex & Polyester

Weight : 2.9 Grams \pm 5%

Tolerance : \pm 5%



International
Organization for
Standardization



ACCREDITED
Management Systems
Certification Body
MSCB - 161



Hypoallergenic Filtration Efficiency 95% to 99.9% | A+ Grade Product | High Breathability
Ultrasonically Welded | Soft & Comfortable Fluid Resistant | Each mask packed in individual pouch



ELECTRIC KETTLE

1.5 LITRES CAPACITY | POWERFUL 1500 WATTS

Superior quality Stainless Steel body. Filter Type : Spout. 360 degree swirl base. Power 1500 watts Operating Voltage : 220 - 230 volts, 50-60Hz, High quality thermostat control.



SPECIFICATION :

Model Name : Electric Kettle

SKU Name : IMEE-EK-1.5L-1500W

Input Power : 1500 Watts

Operating Voltage : AC 230V, 50Hz.

Capacity : 1.5 Litres

Warranty : 1 Year Warranty

Automatic Temperature Control | 1M Power cord | 360 Degree base | Stainless Steel Kettle New Modern Design
With Filter | Water Level Scale | Heat-Resistant Plastic Handle Indicator Light | On/Off Switch | Safety Cut-Off



HERBAL HAND SANITIZER GEL

KILLS UPTO 99.9% GERMS

Enriched with Moisturizers & Vitamin E



Available In :
50 ml & 100 ml

INGREDIENTS :

Ethyl Alcohol 95%v/v 70%w/w

Per 10ml extracts derived

From Lemon 60mg

Neem 60mg

Tulsi 60mg

Aloe 500mg

Avshep Liquid q.s. Gel Base q.s.

Fragrance

D.M.Water

Colour



International
Organization for
Standardization



ACCREDITED
Management Systems
Certification Body
MSCB - 161



Available Flavours : Original, Strawberry, Lime, Blueberry, Aloe Vera



HAND SANITIZER GEL

ADVANCED PROTECTION WITH 70% ALCOHOL

Be Protected, Sanitize Your Hands Regularly



Available In :
100 ml

INGREDIENTS :

Ethyl Alcohol (95% v/v) with 1% Diethyl Phthalate 70% w/w

Fragrance, Aqua (D.M.Water)

Colour

Triethanolamine

Glycerine

Carbomer

Polysorbate 20



International
Organization for
Standardization



ACCREDITED
Management Systems
Certification Body
MSCB - 161



Available Flavours : **Original, Strawberry, Lime, Mint**



HAND SANITIZER

61% ALCOHOL

ENRICHED WITH MOISTURIZERS & VITAMIN E



Available In :
100 ml, 500ml in Spray & 5 Ltr.

INGREDIENTS :

Per 10 ml Extract Derived From

Nimbu 60mg

Neem 60mg

Tulsi 60mg

Aloe 500mg

Avshep Dravya q.s.

Processed in Prasanna (Ethyl Alcohol 61% v/v)



International
Organization for
Standardization



ACCREDITED
Management Systems
Certification Body
MSCB - 161





SODIUM HYPOCHLORITE SOLUTION

FIGHTS 99.9% GERMS



Available In :
1 Ltr. & 5 Ltr.

TECHNICAL DATA SHEET :

Flash Point : NA

Appearance & Odor : Clear light yellowish liquid & chlorine-like smell

Molecular Weight : 74.44

Physical state : Liquid at 20° C

Vapour Pressure : 14 mm Hg

Boiling Point : Decomposes

Solubility in Water : 100 % Soluble

Relative Density : Between (0.995-1.19)

D.M.Water

Available Chlorine : 5.40 % (4.00-6.00)%



International
Organization for
Standardization



ACCREDITED
Management Systems
Certification Body
MSCB - 161



For Homes, Offices, Public Places etc.
For Industrial & Institutional use only.



**BECOME OUR EXCLUSIVE
STUDIO FRANCHISE OWNER !**



LOW INVESTMENT & HIGH RETURNS !

STEP TOWARDS THE FUTURE



Follow us on : [!\[\]\(0aff635c4179ba9e710b00f4b01d3b20_img.jpg\)](#) [!\[\]\(29658d981ebdf5edc259074cbf6110e0_img.jpg\)](#) [!\[\]\(9b3d169a802e50e3425ebff869ff6250_img.jpg\)](#) [!\[\]\(510c3e621c59b50959bed0883f15fd7c_img.jpg\)](#)
Download Customer Care App :



Scan to download iMee Customer Care App

OUR SERVICE CENTERS ACROSS INDIA

SERVICE UNDER

72
HOURS

WE COVER
520 DISTRICTS,

20,000+

PINCODES



WE ARE HERE !

- Andhra Pradesh
- Arunachal Pradesh
- Assam
- Bihar
- Chhattisgarh
- Delhi
- Goa
- Gujarat
- Haryana
- Himachal Pradesh
- Jammu and Kashmir
- Jharkhand
- Karnataka
- Kerala
- Madhya Pradesh
- Maharashtra
- Manipur
- Meghalaya
- Mizoram
- Nagaland
- Orissa
- Pondicherry
- Punjab
- Rajasthan
- Sikkim
- Tamilnadu
- Telangana
- Tripura
- Uttar Pradesh
- Uttarakhand
- West Bengal

TO REGISTER YOUR QUERY CALL US ON OUR

Toll Free No. 1800 258 4343

#GoForTheBest



Why iMee ?

We are your one stop solution for LED Lights, Fans, Irons, Televisions and much more. We have a wide range of products which are an example of superb amalgamation of both aesthetics, utility and money savings !

We are Different !

Our products are crafted to perfection ! Each and every product speaks for itself! They are unique and are a true replacement for traditional products.

Our Quality Speaks in Itself !

Try it to believe it ! Our products not only look stunningly modern but also adress all your needs. All our products are not just high on quality but are reliability personified too. Each and every product goes through our strict QC process. Trust of our customers is our biggest asset ever since the beginning of our journey and we are proudly committed to nurture this trust by continuing to provide best quality products to our cherished customers.

Money Savings !

Our products ensure upto 80% energy savings as compared to other traditional products. Now no need to worry about inflated electricity bills. Relax !

Fits into Regular Fittings !

Our products are designed with such an intention that they should fit into regular fittings thus saving more money of our dear customers. We kept both new construction customers and those who are renovating their homes or offices in mind !

Eco Friendly !

Our products are truly eco friendly and power saving, they have no mercury and lead, our heat sink mechanism works flawlessly ensuring very low heating in the surroundings.

Happy to hear from you !

We believe that the voice of our customers and the employees should be heard, thus, we consider all the valid suggestions and incorporate those for our better performance. We also are available to answer the smallest of your queries and look forward to hire the dedicated efficient young minds.



Brand Owned By:

PAREKH GADGETS PRIVATE LIMITED,

An ISO 9001 : 2015 Certified Company,
Regd Office: Bhumi Arcade, Opp. Garden,
Lakadganj, Nagpur 440008,
Maharashtra, India.



- www.imee.in
- customercare@imee.in
- sales@imee.in
- 1800 258 4343

Timing : 11 am to 7 pm (Monday to Saturday)

Follow us on :
Download Customer Care App :



Scan to download iMee Customer Care App