

imee[®]



All New Range Of **Air Conditioners**

With Quad Air Protection

www.imee.in

Decades of Trust, Innovation, Support & Excellence



Introduction...

iMee LED is a brain child of Parekh Group, established in 1945 with a vision of honesty, truthfulness and quality. The Parekh Group is counted among the leading business houses having diversified businesses across various sectors with an expertised experience of over seven decades and four generations.

Owing to our rich expertise, knowledge, experience and expertise of our expert team, "we offer a wide range of LED Lights, LED TVs, Personal & Home care products and much more range". Our entire product range is under strict supervision of our team with utmost attention to intricate detail so that the best products and services can be conveyed to our clients.

Our team consists of highly skilled and professionally trained people who work hard in close coordination with each other to set up total customer satisfaction. Through an unwavering focus on commitment & delivery, we have charted our way to success in our operations and have won the admiration of our buyers and have built a long term relationship with our esteemed customers.

Assurance of Quality & Excellence has been our key to success since our establishment and we believe that the years ahead will see us treading new grounds, widening the spectrum and expanding our trade horizons even further. We have set a high standard of conduct towards our buyers. Our precise approach to the quality of our manufactured products meets our customers' demands. We continuously work on improvement of our products, services & ourselves, so that we are able to serve you in the best possible way, today and for years to come.

imee®



- A moment of fresh feelings -



Eco
Friendly



Cools at
52°C



Auto
Clean



100% Copper
Condenser



Auto
Restart



Helpline 1800 258 4343
customercare@imee.in

www.imee.in



Get Refreshed in no time !



Add Peace of Mind
To The Coolness



Product Introduction



The inverter technology incorporates Variable rotary compressor to reduce noise and vibrations drastically and makes it super silent. Due to the inverter technology, the meter billing reduces considerably. iMee's AC cools even in scorching summer of 52°C ambient temperature. iMee's 1.5 ton AC comes within the affordable price tag and has various functions apart from just cooling.

The other salient features of iMee's 3 star AC consists of **cooling overload, drip prevention, auto diagnosis, auto clean, turbo cooling, 24 hour ON OFF timer etc. 24 hour ON OFF timer etc.**

iMee has come up with one more appealing and economical yet environmental friendly product, the BEE rated 3 star AC equipped with Inverter technology of 1.5 ton split AC model. Elegant and Glorious look of this AC makes it stand out of the crowd. Outstanding & topnotch performance of iMee AC reduces the electricity consumption and hence makes this product trustworthy in every aspects.

Protect functions prolongs air conditioner's life beyond your expectation. The Delay-Starting function reduces compressor's drastic load and hence raises its life span too! Freeze Prevention function avoids deposition of ice inside the IDU. The enzyme prevention function keeps the IDU free from micro-organisms keeping the unit dry. iMee AC has the most outstanding function in terms of resetting the power or auto restart; that resets the power during power suspension and also turns on energy saving mode if there's no person inside the room. Upon power failure, this smart AC memorize the last settings used, like temperature settings, airflow setting, operation mode etc.



1.5 Ton Inverter

Split Air Conditioner

iMee 1.5 Ton Inverter Split Air Conditioners has Variable Speed energy efficient rotary compressor with wide rotational frequency range. Variable Rotary Compressor inside ensure faster cooling and more efficiency as well as drastic reduction in noise and vibration levels. It constantly adjusts the compressor's speed to maintain desired levels of temperature and assured savings – both power and electricity bills.

Faster Cooling

The speed & performance of the compressor is faster and more powerful, allowing the Air Conditioner to cool faster than conventional ones.

Maximum User Comfort

The speed of Variable Rotary Compressor is constantly adjusted and varied to maintain the desired temperature with minimal fluctuation.

Reduced Operating Cost

Variable Rotary Compressor minimizes energy loss and keeps the efficiency levels high to provide the most powerful air conditioning.

Low Noise

iMee unique skew fans along with the Variable Rotary Compressor enable its Air Conditioners to function at extremely low sound levels, ensuring peace and comfort.

BENEFITS



1.5 Ton Inverter

Split Air Conditioner



FEATURES

**Elegant
Timeless
Design**

The air conditioner have been stylishly designed with rounded contours that fit beautifully into diverse interior.

**Quiet &
Comfortable**

Quick and comfortable which provides precise air flow capacity control.

**Energy
Saving**

High energy saving with comfort provides the user multiple solutions in comfort and energy savings.



1.5 Ton Inverter

Split Air Conditioner

AC SPECIFICATIONS



iMee 1.5 Ton 3 Star Inverter Split AC (Indoor & Outdoor Unit)		
Unit	Indoor Unit	Outdoor Unit
Model Name	iMee 1.5 Ton 3 Star Inverter Split AC	
Reorder No.	IMEE-SPLITAC-INV-1.5T-3STR-NEO	
Operating Mode	COOLING	COOLING
Voltage	220-240V / 50Hz / AC	220-240V / 50Hz / AC
Rated Current	7.58 / 4.16 Amperes	7.58 / 4.16 Amperes
Cooling Capacity	4900W (Full Load)	4900W (Full Load)
Cooling Capacity	2450W (Half Load)	2450W (Half Load)
Input Power	1660W (Full Load)	1660W (Full Load)
Input Power	580W (Half Load)	580W (Half Load)
ISEER	3.84	3.84
Electricity Consumption	1111.93kWh	1111.93kWh
Refrigerant / Charge	R32/0.81kg	R32/0.81kg
Air Conditioner Category	SPLIT	SPLIT
Way to Control	REMOTE	-
Maximum Power	2366	-
Maximum Current	10.6	-
Output Power	25	28
Capacitor	2	2.5
Rotating Speed	1200	880
Number of Rows	2	2
Number of Blades	-	3
Hole distance Film width	19.5x11.6	19.5x11.6
Material	HYDROPHILIC	HYDROPHILIC
Pipe Diameter Category	7mm	7mm
Net Dimension	800 x 230 x 295 mm	780 x 557 x 241 mm
Noise	46/43/40/37	55

5 YEARS
COMPREHENSIVE WARRANTY
1 YEAR ON INDOOR UNIT
4 YEARS ON OUTDOOR UNIT

Heavy Duty Air Conditioner | Sleep Mode | Latest LED Display | Freeze Prevention
Hydrophilic Aluminum Fin | R32 Eco Friendly Refrigerant | Inner - Grooved Copper Tube
Full Function Remote | Auto Clean | 24-Hours ON or OFF Timer | Drip Prevention
Auto Diagnosis | Strong Dehumidification | Turbo Cooling



1.5 Ton Inverter

Split Air Conditioner

AC SPECIFICATIONS




iMee 1.5 Ton 5 Star Inverter Split AC (Indoor & Outdoor Unit)		
Unit	Indoor Unit	Outdoor Unit
Model Name	iMee 1.5 Ton 5 Star Inverter Split AC	
Reorder No.	IMEE-SPLITAC-INV-1.5T-5STR-555	
Operating Mode	COOLING	COOLING
Voltage	220-240V / 50Hz / AC	220-240V / 50Hz / AC
Rated Current	5.8 / 3.2 Amperes	5.8 / 3.2 Amperes
Cooling Capacity	5050W (Full Load)	5050W (Full Load)
Cooling Capacity	2525W (Half Load)	2525W (Half Load)
Input Power	1270W (Full Load)	1270W (Full Load)
Input Power	455W (Half Load)	455W (Half Load)
ISEER	5.10	5.10
Electricity Consumption	857.36kWh	857.36kWh
Refrigerant / Charge	R32/0.81kg	R32/0.81kg
Air Conditioner Category	SPLIT	SPLIT
Way to Control	REMOTE	-
Maximum Power	2366	-
Maximum Current	10.6	-
Output Power	25	28
Capacitor	2	2.5
Rotating Speed	1200	880
Number of Rows	2	2
Number of Blades	-	3
Hole distance Film width	19.5x11.6	19.5x11.6
Material	HYDROPHILIC	HYDROPHILIC
Pipe Diameter Category	7mm	7mm
Net Dimension	1000 x 295 x 230 mm	781 x 557 x 281 mm
Noise	46/43/40/37	55

5 YEARS
COMPREHENSIVE WARRANTY
1 YEAR ON INDOOR UNIT
4 YEARS ON OUTDOOR UNIT

Heavy Duty Air Conditioner | Sleep Mode | Latest LED Display | Freeze Prevention
Hydrophilic Aluminum Fin | R32 Eco Friendly Refrigerant | Inner - Grooved Copper Tube
Full Function Remote | Auto Clean | 24-Hours ON or OFF Timer | Drip Prevention
Auto Diagnosis | Strong Dehumidification | Turbo Cooling



AC Remote Controller



- **1. Mode Button :**
Press this button to select the operation mode.
- **2. Start/Stop Button :**
The appliance will be started when it is energized or will be stopped when it is in operation, if you press this button.
- **3. Fan Button :**
Used to select fan speed in sequence low, medium, high & auto.
- **4. Swing Button :**
Used to stop or start vertical adjustment louver swinging and set the desired up/down airflow direction.
- **5/10. Set Temperature Setting Buttons :**
Used to set temperature and timer.
- **6. Turbo Cool :**
Used to start or stop the fast cooling. (Fast cooling operates at Turbo Cool Speed with 16°C set temp automatically).
- **7. E. Saver :**
Used in cooling mode by setting Temp to 24°C keeping the fan speed medium.
- **8. Sleep :**
Used to set or cancel Sleep Mode operation.
- **9/11. Timer On/Off :**
button Used to set or cancel the timer operation.
- **12. Display Button**
This key is used to activate/deactivate light feature.
- **13. Clock Button :**
Used to set the current time.
- **14. Cancel Button :**
Used to cancel the set time.



Safety

Instructions



CAUTION

Installation Instruction

Never install by yourself.

Split type air conditioner will work for you for a long period of time if it is correctly installed. Improper Installation could cause problems such as leakage of water or refrigerant, electric shock or fire.

If the power cable to the unit is disconnected, burnt, chipped, or detached from the terminal, to make reparations, please contact the nearest service center, or repaired by people who have the same qualifications or experience to avoid electrical hazards.

Please Confirm The Following Before Installation

Power specifications : Make sure that the capacity of socket or breaker and power cable is sufficient, the voltage is correct and the socket or breaker is grounded. There may be hazard of fire or electric shock otherwise.

Installation environments : Do not install air conditioner at the place where there is flammable or corrosive air.

Proper connection of wires & piping : Improper connection may decrease the efficiency or cause air conditioner stop running. Water or refrigerant leakage may be resulted as well.



Warranty Policy

Important :

- 1) Warranty for Consumers/End Users from the date of Purchase.
- 2) Additional 3 months extra warranty period will be given to all Channel Partners combined together so that they can sell out the goods to Consumers/End Users.
- 3) All Super Stockiest must ensure that the stock is sold to consumer/End user within 3 months of their purchase & their sales/distributor sales should be on FIFO Basis.
- 4) All channel partners must only buy such a quantity which they can sell out to consumers within the above specified time frame.
- 5) All serial numbers will be validated through the DMS portal.
- 6) iMee Warranty Card is mandatory along with invoice Duly signed and stamped by Dealer/distributor/SS.

Things to remember :

- 1) All the iMee AC models come with a 5 Year Comprehensive Warranty. 1 Year for Indoor Unit and 5 Years for Outdoor Unit.
- 2) Consumer/End User or whomsoever is opening the AC box for the first time must record an unboxing video while opening the box, and the serial number of the AC must be clearly visible in the video otherwise it will not be eligible for free warranty.
- 3) AC must be installed through a qualified and experienced technician.
- 4) Any faults which arise due to improper installation will not be covered under warranty if the installation is done by a technician not associated with iMee.
- 5) If the security seal on AC is broken or tampered, that AC will not be eligible for warranty.
- 6) Physical Damages are not covered under warranty, only technical defects that occur within the mentioned specifications/parameters are covered under warranty.

Please go through the following Standard Operating Procedures :

Problem	Solution
Missing Remote or Accessories	Please download iMee Customer Care App from Google Play Store or iPhone App Store and register with your email id or mobile number & register your complaint & then please login your complaint. OR you can also log your complaint through iMee Customer Care Toll Free Number & submit a video proof while opening the box, share the serial number written on your product, and we will make the missing accessories available on priority.
Technical Issues	Please download iMee Customer Care App from Google Play Store or iPhone App Store and register with your email id or mobile number & register your complaint & then please login your complaint. OR you can also log your complaint through iMee Customer Care Toll Free Number & share your product Serial number and submit required photos/videos, after evaluating the problem, we will send a technician to solve/repair the problem/replace the faulty part which will be solved within 4 to 7 working days.
Physical Damages	Physical Damages or Water Damages are not covered under Warranty. All the Super Stockiests/Distributors/Retailers must carefully check the boxes for any dents or damage marks while receiving the goods and write a note "Subject to physical check within 72 hours" & notify the transporter within 72 hours in case of any physical damages and write a note on the receiving copy about the damage along with stamp on every POD. If found correct, iMee will compensate to Super Stockiest after investigating the matter accordingly & Super Stockiest should compensate to distributor accordingly. Super Stockiest to Distributor transport risk belongs to Super Stockiest & Distributor to Retailer transport risk belongs to Distributor.

Please Note :

All complaints must be registered on iMee Customer Care Mobile Application only OR iMee Customer Care toll free number only, any complaints directly given to any engineer or any employee directly or anyone else will not be valid and will not be entertained.

All above conditions are subject to change, Terms & Conditions Apply. All authorities belong to iMee & its authorized team. All disputes subject to Nagpur Jurisdiction.

Regards

iMee Customer Care Team : customercare@imee.in | www.imee.in

imee[®]



Brand Owned By :

PAREKH GADGETS PRIVATE LIMITED,

An ISO 9001 : 2015 Certified Company,

Regd Office : Bhumi Arcade, Opp. Garden,

Lakadganj, Nagpur 440008,

Maharashtra, India.

In case of any queries, please contact :



1800 258 4343 (Toll Free)

Timing : 11 am to 7 pm (Monday to Saturday)



customercare@imee.in



www.imee.in



Follow us on :    
Download Customer Care App :



Scan to download iMee Customer Care App